
UNIVERSITY MICROFILMS 313 N FIRST ST ANN ARBOR MICH

Reentered as second class matter October 3, 1936 at the post office at Detroit, Mich., under the Act of March 3, 1879.

Trade Mark Registered U. S. Patent Office. Copyright 1956, by Business News Publishing Co.



Learn to live and laugh thus delay your epitaph

Story of the Week Industry Needs a **Vardstick NAME Which Buyers Understand** How About 'Comfort Degrees?' Phooey to the Saturday **Evening Post** Another Boo for Post Scaremongers Air Conditioning Has Become a Habit It Saves Budget Money, Too, In the Home

Story of the Week

Visiting Englishman fell into the lap of a pretty girl on a Fifth Ave. bus. He apologized.

She quipped: "You must be a Laplander!

That joke tickled his funnybone. Back home in London he recounted the adventure to stalwarts of his club thusly:

"And then the jolly American girl said to me, 'I say, you must be an Eskimo.'"

Industry Needs a Yardstick NAME Which Buyers Understand

Ever since AIR CONDITIONING & REFRIGERATION NEWS "cried havoc" about dishonest ratings of air conditioners, conscientious forces within the industry have been adding their "yoicks," and darting into the fray. And that's good.

ARI, the Better Business Bureau, responsible representatives of substantial manufacturers, contractor associations, and even a few public utilities have joined the battle for integrity of comparisons.

be an unconscionable mess, as this letter testifies:

Western Auto Supply Co. Kansas City 8, Mo.

Editor: the size of our window air consize in horsepower. Sure, the engineers got the change in the manufacturer's general literature. But, when the ad writers (who must have been on vacation when the pledging took place) got going, somehow all the noble aims evaporated.

mat services, and this dumps wording. (Concluded on Page 18, Col. 1)

How You Doing With Uncle Sam?

Are you interested in getting any of the air conditioning and refrigeration work that is offered by the many divisions of the Federal government?

This is the time of year that government procurement of new equipment, and repair and replacement of existing systems is being stepped up. This has been noticeable in the increasing size of the "Government Contracts" section published each week in the NEWS. In this issue you'll find it on page 51.

American-Standard Offers 6 New **Air-Cooled Units**

ELYRIA, Ohio-Six new aircooled units designed to meet the requirements of the rapidlyexpanding market for waterless air conditioning systems, plus a new horizontal winter air conditioner, have been introduced by the Air Conditioning Div. of American-Standard.

Additions to American-Standard's air-cooled line include a 5-hp. outdoor condensing unit Westinghouse Unit similar to the 2 and 3-hp. Converts Water-Cooled models manufactured by the (Concluded on Page 8, Col. 1)

Refrigerator, Freezer Sales Open Slower Than '55, NEMA Reports

NEW YORK CITY - Household refrigerator and freezer area. sales started out 1956 on a slower pace than in 1955, figures released recently by the National Electrical Manufacturers Association indicated.

Reports from 12 refrigerator manufacturers showed January dential heating units. sales 24% below the first month of 1955 and February sales down 12% from February a

(Concluded on Page 4, Col. 4)

Bush Co.-Dunham Merger Planned

WEST HARTFORD, Conn .-Consolidation of the C. A. Dunham Co., Chicago, and The Bush Mfg. Co. here into a new company has been favorably considered by the boards of directers of both companies, it was announced here recently.

Under the proposal, a new Connecticut corporation to be known as Dunham-Bush, Inc. would be formed. Upon completion of the preliminary steps and development of the final program, the plan will be submitted to the stockholders of both companies for approval.

Under the proposal, H. S. Marshall, now president of C. A. Dunham Co. would become chairman of the board. Cecil Boling, president and treasurer of Bush, will become president and treasurer of Dunham-Bush.

C. A. Dunham Co. products consist of steam and hot water heating equipment and special- Austin Project ties. Bush Mfg. Co. produces air conditioning and refrigeration equipment and components.

System to Air-Cooled

NEW YORK CITY-Plans for a nationwide promotion in the air conditioning market were presented by Westinghouse Electric Corp. at a meeting held here recently for distributors in the New York-New England

The distributors also previewed a new condensing unit designed to convert water-cooled air conditioning units to aircooled operation and a complete new line of gas and oil-fired resi-

The condensing unit, called the "CAC," is suitable for use with residential and commercial packaged air conditioners in 2, Nineteen manufacturers of 3, and 5-ton capacities, Bruce D. (Concluded on Page 4, Col. 1)

Sees a Warm May

WASHINGTON, D. C .- The air conditioning and refrigeration industry should fervently bope that the U. S. Weather Freezing Air Bureau's forecast for the month of May is as accurate as it was Heat Pump 'Practical' for April.

For April, Bureau had predicted colder and ByCompoundCompression wetter than normal conditionsand that's exactly what happened. For May it predicts higher than normal temperatures in much of the heavily populated areas, with rainfall near normal except for a few West.

"Much above" normal tem-(Concluded on Page 4, Col. 1)

Year-Round System Set for 1,152-Unit

AUSTIN, Texas - Hailed as the largest home air conditioning project in the world, Barton Hills subdivision here will have each of its 1,152 homes equipped with a Typhoon "Weather-Selector" year-round unit, Don V. Petrone, president of Ty- Albert M. Gibson Dies phoon Air Conditioning Co., announced recently.

The Weather Selector system to be installed consists of a 95,000 B.t.u. input gas-fired, forced warm air furnace and a 3-ton capacity cooling coil connected to an outdoor air-cooled refrigeration condensing unit.

The system is designed so that it can be completely-except for the condensing unitinstalled in a closet 411/2 in.

there is room for ductwork con- ous week to visit his son and nections on top of the cooling daughter-in-law. (Concluded on Page 49, Col. 4)

U.S. Weather Bureau York System **Heats Using**

the Weather For All Conditions

NEW YORK CITY-The first practical" system of heating a building without fuel by using below freezing outside air as a heat source is claimed by York Corp. in announcing a new type areas in the Midwest and Far heat pump air conditioning system.

At a press conference here. peratures are predicted for most Ray K. Serfass, a vice president of the corporation and general manager of York's Industrial Div., said that York had applied for patents on a heat pump system capable of heating a building using freezing or below freezing winter air processed by the same refrigeration system used to cool the building during the hot summer months. No supplementary heating system is necessary.

Serfass said that the first application of the new system is presently functioning in a (Concluded on Page 51, Col. 1)

Of Heart Attack at 31

GREENVILLE, Mich-Albert M. Gibson, 31-year-old executive vice president of Gibson Refrigerator Co. here, died unexpectedly of a heart attack last Wednesday while honeymooning in Rome, Italy.

Word of Gibson's death was received from his father, C. J. Gibson, Sr., former president of deep, 33 in. wide, and 8 ft. high. the refrigeration equipment Height of the furnace is 701/2 manufacturing company, who in. including cooling coil so had flown to Europe the previ-

(Concluded on Page 4, Col. 2)

At the local level, though, air Kalamazoo Offers Model Code To Cover conditioning promotion still can Kalamazoo Offers Model Code To Cover Many 'New Phases' of Industry Activity

Apparently we do not believe tioning, the heat pump, electric appear ditioners by the nominal pump code, are being worked into a the code in detail. new model code by A. Fred heating and air conditioning contractor here.

pair are trying to write the copy. Let's not pretend that retail code so that a mechanic can all are mighty proud of our ad at the interpretation of the for consideration, Madaus said.

Their ambition is also to make

KALAMAZOO. Mich. - New the code easy to use. They are provisions on room air condi- preparing a table of contents to at the front of the our own words, when, as an in- panel heating, and truck refrig- so that information on any pardustry, we all pledge to describe eration that, so far as they ticular subject can be easily know, do not appear in any local found. They also hope to index

Madaus said that the code Madaus, mechanical equipment has been in development for specifications, and it appears in inspector for the city of Kala- over two years. He and Rynmazoo, and Glen W. Rynbrand, brand expect to finish their work on it sometime around July 1. Then it will be published Currently making suggested and sold at cost to any city or changes to a proposed draft, the organization desiring to use a

Even in this area, it will be advertisements are all "locally understand it and so that an up to local associations to subprepared." The fact is that we inspector will not have to guess mit the code to local authorities

As the sections on refrigera-(Concluded on Page 36, Col. 1)

DEHLIND DAGE ONE

BEHIND PAGE UNE	
Hits at '1 Hp. Equals 1 Ton' Idea. Ratio That Was Fairly Reliable for Water-Cooled Units is Far from Accurate for Air-Cooled Units, Says Henderson in Asking for New Rating Terms.	10
Simplifying Duet Design, Sizing Air Conditioning Conference Speaker Offers Hints.	11
Small Businesses They're Growing In Numbers, Fewer Failing	14
Charging, Test Board With It Contractor Checks Most Components	21
\$2 Million Commercial Distributorship How Big Firm Got That Way	24
Dealer Finds Air Conditioning Future Bright Outlines Plans To Double Last Year's Promotional Budget To Get the Business	31
Contractor Finds Profit In Variety Activities Include Wholesale Unit Rebuilding	
Heat Pump Specialist Southern Firm Finds Big Demand In Area	
Where Weather Is Mild and Water Plentiful	44

Servicing Auto Air Conditioners 48



Chicago Conference To Eye Heating, Cooling Trends, Problems May 24-25

and future trends in air conditioning and heating will be dis- for presentation at four technicussed at a two-day technical cal sessions. conference to be held May 24 hotel here.

This, the first such conference non-members. ever sponsored by the National Warm Air Heating and Air Con- conference is as follows: ditioning Association, will be an annual affair, it was announced.

In addition to taking up ing). every-day problems like balancfittings and diffusers, heat gain Denges, vice president, Williamdelve into nuclear energy for ditioning Association. residential air conditioning, solar energy, and the probable zation of Nuclear Energy in

CHICAGO-Present problems residential air conditioning.

Thirteen papers are scheduled

Registration fees have been and 25 at the Edgewater Beach established at \$20 per person for association members, \$30 for

Complete program for the

THURSDAY, MAY 24

First technical session (morn-

"The Association, Its Manuals ing systems, pressure losses in and Committees," by G. W. in ducts, and venting of fur- son Co., president of National naces, conference speakers will Warm Air Heating and Air Con-

"The Application and Utiliimpact of the heat pump on Residential Heating and Air

Regulator Co.

"How Research is Used in Association. Manual Development," by Lorin G. Miller, dean emeritus, Mechanical Engineering Dept., Michigan State university.

"Pressure Losses in Fittings and Diffusers," by M. V. R. Rao, research assistant in Mechanical Engineering, University of Illinois.

Second technical session (afternoon).

"System Balancing for Yearround Air Conditioning in Research Residence No. 2," by J. R. Wright, research assistant in Mechanical Engineering, University of Illinois.

"Balancing Year-round Air Conditioning Systems in Two-Story Residences," by Donald R. Bahnfleth, research associate in Mechanical Engineering, University of Illinois.

"Heat Gain in Air Condition-

Conditioning," by Dr. Finn J. ing Ducts," by C. W. Nessell, Larsen, director, Research In-chairman, Field Investigation stitute, Minneapolis-Honeywell Committee, National Warm Air Heating and Air Conditioning

FRIDAY, MAY 25

Third technical session (morn-

"Solar Energy as a Source for Heating," by A. L. Hesselschwerdt, associate professor of Mechanical Engineering, Massachusetts Institute of Technology.

"Physiological Adjustments, Environment and Comfort," by M. K. Fahnestock, director, Physical Environment Unit. University of Illinois.

"Air Conditioning Using Gas as the Energy Source." (Speaker to be announced).

Fourth technical session (afternoon).

"Venting a Furnace," by R. B. Engdahl, chief of Fuels and Air Pollution Research, Battelle Memorial Institute.

"The Impact of the Heat Pump in Residential Air Conditioning," by S. F. Gilman, research section head, Carrier Corp.

"The Value of Research to the Heating and Air Conditioning Industry," by Frank J. Nunlist, Jr., vice president, Mueller Climatrol Div., Worthington Corp.

House Scotches Plans For 'Piecemeal' Cooling Of Federal Buildings

WASHINGTON, D. C .- Plans to air condition Federal court rooms and offices in 17 Texas cities and many other places throughout the country were turned down by the House Appropriations committee.

A request from the judiciary for \$1.5 million in air conditioning funds was denied by the committee because the General Services Administration objected.

Even though "recognizing the need for efficient and comfortable working conditions in all the courts," the committee the committee pointed to GSA's position on the matter when it refused funds for the work.

The government's housekeeping agency advocated a longrange program of "basic" air conditioning of entire Federal buildings rather than an "interim," piecemeal, room-by-room manner which would be "uneconomical."

This basic approach would take longer but cost less in the long run and be more efficient, GSA said.

The air conditioning committee of the Judicial Conference of mittee hearings.

They pointed out that GSA's basic air conditioning plan would run to \$600 million over a long time. Whereas the \$1.5 million sought for so-called piecemeal comfort, especially in the south where extreme heat "cuts judicial efficiency," would provide immediate relief, speed the judicial process, and amount to less than 2% interest on the larger sum asked by GSA.

Both Dallas and Fort Worth offices for court personnel were on the list of Texas projects to be air conditioned if the request had been approved, it was ex-

the hottest thing temperature

LOWEST in operating costs, too! Kramer's new "L" THERMOBANK saves important dollars every day it works for you. It's the only LOW temperature automatic hot gas defrost system that works trouble-free at any temperature level, from plus 32° to minus 75°. Let us prove that it costs less to own the best!


WRITE FOR MANUAL TV-320



THERMOBANK

KRAMER TRENTON COMPANY Trenton 5, New Jersey

Copeland distribution policy nets profits for wholesalers, dealers, manufacturers



and air conditioning market.

The absolute dependability of Copeland compressors, 25,000 sales-conscious dealers and Copeland's widely-heralded in-or-out-of-warranty service protection builds sales for wholesalers of new parts and replacement equipment . . . offers manufacturers a penetrating sales help in developing your share of the booming refrigeration

OPELAMETIC

The industry leader for rugged dependability. Models for every application. Freon-12 in 1/4 to 71/2 H.P.; Freon-22 in 2 to 10 H.P. (High Temperature Only.)



The Industry's newest welded hermetic

provides heavy duty performance at low current consumption. Freen-12, 1/2, 1/4 and 1 H.P. Freon-22 models, 1/2 through 13/4 H.P.





automotive and truck COMPRESSORS

High-speed belt-driven compressors designed specifically for the critical needs of truck and auto air



BELT-DRIVEN condensing units

> Superior-engineered units for every refrigeration need. Remote and self-contained, water and air-cooled models available.

WRITE FOR SPECIFICATION AND PERFORMANCE DATA

SINCE 1918

ATION CORPORATION, Sidney, Ohio

Westinghouse Unit --

(Concluded from Page 1, Col. 3) Henderson, vice president in charge of the air conditioning division, said.

The heating units range in capacity from 60,000 to 200,000 B.t.u. and include 16 gas-fired models and seven oil-fired models. All can be adapted for year-round air conditioning by adding a packaged cooling unit which uses the same ductwork as the furnace, Henderson said.

Weather Forecast -

(Concluded from Page 1, Col. 4) of the Southeast and a good part of Texas, for the 30-day period for much of the East, North Central, and Southwest. "Near normal" is the forecast for parts of the Midwest and Plains.

This forecast is generally in Hupp.

line with the long range weather forecast for the 1956 air conditioning season prepared by Weather Trends, Inc. and published in the March 12 issue of the AIR CONDITIONING & REFRIG-ERATION NEWS.

A. M. Gibson Dies-

(Concluded from Page 1, Col. 5)

Young Gibson joined the company in 1949 and was vice president in charge of defense products until Feb. 22 of this year when he was elected executive vice president and secretary of the company.

Gibson stockholders met April 25 to approve a merger of the firm with Hupp Corp., Cleveland, reported in March 19 issue in May. Higher-than-normal of AIR CONDITIONING & REFRIGtemperatures is the prediction ERATION NEWS. The report that Hupp bought controlling interest of Gibson was carried in the Feb. 20 issue of the NEWS. The firm operates as a division of

Housewives Declare for NEMA Reports --Air Conditioned Home

WASHINGTON, D. C. - A "cross-section" group of ten women taking part in Federal Housing Administrator Albert M. Cole's "hundred housewives conference" listed air conditioning as one of the features desired in a home.

Cole invited the women to the conference to help him plan down slightly in January but houses that would be good loan up in February.

tional house—as against contemporary-but one story with low-pitched roof and overhanging eaves, the latter group said the house should be air condi-

Also favored were a larger hot water heater and many more pliances-at least seven double plugs in the kitchen.

(Concluded from Page 1, Col. 2) home and farm freezers reported their sales down 10% from 1955 in both the first two months.

For refrigerator manufacturers, sales within the United States tumbled the most, while sales to Canada actually gained sharply over last year. Sales to other foreign countries were

Domestic sales were down Voting in favor of a tradi- 25% and 15%, respectively, in January and February, Refrigerator sales to Canada were up 31% and 90%. Sales to other foreign countries were down 5% in January and up 22% in February.

For freezers, domestic sales were down 11% in January and electric outlets for modern ap- 10% in February. Sales to Canada were down 16% and 18%, respectively.

Carrier Div. Appoints Kehoe as Aide, Melina 'Weathermaker' Chief

SYRACUSE. N. Y. - Two executive appointments within Carrier Corp.'s Unitary Equip-

ment Div. were announced recently by Russell Gray, vice president and general manager of the



division.

Burton T. Kehoe is appointed assistant to the general manager, reporting to

B. T. Kehoe

Gray. Arthur E. Meling is named manager of the division's newly created "Weathermaker" department which consolidates the residential and self-contained units department.

Kehoe joined Carrier in 1948 as general attorney of the firm. In 1953, he was named manager for Carrier's residential air conditioning department.

Meling is one of the pioneer salesmen of the air conditioning industry, with almost 30 years of experience in his field.

In 1946, he returned to Carrier headquarters in Syracuse, where he was named product manager for packaged air conditioning equipment. Prior to his new appointment he served as manager for the Unitary Equipment Div.'s self-contained equipment department.

Active in various sections and committees of the Air-Conditioning & Refrigeration Institute, Meling is also the author of numerous articles on packaged air conditioning.



The BLUE BOOK OF AIR CON-DITIONING gives you information on TRADE-INS +

- 1. It lists all popular makes and
- models
 2. It gives Trade-In values on used models
 3. What to look for in an Air Con-
- ditioner
- 4. How to sell Air Conditioners (New & Used) You Also Get The Facts On:

Cooling capacity • Filtering Heating • Installation Operation

Reg. Price \$5.00 Spec. Introd. Offer \$3.50 ea.

Make sure each salesman has a BLUE BOOK OF AIR CON-DITIONING.

NATIONAL APPLIANCE Trade in Guide Company

Modison I. Wis

TWO TO FIFTY LARKIN COOLING TOWERS NOW AVAILABLE IN 18 MODELS-**2 TO 50 TONS** CAPACITY Success is Built On These Features All models available with propeller fan. Centrifugal · Propeller fan and blower assembly are easily inter-changeable in the field blower optional on all models through 20 tons • Wetted surfaces are of all-heart redwood, with nailless, Centrifugal blowers have self-aligning graphited bronze interlocked construction, and are easily removed sleeve bearings mounted on outside for easy lubrication Belt-driven propeller fans have all-impregnated bronze More wetted surface assures conservative ratings bearings with oil line and cup for easy oiling Bolted construction—unit is easily dismantled in the field all the way down to the sump Stainless steel shafts on belt-driven propeller models · Blowers and propeller fans are hot-dip galvanized and Panels are 16-gauge and sump is 12-gauge steel Entire unit finished with epon base, zinc-chromated dynamically balanced after fabrication primer, and two coats of melamine baked-on enamel All-bronze float and float valve • Gravity-type distribution basin—low pumping head over Mastic-coated interior • Intake screen available as optional equipment

From every corner of America came praise for the LARKIN Water Saver Cooling Tower. "It's great—so great that we want the same thing in larger capacities."

Two- and three-ton models with fan have direct-drive,

with drip-proof motors

totally-enclosed motors. All other models are belt-driven

Here it is. The LARKIN Water Saver is now available in 2, 3, 5, 8, 10, 16, 20, 25, 30, 40, and 50-ton models. On the larger models, you'll find

the same fine features that made the two-throughtwenty series a smashing success.

Distribution basin cover supplied as standard equipment

Water outlet in sump has large strainer and anti-cavita-

tion plate, easily removed for cleaning

And remember, the LARKIN Water Saver is also a money-saver-sells at a price that gives you a competitive edge. It will pay you to get in touch with your wholesaler now, or write us for additional information.



Kelvinator 6 Mos. Appliance Production **Up 85,474 Units, Commercial 86,857**

six months ended March 31, capital expenditures in connec-1956 after realizing a non-tion with the completely new recurring profit of \$7,141,920 1956 Rambler line with its new Ranco Inc., George Romney, gine, as well as a new V-8 president, reported. The company had a net loss of \$6,114,-479 in the corresponding period last year after a tax recovery for the half-year to high costs 1954, President Gwilym A. tising and Selling." of \$6,344,000.

A total of 346,279 household appliances were produced during the six months this year compared with 260,805 in the like period a year ago, a gain of 33%. Commercial appliance output was 157,958 units against 71,101, a gain of 122%, it was pointed out.

Romney also reported the cor-\$60,800,000 on March 31, com- 068.

had a net loss of \$827,555 in the Sept. 30. This is after major through the sale of stock in overhead valve 6-cylinder enengine introduced last month in Nash and Hudson models.

> Romney attributed the loss incurred in advancing the introduction of the 1956 Rambler and putting it into volume production quickly, and to the let- first quarter of \$18,575,000. down in industry retail car sales this year.

\$15,006,212 greater for the six years in the company's 70-year months ended March 31, 1956 history. The net sales billed of first revision since 1950. than a year ago. They totaled poration's working capital at \$225,919,280 against \$210,913,- \$367,705,000 in the strike-free

Westinghouse Ships \$225,365,000 of

NEW YORK CITY-Despite first quarter. Electric Corp. shipped \$225,-365,000 worth of products and Price reported.

The strike, nonetheless, re-

Price noted that despite the in the first quarter of 1956 was The corporation's sales were exceeded in only seven other \$225,365,000 compared with first three months of 1955.

Air Conditioning Retail Cory Sales Balloon Advertising, Selling DETROIT—American Motors pared with \$62,400,000 last Goods In First Quarter Promotion Guide Issued

NEW YORK CITY-Highhome furnishings classifications, the first three months of 1955. the Association of Better Busibooked in the first quarter of vised "Guide for Retail Adver-

Included in the BBB primer sulted in a net loss during the codes of behavior for individual industries.

during the past three months of strike, the net sales billed total and shows how they may and creases in sales and earnings may not be used. Also included are do's and don'ts of compari- facturing activity at its recently son price advertising in this

> Price is \$3.50 from association headquarters, 723 Chrysler well as the increase in volume Bldg., New York 17, N. Y.

263% In First 3 Mos.

CHICAGO - J. W. Alsdorf, president of Cory Corp., has reported that sales of Cory and the strike at 40 of its plants lighting accepted procedures for its subsidiaries for the first during all but 10 days of the promoting air conditioning, quarter of 1956 were \$13,693,-Westinghouse major appliances, and other 304, compared to \$3,775,501 for

This represented an increase booked more orders than were ness Bureaus has published a re- in sales of \$9,917,803, or approximately 263%.

Net income rose to \$476,701, or 74 cents per share, compared are interpretations of specific to 1955 first quarter net income of \$110,605, or 17 cents.

Alsdorf commented that the The guide lists trade terms principal reasons for the inwere increased sales and manuacquired division, Mitchell Mfg. Co., producer of central system and room air conditioners, as at Fresh'nd-Aire Co. Div.





Since the shelf itself is all primary surface, faster freezing and faster defrosting result.



Open construction allows air to circulate freelyproviding more efficient freezing and more ever temperature.



Tubing construction takes greater weight and in assembly and in use—without bending or buckling.

FREEZER PLATES TUBING CONNECTORS **EVAPORATORS**

TRIANGULAR ALUMINUM TUBING makes Bohn's new freezer and freezing compartment shelf unique. The flat side of the extruded triangular tubing forms a level shelf surface. The edges are rounded for easier cleaning and the entire unit can be anodized in any desired color. What's more, Bohn's new Triangular Tube shelf costs less than other types. For complete details, contact your Bohn representative.

Patent applied for

CORPORATION

SALES OFFICES: Boston . Chicago . Cleveland . Dayton . Detroit . Indianapolis Milwaukee • Minneapolis • Moline • New York • Philadelphia • Rochester • St. Louis

For more information about products advertised on this page use Information Center, page 32.

en it comes to Figure?

ALABAMA Budlock Refrigeration Supply Co. Nolin-McInnis Company ARKANSAS ARKANSAS LITTLE ROCK . Refrigeration & Electrical Supply Co. ARIZONA
Rudlock Refrigeration Supply Co.
Mosmo KiekýNolin-McInnis Company
ARKANSAS
Выть Sмгти
LITTLE ROCK Refrigeration & Electrical Supply Co.
ARIZONA PHOENIXAuthorized Supply Company PHOENIXState Equipment & Supply Co., Inc.
PHOENIX State Fauinment & Supply Company
CALIFORNIA
BAKERSFIELDRefrigeration Supplies Distributor
EAST LOS ANGELES Arrow-Risco, Inc.
EL CENTRO Allied Refrigeration Suppliers, Inc.
FRESNO
LONG BEACHL. B. Marsh Allied Refrigeration Co.
Los AngelesArrow-Risco, Inc.
Los Angeles Brea Supply Company
Los Angeles Thermal Products, Inc. Oakland California Refrigerator Company
OAKLAND California Refrigerator Company
SACRAMENTO Acme Supply & Equipment Company SAN BERNARDINO L. B. Marsh Allied Refrig. Co.
SAN DIEGOAllied Refrigeration Suppliers, Inc.
SAN FRANCISCO California Refrigerator Company
SAN FRANCISCO Refrig. & Power Specialties Co.
SAN GABRIEL
STOCKTON Refrigerating & Power Specialties Co. COLORADO
COLORADO DENVERThermo Supply Company CONNECTICUT HARTEORD N. W. Day Sur
CONNECTICUT
HARTFORDN. W. Day Super Computer
New Haves
HARTFORDN. W. Day Supplements of the HARTFORD
WASHINGTON Retrigerate Sub-IV Co., In-
JACKSONVILLE
JACKSONVILLE Refrigeration Supply Company
MIAMI Bowen Retrigeration Supply
Pensacora Cooling & Heating Supplies
TAMPA
JACKSONVILLE
GEORGIA ATLANTALeo S. Bosarge C. Inc.
ATLANTA Leo S. Bosarge C. Inc.
ATLANTABowen Refrigeration Supplies, Inc. COLUMBUSHajoca Corporation
MACON Graves Refrigeration Inc.
MACONGraves Refrigeration, Inc. SAVANNAHSavannah Refrigeration Supply Co.
BOISECommercial Distributing Company ILLINOIS
CHICAGO Service Parts Company
DECATUR
EAST ST. LOUISIllinois Electric Works, Inc.
PEORIAPolar Supply Corporation
ROCKFORDPark Distributors, Inc. SpringfieldSpangler, R. H. Company, Inc.
INDIANA
EVANSVILLE Budlock Refrigeration Supply Co.
EVANSVILLE. Ohio Valley Hardware Company, Inc.
Indianapolis
MISHAWAKAValley Equipment Company
RICHMOND
CEDAR RAPIDSThermal Company, Inc. DES MOINESThermal Company, Inc. DAVENDORT White Refrigeration Supply Inc.
DAVENPORT White Refrigeration Supply, Inc.
KANSAS
TOPEKA Refrigeration Equipment Company
WICHITA Refrigeration Equipment Company

DAOINIER WHOLESALER IL	
LOUISIANA	
ALEXANDRIA The American Supply Company, Inc.	
BATON ROUGE	
LAFAYETTECooling & Heating Wholesalers	
MONROE Thermal Supply	
MONROE	
SHREVEPORT Standard Brass & Manufacturing Co.	
MATNE	
PORTLANDA. E. Borden Company, Inc.	
PORTLANDJoseph Simons Company MARYLAND	
BALTIMORE	
SALISBURYRoche & Hull, Inc. MASSACHUSETTS	
MASSACHUSETTS	
BostonA. E. Borden Company, Inc.	
SPRINGFIELDC. P. Payson Company, Inc. MICHIGAN	
ALPENAJ. Geo. Fischer & Sons, Inc.	
DETROIT J. Geo. Fischer & Sons, Inc.	
DETROITYoung Supply Company	
GRAND RAPIDS	
KALAMAZOO Harris Sunnly Company	
LANSING Harris Supply Company	
LANSING. Harris Supply Company PONTIAC. Young Supply Company SAGINAW. J. Geo. Fischer & Sons, Inc. MINNESOTA	
SAGINAWJ. Geo. Fischer & Sons, Inc.	
MINNEAPOLIS	
St. Paul Thermal Company, Inc.	
MINNEAPOLIS	
JACKSON Paine Supply Company	
MISSOURI	
KANNAS CITY REMIRERATION Equipment Commany	A
Meridian	
St. Less R. H. Spangler & Company Inc.	ij
NERDACK NEEDACK	8
LINCOLN Wickham Supply Company, Inc.	8
OMAHA Wate Ref geration Supply Inc.	ā
NEVADA	ı
LAS VEGAS L. B. Maria Albed R. rigeration	ı
CINIO DESTONA	
Avon-sy-things Willison Brothers, Inc.	
NEWARK	
New BrunswickTesco Distributors	
OCEAN GROVETesco Distributors	
TRENTON Jaegers Sales & Service NEW MEXICO	
NEW MEXICO	
ALBUQUERQUE McCombs Supply Company, Inc.	
ALBANYR. D. Marshall & Company, Inc.	
BROOKLYN Excel Refrigeration Supplies, Inc.	
BROOKLYN Excel Refrigeration Supplies, Inc. BUFFALO W. A. Case & Son Manufacturing Co.	
BUFFALOJordan Supply Company	
MOUNT VERNON Eastern Supply Company	
New YorkAetna Supply Company	
New YorkAlbert Hofeld, Inc.	
New York Reese & Long Refrig. Products, Inc.	
New YORK Paramount Electric Supply Company	
ROCHESTEROntario Metal Supply, Inc. SYRACUSEEmpire Refrigeration Supply Co., Inc.	
Syracuse W. A. Case & Son Manufacturing Co.	
Urica Vaeth Electric Company	
ASHEVILLE	
CHARLOTTEBowen Refrigeration Supplies	
CHARLOTTEHenry V. Dick & Company	
DURHAMHasco, Inc.	
GREENSBORO	
RALEIGHNoland Company, Inc. RALEIGHHenry V. Dick Company, Inc.	
Wilson	
WINSTON-SALEM	

		оню	
	AKRON		ey Sales Con
	CINCINNATI Mutua	Masor	Supply Compan .
	CINCINNATI Mutus	al Manufactu	ring & Supply Co
	CLEVELAND Clevelar	d Hermetic	& Supply Co Let
	COLUMBUS	Mason	Supply Co., IIIC.
	COLUMBUS		Supply Company
		KLAHOMA	
	OKLAHOMA CITY	Jones-Newby	Supply Company
	OKLAHOMA CITY	M & V	Supply Company
	TULSA	Jones-Newby	Supply Company
		OREGON	soppiny company
	PORTLAND Re		Power Specialties
		NSYLVANIA	
	ALLENTOWN	Larson	Supply Company
	ERIE W. A. Case &	Son Manufa	acturing Company
	ERIE	Erie Refi	rigeration Supplies
	HARRISBURG		Resco. Inc.
	HARRISBURG	Acar	Supply Company
	Pretratings		Oer Inc
	PITTSBURGH		Paris President
	PITISBURGH		role Brothers, Inc.
	READING	Larson	Supply Company
	SCRANTONCo	entral Service	Supply Company
	WILKES-BARRE	Kadio	Service Company
	RHO	DE ISLANI)
	PROVIDENCE		
	PROVIDENCE Rhode I	sland Refrige	ration Supply Co
	PROVIDENCE RHOGE I	II CAROLIN	ration supply Co.
		H CAROLIN	
	COLUMBIA	H. V.	Dick & Company
	COLUMBIA	Nola	nd Company, Inc.
	GREENVILLE	Henry V.	Dick & Company
	GREENVILLE. SOUT	TH DAKOT	1
_	BANKS FARRA	Therm	al Company Inc
	TO	NIMPOCEE	iai company, me.
-	CHATTANOOGA BAROCK MEMPHIS BAROCK MEMPHIS A	MACOSEE	Destade Inc.
_	CHATTANOOGA:		Peglar's, Inc.
w	MIEMPINS BUILDER	Refrigeration	Supply Co., Inc.
	MEMPHIS.	R. H. Spangl	ler Company, Inc.
	NASHBILLE.	J. B. 7	Thomas Company
	ABILENI, BLAVMONI CORPAS CHRISTI5	EXAS	
	ABILENE	C & H Distr	ibuting Company
SE	BUNNINGS	Oburn Supr	ly Company Inc
•	Carrie Carrier	Cover Defrie	Supply Company
=	Compas Critisii	D. C. C.	Supply Company
	DALLAS Barteck	Kerrig. Supp	ly Company, Inc.
	Dallas Central E	ngineering &	Supply Company
	El Paso M A M Re	frigeration &	Electrical Supply
	FORT WORTH	exas Refriger	ration Supply Co.
900	HARLINGE	United	Supply Company
	Houston	Johnson	Supply Company
	Houston	Line	to Company Inc
	HoustonStandar	nd Dreser & N	company, me.
	HOUSTON Standar	D D C	ianuracturing Co.
	LUBBOCKR &	K K Kerrigera	ition Corporation
	SAN ANGELO	Central	Electric Company
	SAN ANTONIO		
	SAN ANTONIO		stbrook Company
	TYLER	Amstar	Supply Division
	TYLERTexas I	Refrigeration	Supply Company
	THE STATE OF THE S	UTAH	supply company
			I Diet Company
	SALT LAKE CITY	ERMONT	ii Dist. Company
	BURLINGTON The B	Hodgett Supp	ly Company, Inc.
	V	IRGINIA	
	BRISTOL South	ern Refrigera	tion Corporation
	NEWPORT NEWS	Nolar	d Company, Inc.
	NORFOLK	Nolar	d Company Inc
	NORFOLK	Refrigeratio	on Suppliers Inc
	ROANOKESouth	orn Defricers	tion Corneration
			tion Corporation
	WAS	SHINGTON	
	SEATTLE Refriger	ating & Pow	er specialties Co.
	SPOKANE	Wakefield	Supply Company
	TACOMA Refriger	rating & Pow	er Specialties Co.
	WEST	T VIRGINIA	
	CHARLESTON	Mason	Supply Company
	CHARLESTON	nical Refriger	ation Supply Co
	Wires 1990	Mason	Supply Company
	WHEELING	econem	supply Company
	WI	SCONSIN	
	MADISONB. T. U	J. Equipment	& Supply Corp.
	MILWAUKEE	Therma	al Company, Inc.



... first with the most!

185 Authorized Brunner Wholesalers can give quick delivery on BRUNNER parts ... under the exclusive Brunner Warranty Program.

MANUFACTURING COMPANY BRUNNER UTICA, NEW YORK

- the most complete line of semi-hermetic and opentype condensing units.
- the most versatile, most satisfactory Warranty Program in the industry.
- backed by the biggest distribution system in the air conditioning and refrigeration fields.

AUTHORIZED BRUNNER WHOLESALERS

Here's the one to remember

The "Big 185" is today's strength of the coast-to-coast Brunner Wholesaler Team, the largest refrigeration wholesaler organization in the nation . . . and growing larger every day.

It means that almost anywhere in the nation, a Brunner Authorized Wholesaler is right at hand to furnish a wide range of Brunner units, and service parts. Each of these wholesalers is the official Brunner agent in the simple, fast-moving, versatile Brunner Warranty Program . . . the most workable program in the industry

It's a terrific sales combination . . . pin-point distribution; warranty service, free from delay; and the most complete line of semihermetic and open-type condensing units available from a single manufacturing source.



Get all the facts about the BRUNNER WARRANTY PRO-GRAM. For Free Booklet write to Advertising Department, Brunner Mfg. Co., Utica, N.Y.



THE BRUNNER COMPANY GAINESVILLE, GEORGIA

In Canada: Brunner Corp. (Canada) Ltd., Toronto, Ontario

New American-Standard Models --

(Concluded from Page 1)

division: year-round equipped evaporator unit; and a cooling. new horizontal air-flow evapoous design.

tioning Div. distributors.


Specifications Announced

General specifications on the follows

pressor, condenser, and pressure units control; 5 hp.; 230-volt, 1equipped for gas-fired heating; phase, 60-cycle or 208/220-volt, year-round units equipped for 3-phase, 60-cycle; thermostat oil-fired heating; a counterflow packages available for either evaporator unit; a blower- cooling only or heating and

Model C-G-AC - Year-round rator unit that replaces a previ- air conditioner for use with American-Standard outdoor, air-These items, along with a ver- cooled condensing unit: 2-hp. tical air-flow evaporator unit cooling with gas-fired heating in previously announced, are all in capacities of 75,000, 100,000, production, available for early 125,000, and 150,000 A.G.A. delivery to dealers through B.t.u.h. input, or 3-hp. cooling American-Standard Air Condi- with 100,000, 125,000, and 150.-60-1, or 208/220-60-3 electric current.

above items were announced as air conditioner for use with B.t.u.h. at bonnet, or 3-hp. cool- models C-G-AC and C-OB-AC Model AC-5A-Outdoor air- cooled condensing unit; 2-hp. B.t.u.h, at bonnet; 230-60-1 or thermostat and built-in manualcooled unit consisting of com- cooling with oil-fired heating in 208/220-60-3 current.



000 A.G.A. B.t.u.h. input; 230- LEFT: American-Standard RC-H horizontal air-flow evap conditioner, models C-G-AC and C-OB-AC.

Model C-OB-AC-Year-round capacities of 85,000 or 112,000 American-Standard outdoor, air- ing with either 85,000 or 112,000 are combination heating-cooling

Among other features ly operated change-over damper

(motor-driven damper option-

Year-round units include slideout evaporator unit which may be purchased separately, if desired, for later installation.

Model RC-C - Counterflow evaporator unit; two sizes; designed for use with American-Standard 2-hp. and 3-hp. outdoor air-cooled condensing units; total B.t.u.h. 21,600 and 32,500, respectively; slide-out refrigerant circuit for servicing.

Model RC-B-Blower-equipped horizontal air-flow evaporator for use as above: two sizes-21,600 or 32,500 total B.t.u.h. with 800 c.f.m. or 1,200 c.f.m. blower capacity, respectively.

Model RC-H-Horizontal airflow evaporator unit designed for use as above; two sizes-21,600 and 32,500 total B.t.u.h.

Features

Features of the year-round and evaporator units include expansion valve with thermallyaged diaphragm to withstand the high temperatures maintained during the heating system, the company said. Jacket for models RC-C and RC-H can be purchased separately and evaporator coil added later.

Model GHA-Horizontal gasfired winter air conditioner in four sizes-85,000, 100,000, 125,-000, and 150,000 A.G.A. B.t.u.h. input; approved for attic installation; 115-volt, 60-cycle a.c. electrical operation; completely assembled, wired, and installation-tested at the factory.

Mel's Refrigeration To Distribute UsAirco Line

MINNEAPOLIS - Mel's Refrigeration Sales & Service, Toledo, has been named a distributor by United States Air Conditioning Corp.

Headed by Melvin Lewandowski, the firm will handle UsAirco's line of packaged air conditioners for commercial applications and self-contained central plant equipment for commercial and industrial use.

The firm also handles a complete line of commercial refrigeration equipment.



NEWEST

CHROMSPUN"

BY ABACROME

FADEPROOF FABRICS IN VARIED COLORS

SEND FOR

FREE MINIATURE BANNER

AND PRICE LIST





Increase turbulence of air flowing over a surface and heat transfer from that surface is increased. Develop a pattern on the surface which will build turbulence to a maximum within the allowable pressure drop limits . . . there you have the latest contribution from Halstead and Mitchell engineers

... the new, exclusive "TURBU-FLO" finned surface!
"Turbu-Flo" assures you of extra-safe ratings for your manufactured equipment, because added heat transfer pro-

vides an unusual margin of added capacity.

"Turbu-Flo" is manufactured by ultra-modern equipment in our giant Zelienople plant to the exacting quality standards that have made Halstead and Mitchell products distinctive in the air-conditioning and refrigeration industry. "Turbu-Flo" finned surface is immediately available to

meet your every need.

Halstead & Mitchell, Bessemer Building, Pittsburgh 22, Pa.

TELL US YOUR NEEDS ... AND ASK FOR BULLETIN DE-200







BLAST REATING COOLING COILS




EVAPORATORS AND CONDENSEES FOR IR-CONDITIONING



SPECIAL FINNE FIXTURES

help!



young graduates! experienced engineers! grow with Airtemp!

help needed in Dayton headquarters

PRODUCT ENGINEERS are needed for development, improvement, cost reduction and production follow-up on gas and oil-fired heating equipment, air and water-cooled commercial air conditioning, package and central station equipment.

PRODUCT DESIGN ENGINEERS are needed to develop and expand the full line of air conditioning and heating. Cost reduction and production follow-up essential.

APPLICATION ENGINEERS will prepare and develop application data for residential cooling and heating. Knowledge of products and their application is necessary.

APPLICATION ENGINEERS are needed to prepare and develop application data for central station equipment. Applicants must have knowledge of all sizes of equipment, methods of installing and be capable of training field personnel.

help needed in field organization

FIELD ENGINEER5 must have mechanical and application knowledge of air and water-cooled commercial air conditioning, package and central station equipment. Must have ability to properly diagnose mechanical difficulties and improper application. Must be able to train men as well.

Experience in layout and design of large air condi-

tioning installations is essential. Must also have ability to meet and work with consulting engineers and architects. Ability to select and lay out equipment for new and old construction is desirable.

Headquarter cities: Detroit, Michigan, Chicago, Illinois, New York City, Dallas, Texas, Atlanta, Georgia, Dayton, Ohio, Miami, Florida.

here is what an Airtemp career means to YOU!

You will work on a quality product with a staff of fellow engineers who know more about their field than any other group of men in the world. You will join an organization that specializes in air conditioning, that pioneered and led the field with advanced design and application since 1934. You will be associated with men of advanced ideas and open minds. You will enter a company that is continually expand-

ing, a field that is continually expanding, and a future that is assured.

A complete program of induction is provided by Airtemp—up to 18 months training in all phases of air conditioning for young graduate engineers.

Write for complete information today. This may be your opportunity to go forward with Airtemp and the Forward Look!

Write Mr. C. J. Katte, Manager of Industrial Relations, Chrysler Corporation, Airtemp Division, P. O. Box 1037, Dayton 1, Ohio. Give resume of experience and background and send small snapshot.





THE FORWARD LOOK

IN AIR CONDITIONING . HEATING FOR HOMES, BUSINESS, INDUSTRY

Hits at '1 Hp.=1 Ton'

Variations In Capacities of Air Cooled Units Calls for New Rating Terms, Says Henderson

NEW YORK CITY-Westing- been increased to 4 hp. giving conditioning = 1 ton in air conditioning rat-

At a meeting of distributors and dealers in New York City on April 30, Bruce D. Henderson, vice president of the Westinghouse Air Conditioning Div., stated that horsepower ratings, used for some time by manufacturers of room coolers, fail to give an accurate measure of the cooling capacity of aircooled, central-type air conditioners. As a result, customers are getting an entirely false idea of the cost of central cooling.

Tests Show Some Units Over Rated 50%

"Comprehensive tests in our laboratories of many brands of residential air conditioners revealed that some units carry published performance figures almost 50% higher than they are capable of producing," Henderson said.

"This is a direct result of the common industry habit of using the terms 'compressor horsepower' and 'ton of cooling capacity' interchangeably.

"In air-cooled units nothing could be further from the truth. homeowner attempting to select one of five major aircooled home air conditioners, each claimed far and wide to be a 3-hp. model, would find the actual cooling capacities ranged from 25,000 B.t.u./hr. to 37,000 B.t.u./hr.-a variation of a full ton in cooling capacity.

Water-Cooled Ratings Were More Accurate

"When the industry as a whole was concentrating on water-cooled models, 1 hp. was generally equivalent to 1 ton of cooling capacity. Now, with the overwhelming rush to air-cooled models, the two terms are no longer interchangeable.

"When a manufacturer converts a properly rated watercooled air conditioner to one using an air-cooled condenser, there is much more involved than the mere replacement of condenser.

"For example, a water-cooled unit can operate at 120 p.s.i.g. condensing pressure and produce 36,000 B.t.u./hr. But when this is converted to an air-cooled unit and the condensing pressure is increased to 200 p.s.i.g., the air conditioner will no longer produce 36,000 B.t.u./hr.. but may drop to as low as 25,000 B.t.u./hr. To compensate for this drop in capacity, the compressor size must be increased.

Boosted Compressor Size For Air Cooled

"Recognizing the trend toward air-cooled condensers several years ago," Henderson said, "Westinghouse started to redesign their compressor and raise its horsepower rating in order to maintain the same cooling capacity as their watercooled models. For example, our earlier 3-hp. compressor has

house Electric Corp. has taken us now over 3-tons of cooling ca- forces to establish and enforce sharp issue with 1 horsepower pacity in our 3-ton air-cooled the proper rating of their prod-

> "One of the greatest deterrents to accurate and honest rating of air conditioners is the scarcity of proper testing facili- Customer Buys Cooling ties within the industry. In order to properly classify a unit, it is necessary to have test chambers in which controlled temperature, humidity, and air flow conditions can be maintained on both sides of the unit simultaneously. Only in this way can actual operating characteristics be determined."

> that representatives of the air customer is purchasing."

industry ucts. He said a certification system should be worked out similar to the American Gas Association rating in that industry.

"Horsepower," Henderson concluded, "is a term used to measure the amount of power required to drive the compressor of an air conditioner. Ton of cooling capacity, on the other hand, is an accurate measure of the amount of heat that can be removed in a specific period.

"When we talk about cooling Henderson emphatically urged capacity—then we hit what the

Mobile, Ala. Awards **Contracts for Cooling** In 2 Public Buildings

MOBILE, Ala.-Contracts to air condition the Council Chamber of City Hall and the Spring Hill Avenue Recreation building were awarded low bidders recently by the City Commis-

Gerald L. Leff obtained the Council Chamber contract on a bid of \$3,450. Five other bids were received on this project, it was noted.

Air Conditioning Engineers were given the recreation build- named manager of the office. ing contract on a bid of \$3,472. Five others also bid on this pro-

Plans were discussed for air conditioning Bernheim Hall at is expected that eventually an Mobile Public Library, but bids office will be established in Toon this project had not been re- ronto, the company official exceived at the time.

National-U.S. Radiator Opens Canadian Office


JOHNSTOWN. Pa.-Consistently rising sales of heating and air conditioning equipment throughout Canada has influenced the creation of a Canadian branch sales office by the Heating and Air Conditioning Div., National-U. S. Radiator Corp., the company announced re-

The new office has been initially located at 1720 Military Rd., Buffalo 17, N. Y.

Roland A. Hazell has been

According to F. S. Hudson, Jr., divisional general manager of sales, plans are developing to build a Canadian sales staff. It plained.

Rush coupon for money-making story on the big news in year 'round conditioners!



The only combination with Season Selector and Pride O' Yard waterless

au

CO

don

the

scie

140

WIN

Ins

emp

JAN

No more seasonal change-over headaches! Exclusive Season Selector Control automatically governs air volume for top-efficiency heating or cooling, without seasonal blower or motor adjustments eliminates service calls for seasonal changeover. Simply set changeover damper for "heating" or "cooling" as desired, either manually or by remote control! Easy, convenient, troublefree! This exclusive Janitrol advancement allows new simplicity and compactness of conditioner design, with lowest possible blower speed for smoothest, quietest performance!

Exclusive "Pride o' Yard" Compressor-Condenser is low, sleek, beautiful. Completely outmodes all other units of its type. Powerful-operates with outside temperatures to 125° F. Completely waterless, uses only air and electricity. 2, 3 and 5 HP sizes.



ALL-NEW PRIDE O' YARD COMPRESSOR-CONDENSER exhausts air out top instead of sides. Protects growing things nearby from hot blasts of exhaust air. Only Janitrol has it!

Simplifying Air Conditioning Duct Design, Sizing

Draw Single-Line Layout, Locate Outlets, Assign Velocities, Size by Calculator or Guide, Figure Friction, Pressure Drop, Fan Motor Size

be simplified and made easier tial of not more than 20°. for the small contractor.

956

tor

ice

ist-

ing ent

flu-

lian

eat-

iv.,

rp.,

re-

ini-

ary

een

Jr.,

of

. It

an

ex-

ion

tor

ess

usive

s air

vith-

limi-

nply

ing"

trol!

Jani-

com-

sible

nce!

ther

tside

less,

izes.

Air Quantity Should Be Large Enough

involved in duct design is that f.p.m. to 1,500 f.p.m. depending

COLUMBIA, Mo.—The design of determining the quantity of upon the particular require- tion method" of duct design, the and sizing of ductwork for air air to be circulated, said Her- ments of the installation. In first move is to assign the friction drop for each section of conditioning installations is a man. It should be large enough residential installations air noise velocities to be used. Starting the ductwork. This is done by fairly complicated task, but to pick up the sensible cooling is the prime consideration and with a 1,100 f.p.m. velocity, the multiplying the friction drop there are ways in which it can load at a temperature differen- velocities in the order of 600 to velocity is dropped to 1,000, per foot by the number of lineal

The air quantity should also Smith - Hanlon - Zurheide - Levy, air quantity as required for the c.f.m. air delivery. Inc., consulting engineer of St. cooling load or for circulation of air to be circulated.

One of the first considerations lation generally vary from 800 the biggest load point.

800 f.p.m. are satisfactory.

Herman described two simpli- supply duct after the outlets. This was brought out in the be sufficient so that the air in fied methods of duct design and discussion of "Duct Design" pre- the occupied space is changed duct sizing. The installation Size Supply Ductwork sented at the University of every 6 to 8 minutes. This is used in his example was a 60 by Missouri Air Conditioning Con- necessary to provide adequate 30-ft. store, handled by a 5-ton ference by Donald P. Herman of air movement. The maximum cooling system, with a 2,000

> The first step is to draw a will then determine the amount single-line duct layout, then locate the supply outlets along ductwork in commercial instal- vide ample air delivery nearest

> > Then in the "velocity reduc- 24 by 14 in. was assigned.

The supply ductwork is then sized by making use of a duct slide rule calculator or from tables printed in the ASH&AE Guide. The proper size reduction after each outlet is then as-Air velocities used for sizing this line, making certain to pro- ductwork. To size the return air the pressure drop through the duct a velocity of 1,000 f.p.m. was selected and a duct size of

Next step is to determine the 900, and 800 f.p.m. along the feet in each section. The individual friction drops in the ductwork including the return air section are then added together to determine the total pressure drop of the ductwork.

Add Various Pressure **Drops to Duct Loss**

Then, to determine the pressigned to each section of the sure drop through the system, supply and return grilles, the filter section (using the average value of the drop when clean and when dirty) are added to the duct loss already determined. This total figure represents the static pressure which the fan will have to provide.

The proper fan motor size is then determined from the c.f.m. and static pressure tables.

Constant Friction Method Discussed

The "constant friction" method of sizing ductwork was also discussed by the speaker. When using this method, the allowable static pressure drop per hundred feet of ductwork is calculated. This pressure drop is then used in sizing all of the sections of the duct system.

The total pressure drop through the duct system is then determined by multiplying the friction drop per foot by the number of lineal feet.

Static Regain Method **Covered Briefly**

The static regain method of sizing ductwork was briefly discussed. This method is more complicated and generally not used when sizing a small duct system. However, it is useful in large central station type installations and is the most scientific approach to the problem.

Herman stated that the idea of the static regain method is to convert velocity pressure to static pressure to offset the pressure drop due to friction. This is accomplished by reducproper air velocities.

The speaker also pointed out some of the "jokers" that may throw off calculations—such as irregularities in joints and lack of proper allowances for elbows and turning vanes.

He also urged that proper study be made of the use of dampers, scoops, or "taps" near diffuser outlets, to assure proper air velocities at the supply point.

The speaker also said that the use of internal duct insulation is gaining in popularity. The type of insulation most often used is a glass fiber product with one side coated to prevent the fibers from pulling lose and entering the air stream. Because of the sound absorbing properties of internal insulation. slightly higher duct velocities can be used. The insulation must be carefully applied so that there are no uncoated edges exposed to the air stream.



heating-cooling unit automatic change-over control

Air Conditioning Manager

JANITROL HEATING & AIR CONDITIONING DIVISION

Famous Janitrol Heating Heart with exclusive Multi-Thermex heat exchanger provides amazing freedom from burnouts, cracking, corrosion-delivers the cleanest, most economical gas heating modern science has yet produced. 80,000, 100,000 and 140,000 Btu/hr. capacities.

compressor-condenser!

WIN-SUM-MATIC models are available with "ADD-ON" cooling option, to help you make more sales. Install as complete heating-cooling "package", or reduce initial cost by leaving evaporator cabinet empty for addition of cooling at owner's option.



CASH IN ON OPERATION HOME IMPROVE-MENT WITH COMPLETE JANITROL LINE OF SUMMER, WINTER AND YEAR 'ROUND CONDITIONERS!

your Janitrol representative.



JANITROL HEATING & AIR CONDITIONING DIVISION SURFACE COMBUSTION CORPORATION, COLUMBUS 16, OHIO

> In Canada: Moffat Heating and Air Conditioning Division of Moffats, Ltd., Toronto 15



COMPACT-IDEAL FOR NEW OR OLD HOMES! Win-Sum-Matic High Boy fits in little as 41/2 sq. ft. of floor space. As Low Boy, with rear-mounted filters, it's only 60" high. Single duct system for heating and cooling. Uses existing warm air ducts for modernization.



"REAL COOL GAL" contest gets major boost as Chrysler Corp. auto dealers display window air conditioners and contest posters in their showrooms in Chicago area. Under the plan the public will be able to buy an air conditioner for either car, home, or office through local Chrysler, Dodge, Plymouth, or DeSoto automotive dealers. Here Miss Pat Gilbert, a candidate for the "Miss Cool Gal" title, and regional managers of the Chrysler Corp. automotive divisions look over the first announcement to the public. Airtemp officials indicated that this is not a new idea, but that it is the first attempt to sell room bir conditioners through outo dealers on such a large scale. The distributor is said to be working on arrangements for installation and service.

Here is another example of how Wolverine's prefabrication

services can help you do a better job. Definite savings in

time, labor and money are among the benefits you realize

when you order Wolverine preassembled refrigeration

units. They eliminate welding and assembly operations in

your own plant. The evaporator assembly can be purchased as a preassembled unit or as individual components. Either

way, it's another one-source Wolverine service to the

WOLVERINE TUBE, 1413 Central Ave., Detroit 9, Michigan.

PLANTS IN DETROIT, MICH, AND DECATUR, ALABAMA.

SALES OFFICES IN PRINCIPAL CITIES

WOLVERINE TUBE

Division of Calumet & Heels, inc.

refrigeration industry.

PROCESS PATENT APPLIED FOR

Auto Dealers Get Behind Airtemp Contest | Rosy Future Seen for Room Unit Market by Cassatt; Price Cutting Described as Biggest, Sharpest Thorn

thorn in the rosy future of the ditioners.' room air conditioner market is price cutting," the Memphis Retail Appliance Dealers Association was told recently by R. E. Cassatt, manager of sales, commercial Div., York Corp.

Describing the room air con-Cassatt said: "1,800,000 units appliance. will be sold in 1956. And, based air conditioners are only 5.6% saturated.

Room air conditioners not pects, Cassatt declared, but you price-cutting." have a better chance of selling,

The great majority of home long." on the wired home index, room appliances depend almost exnoted. Refrigerators sell only "Your market is growing as 2% to business; television only fast as your sales rate. In 1956 15%, and that includes bars alone, enough new buildings and taverns. However, he said, will be erected to make a city only 70% of the demand for city of homes, shops, stores, homes; the other 30% is in

"Your future in room air con-

space and can be fabri-

cated to your exact specifica-

tions. Ends can be expanded

or reduced for connections

---- MAIL TODAY

☐ Coils

Please send me complete information about Wolverine's

CITY.....STATE.....

refrigeration products and services. I am interested in:

☐ Completed assemblies

☐ Accumulators

MEMPHIS - "The biggest be a prospect for room air con- ditioners is really rosy," Cassatt told the appliance dealers, "but right under the rose sits only sell to more types of pros- the biggest, sharpest thorn-

Asked Cassatt: "Does the two, three, or even four room price pitch work? Will it bring air conditioners to a single in customers? Can you make a prospect—a better chance than profit by price cutting? The ditioner market for this year, you would with any other major answer to all these questions is 'Yes-but not much, or for

> The big challenge in this busiclusively on home sales, he ness is how to get volume without cutting prices, he asserted, adding:

"Must price be your principal sales point? A recent survey by Time magazine turned up nine the size of Chicago. And in that room air conditioners is in reasons why people bought room air conditioners. Price was eighth on the list. Only one per cent of the people considered price most important when they bought their unit."

> Cassatt then set forth the reasons, apart from price, that move people to buy room air conditioners: comfort, health, security, prestige, and enjoyment, for themselves and for their families.

> "But in order to use these motives you must be a salesman, not an order-taker," he stressed. "In short, the big word on the other side of the price-cutting coin is salesman-

"You must: sell yourself; sell your product; sell your special services; build customer confidence. Do these things and price is no longer a handicap.'



GIBSON window air conditioner mounted 'all-the-way-in" the room with aid of

Gibson Kit Allows All-Way-In Mounting For Room Conditioners

GREENVILLE, Mich. - Gibson Refrigerator Co. has announced a new kit for "all-theway-in" room mounting of Gibson window air conditioners.

According to J. F. Klintworth, manager of Gibson room air conditioner sales, the kit is designed to permit installation under codes prohibiting projection of air conditioners beyond the window glass line. Windows may also be raised or lowered to facilitate window washing.

The mounting leaves space under the air conditioner for installation of storage cabinets, bookcases, or other furniture.

er tr

CI

The Gibson kit will fit windows up to 60 in. wide. Side scoops provide outside air to the louvers in the side of the air conditioner. Legs are adjustable.



Rise In Foreign Use Of Air Conditioning Seen by Airtemp Div.

DAYTON-Use of air conditioning equipment in most erator Co. foreign countries is on the rise, according to Airtemp Div., Chrysler Corp.

American-made window or room air conditioners and packaged units especially are becoming popular abroad, it was pointed out.

ng

is or

3i-

d,

al

y

ne

m as

er be

n

e

ge

al

One example comes from C. Kersten & Co., Airtemp distributor in Paramaribo, Surinam (Dutch Guiana), S.A.

Several sections of the modern government hospital there were recently equipped with Airtemp room air conditioners, sold and installed by Kersten. In addition, a 3-hp. packaged air conditioner was installed to serve the hospital's main operating room.

Air Conditioned

Homefurnishings Mart In Dallas Will Serve Southwestern Area

DALLAS - Plans have been announced for the construction here of the Southwest Homefurnishings Mart, which reportedly will be "the first completely air conditioned homefurnishings display building in America."

Trammell Crow, developer and financier of industrial properties, will build and operate the mart. Ground will be broken within 30 days, Crow said, with completion scheduled for early 1957, at a cost of approximately \$6,500,000.

The two-story structure will be located at 2000 Stemmons Expressway, just north of Dal-Hi Stadium. The 25-acre site will include free parking for 3,000 cars.

Air conditioning will be provided by a 1,200-ton General Electric indirect system from a central plant, according to the announcement. Each showroom will have its own circulation handling unit.

The mart's 217,000-sq. ft. floor plan is the largest among commercial buildings in Dallas, and its total of 434,000 sq. ft. will make it the city's third largest building, it was stated. Design and construction are planned to permit additions to an ultimate total of 1,750,000

In addition to year-round display, two market events will be staged each year.

Spanish Firm Buys 20 Refrigerated Truck-Trailers

NEW YORK CITY-A Spanish firm has ordered 20 Freuhauf Trailer Co. refrigerated truck-trailers - "the first of their kind in Europe," Alec S. Aranyos, Freuhauf vice president and director of foreign operations, has announced. The trailers cost \$250,000.

The Spanish firm, General Commissary of Supplies and Transport in Madrid, plans to use the 35-ft. long trailers to carry frozen foods to various European cities.

Hussmann To Build New Factory

struction of a new manufactur- substantially larger capacity. ing plant in the Camden-Phila-

railroad and other transporta- maximum designed capacity. tion means constitute the first

ST. LOUIS-Plans for con- step by Hussmann to provide

The project calls for eventual delphia area, have been an-development of a large, com- the first unit, comprising slight- eration, Inc., are in St. Louis. nounced by Hussmann Refrig- pletely integrated plant and to ly over 100,000 sq. ft., is ex-The purchase by Hussmann Hussmann line of food store future. of a 65-acre plant site with one- equipment. Actual construction half mile of frontage on the New is planned to be by units which,

of certain products-not the April 1, 1956. completely line until all units have been finished.

produce all major items in the pected to start in the near Bryant Distributor Moves

while fitting into the ultimate structed in units since 1950plan, will only permit production the latest unit being completed

General offices for both Hussmann Refrigerator Co. and its Tentatively, construction of subsidiary, Hussmann Refrig-

To date, Hussmann production facilities in the United Corp., Georgia distributor of Jersey Turnpike and excellent when completed, will provide States have been concentrated Bryant heating and air condiin two plants in St. Louis. One tioning equipment, has moved to The individual units as built, entire plant has been con- 486 Fourteenth St., N.W.



Small Businesses

They're Growing In Numbers, Suffering Fewer Failures, Says third more businesses than in failed in 1955 out of every 2,700. SBA Official In Outlining Governmental Assistance Policy

CHICAGO-Are small firms ness and that as our economy business failures are those de-"falling by the wayside?"

H. Kelley, Chicago regional all. director of the Small Business Administration.

conditioning dealers attending a management school held recently on the Northwestern uni- fewer small businessmen now versity Chicago campus, Kelley cited statistics to support his of course, are not true. . . . statement. He also outlined the services made available to small firms through the SBA.

are in agreement that these are in the nation's history. very prosperous times for busi-

Definitely not, says William be increasing opportunities for

"But there are some dissident voices that can be heard pro-Addressing heating and air claiming that things are not going well, that there are many business failures, that there are than in the past. These claims,

"The truth is there are onethird more small businesses now than in 1939; there were more business, he said: "Most of us 1955 than in any previous year marked neither by war nor by economic activity!

continues to expand there will veloped by Dun & Bradstreet. The normal year, in looking at which there is no war or no reconversion from war.

> "In 1955, a normal year, there were approximately 10,969 busi- concerns. ness failures. How does that of failures during other normal

Failures Compared

reconversion. In 1939 there

whole story.

"By 1955, there were one-Instead, failures smaller in number.

"Because of changes in the more significant statistic is the by the wayside? . . failure rate in terms of number of failures per 10,000 business

"According to Dun & Brad-

mately 3,800 more than in 1955. failures to the 2,700,000 firms "But this does not tell the covered in the Dun & Bradstreet survey, and what do you find?

"Only 10 small businesses 1939. On this basis, it would be Thus, when somebody says that logical to expect one-third more the rate of failure is up 10% failures in 1955 than in 1939. since October, they are saying were far that one more business failed out of every 2,700.

"So how can anyone honestly business failures, is a year in business population, however, a say that small firms are falling

Comparing Small and Large Business Profits

"And what is the truth about figure compare with the number street, over the past 56 years the profits of small businesses? the failure rate has been 71 To get the real story of what per 10,000 business concerns. In has happened to small business 1955, the failure rate was less earnings in recent years, let's than 42 for every 10,000 con- compare net sales before taxes "Let us compare 1955 failures cerns, the lowest we have ever and earnings after taxes, of Regarding the future of small new businesses incorporated in . . . with those in 1939, a year experienced in a year of normal firms with assets of under \$1,000,000 and those with as-"Now apply the Dun & Brad. sets of over \$1,000,000-a sound "The only records kept on were 14,768 failures, approxi- street finding of about 10,000 dividing line between the large and the small.

"Between 1947 and 1953, sales of companies with under \$1,000,-000 in assets went up only 7%, from \$33,883,000,000 to \$36,341,000,000. On the other hand, sales of companies with assets over \$1,000,000 went up almost 60%, from \$144,290,000,-000 to \$229,549,000,000.

"The sales figures between 1953 and 1955 have stabilized both for large and small firms. For the four quarters ending September 30, 1955, sales of the smaller companies were \$35,-527,000,000, and of the companies with assets over \$1,000,-000, \$233,728,000,000.

"But here is the most revealing comparison!

"Between 1947 and 1953 earnings before taxes of small firms dropped by 26.7% and earnings after taxes dropped by 40.1%. In the case of large firms, however, earnings before taxes increased by 57.9% and earnings after taxes by 17%.

"Since 1953, earnings after taxes of small firms showed a drop of 4.4% but a major recovery has occurred since the low point of 1954, and according to the present trend, earnings after taxes of small firms will soon reach a higher level than they were in 1953."

Program To Assist Small Firms

Kelley then outlined the programs the Small Business Administration has developed to assist small firms.

He said the SBA has four principal responsibilities:

To help small firms gain access to adequate credit on reasonable terms; to help them obtain a fair share of the Government's orders and contracts; to assist them with their management and technical production problems; and to make disaster loans at 3% interest to owners of homes and businesses damaged by floods, tornadoes, hurricanes, and other natural catastrophes.

Regarding assistance in obtaining Government orders and contracts, Kelley said:

"Our most important activity in this area is what we call our 'joint determination' program with the Department of Defense.

"Under this program, our agency has assigned representatives to the principal military purchasing centers to review (Concluded on next page)



... Here's why!

- Guaranteed exceptionally low moisture content
- Non-corrosive to standard equipment materials
- Non-toxic, non-flammable, stable, safe
- Critical and freezing points well outside range of operating uses
- Solvent action on oil helps prevent solidification or congealing of lubricant
- Miscible with oil; aid in lubrication of equipment
- · Identical and freely interchangeable with comparable fluorinated hydrocarbon refrigerants made by any other manufacturer

All over Americal Wherever you are, call your Wholesaler for "Genetron" Super-Dry Refrigerants



Genetron Department

GENERAL CHEMICAL

ALLIED CHEMICAL & DYE CORPORATION 40 Rector Street, New York 5, N. Y.





Small Business Report--

(Concluded from preceding page) loans to small firms, or loans in assistance to additional worthy a good earnings record, competo determine, in cooperation other private lending institu- Small Business Administration with the military contracting tions. However, we cannot make has placed in effect the Limited officers, which orders should be a direct loan if a participation Loan Participation Plan. This set aside entirely or in part for loan is available. award to small business.

56

00.

nat

1%

ng

led

tly

ng

out

at

t's

tes

of ler

asnd

ge

ly

to

th

ip

en \mathbf{b}

g

B

"Since Aug. 1, 1953, when the Small Business Administration began, more than \$840,000,000 amounting to approximately \$472 million.

Other Government Agencies Cooperate

"We also have cooperative agreement with other major purchasing agencies of the Government, including the General Services Administration, the Atomic Energy Commission, Veterans Administration, and the Department of Agriculture designed to increase the small business share of their purchases."

He continued:

Technical Information Made Available

"Our program of aid to small firms in their management and technical problems is largely educational and designed to help businessmen fill in gaps in their knowledge and experience.

"Another and newer agency service which is proving its worth and which we believe holds even greater promise for the future is our products assistance program.

"We help small firms draw upon the wealth of non-confidential research information which is available from Government agencies, research institutions. trade associations, and private industry.

"Most of this information has always been available to the small firm-the problem is that it does not know where to go or whom to ask for it. We serve as a medium through which this research information can be directed to small firms in need of it.

"Through a products circular list, we also call the attention of small firms to new ideas and new and improved products that individuals and businessmen have developed and would like to have put on the market. This circular is particularly useful to small concerns which have open productive capacity, or which desire to expand or diversi-

Aid In Financing

One of the major problems of small business concerns is inability to obtain medium and long-term financing for working capital, to purchase equipment and materials, or to expand and modernize their opera-

"The Small Business Administration helps here in several ways. We counsel with small firms on their financial problems; assist them in obtaining credit from private sources; and, if private credit is not available on reasonable terms, we extend financing to the small

"Our agency can make direct

Direct Loans Limited To \$250,000

set aside for exclusive award to to any one borrower, and this ice small firms already have been agency's share of a participa- are eligible for such loans. awarded about 9,266 contracts tion loan. . . . About two-thirds

participation type. . . .

new program is being conducted in cooperation with the private banks of the nation.

These loans are designed es-"The agency's direct loans pecially to assist small retailers, in military purchases have been are limited by law to \$250,000 wholesale distributors, and servestablishments, although small business. As a result, same limitation applies to the other types of businesses also the lesser.

of the business loans we have these fields have very little in represent additional exposure on loan, whichever is the larger."

approved have been of the bank the way of tangible collateral the part of the bank equal to "In order to provide financial loan. However, they often have amount of the loan.

Participation Loans

participate with a bank in a loan . . . up to a maximum of participation in the loan. \$15,000 or 75% of the total amount of the loan, whichever is share in the loan must be equal

"As a rule, small concerns in bank's share in the loan must the new loan or 25% of the full

which they can pledge for a not less than 25% of the total

"However, short-term loans their proposed purchases and participation with banks and small business concerns, the tent management, and a credit- which have been outstanding no able record with local banks more than six monthe or loans for meeting their obligations. made for a longer term on which repayments have been made promptly as originally sched-"Under this plan, the Small uled may be substituted for the Business Administration will new money requirement or included in computing the bank's

"In either case, the bank's to at least the outstanding loan "Generally, the participating to be refunded with a part of



Exterior of Series 1272 single function control available for either low or high pressure.



Series 1273 dual pressure control. Lockout and manual reset available for either low or high pressure cut-out,


PENN REFRIGERATION CONTROLS ELIMINATE MOTOR STARTERS

Extra heavy duty Series 1272 and 1273 pressure controls have the highest rating in the industry!

Specifically designed for commercial refrigeration and air conditioning jobs, the Series 1272 and 1273 are rated at 3 H.P. for single phase compressors and at 5 H.P. for polyphase compressors.

Thus, cost of contactor is eliminated if motor has built-in overload protection. If motor requires external overload protection, the motor starter can be replaced by the more economical "manual starter." So . . . in either case, these Penn controls save you money!

In addition, the Series 1272 single function and Series 1273 dual function controls meet the most modern maximum test requirements. And, there are features such as ... self-cleaning, snap-acting contacts ... direct-reading calibrated scale for simple cut-in and cut-out setting . . . and many more. So, don't settle for less. Get the full story from your wholesaler or compressor manufacturer.



Interior of Series 1273 illustrating sturdy contact block with easy-to-reach wiring terminals.

PENN CONTROLS, INC. Goshen, Indiana

AUTOMATIC CONTROLS FOR HEATING, REFRIGERATION, AIR CONDITIONING. GAS APPLIANCES, PUMPS, AIR COMPRESSORS, ENGINES



McCray Appoints Truitt In South Atlantic Area

KENDALLVILLE, Ind.-The appointment of Wm. I. Truitt, Jr., as national accounts repre-

sentative, has just been announced by Hugh E. Cooper, general manager of sales for the Mc-Cray Refrigerator Co., Inc. Truitt's territory will include

W. Truitt, Jr.

all of the southern Atlantic states, with headquarters Norfolk, Va.

For more than 10 years Truitt has been the McCray distributor Dairies To View in Norfolk. His company, Truitt Refrigeration Corp., will continue to distribute McCray products in the Norfolk area, it was In 33-State Tour added.



THIS MODEL serves herself cartons of milk and cream from the new Jennings "Automatic Milk Vendor" which vends two different carton sizes in any combination.

Milk Carton Vendor

CHICAGO-A new automatic milk vending machine will "star" in a traveling sales show in 600 cities following its "debut" in New York City.

The machine, the "Automatic Milk Vendor," manufactured by Jennings & Co., Chicago, will travel by truck through 33 states to inaugurate an intensive promotion throughout the coun-

The decision to kick off the nationwide sales effort was made by Jennings after completion of a highly successful marketing test in the New York metropolitan area, according to Louis F. Urban, Jennings' president.

Each of two trucks, which are sponsored by a Jennings' distributor, Cherry-Burrell Corp., will carry a unit. One was scheduled to tour Iowa during March. The other will begin a trek through eastern Pennsylvania, New England, and New York.

Dairies Often Use Vendors To Cut Delivery Costs

"Principal stops will be dairies which often operate the machines in apartment houses to cut delivery costs," it was stated.

In addition to Cherry-Burrell, Urban announced the appointment of eight other distributors.

They are Meyer-Blanke Co., St. Louis; Milk Vendors, Inc., New York City; Kennedy-Parsons Co., Omaha, Neb.; The Hurley Co., Denver; Monroe Food Machinery, Inc., Portland, Ore.; Miller-Lenfesty Supply Co., Tampa, Fla.; Miller Machinery & Supply Co., Jacksonville, Fla.; and John Pico Dairy Supplies Co., New Orleans.

Outlets In 48 States, Eastern Canada

This will give Jennings outlets in all 48 states and the eastern part of Canada, Urban said.

The Vendor was market tested in 35 locations in the New York area after its introduction in June.

The machines were placed in apartment house, supermarket, street corner, filling station, industrial plant, and office locations by vending machine organizations and dairies. All operators reported steadily increasing milk sales where the Vendor was placed, Urban said.

The Jennings machine markets any two sizes of cartons in any combination.

Refrigerated Beer Case **Near Checkouts Boosts** Market's Daily Sales

ELMIRA, N. Y.-What is the best location in a supermarket for a beer case?

Adjacent to the checkout stands, in the opinion of Alvin J. Nasser, operator of the T & J super here.

To support his view, Nasser points out that since he moved his refrigerated beer case to a spot near the checkouts, sales have increased substantially. Turnover now averages 50 cases of cold beer daily, with holiday week-end volume reaching 100 cases a day.

Explaining why he re-located the 12-ft. Tyler case, Nasser

Beer Bought Last

"Most shoppers put off their beer buying until last because don't want to 'shortchange' themselves when it comes to buying staples. They also like to 'buy beer last' to keep it from getting warm, and some customers don't like to be seen by others carting beer around the store.'

In addition, the present location of the case is convenient for the "quick beer customer," according to Nasser. Such customers can pick up their beer and be on their way without having to waste any time, he

ar

tr

ar

fu

ice

Ef

stu

de cat

tus

and

pos

cor

ten

nig

tur

cha

str

mu

be

the

ble

Eighteen brands are stocked in the case, with full-case lots being put on the lower level and six-packs and single bottles on the upper shelves.

Although the case has to be restocked several times a day, Nasser doesn't plan to enlarge the beer section. He says shoppers prefer a small section because it facilitates selection.

Warm Beer Outsold 10 to 1

Nasser has found that cold beer outsells warm beer by 10 to one. He set up several warmbeer displays around the store, including one next to the beer case, but discovered that most customers selected cold beer.

To help promote sales of beer, T & J offers beer "specials" in its newspaper advertising and displays a large sign on the front of the store advising




. LEADS IN QUALITY

· LEADS IN PERFORMANCE

. LOWEST IN PRICE

NOLIN MANUFACTURING COMPA



LODAY the demand on working capital is heavy. Preferring to keep their cash and usual lines of credit intact for current operations, more and more of your prospects will want to finance their purchases of equipment. Be sure your proposals are complete by including information about buying on the nationally

popular COMMERCIAL CREDIT PLAN. To discover how COMMERCIAL CREDIT'S tailormade Refrigeration Financing Plan can help you build prestige and close sales, call our office in your city or write COMMERCIAL CREDIT CORPORATION, 14 Light Street, Baltimore 2, Maryland.

COMMERCIAL CREDIT CORPORATION A service offered through subsidiaries of Commercial Credit Company, Baltimore . . . Capital and Surplus over \$190,000,000 . . . offices in principal cities of the United States and Canada.

Air Force Academy Study

Determine Sun's Effect on Home, School, Office, Factory Heating, Conditioning

COLORADO SPRINGS, Colo. ments, furnishings, the Air Force Academy here. ings. Its purpose: to help engineers, scientists, and military officials find an "indoor climate" in tecting device called a twowhich cadets will learn most ef- sphere radiometer which was

ıt

d

were disclosed by Air Force Sec- effect of sunlight on residential, Dutton In Sales retary Donald A. Quarles following a tour of the Academy ing and air conditioning. site and a review of preliminary findings by engineers of the Air operating in the studies.

rooms have been built as exact sures the gain or loss of radiant main office in Hartford. duplicates of the quarters which will house the Academy's 2,600 cadets. The experimental rooms are the first structures to be erected on the 17,500-acre site 10 miles north of Colorado

Research Instruments Record Temperature, Sun Effects, AirMovement, Humidity, etc.

The rooms are equipped with sensitive Minneapolis-Honeywell and Air Weather Service research instruments which read and record air temperatures at six points, chart the effects of the sun, air movement, humidity, and other conditions that affect human comfort and efficiency, it was noted.

The rooms are also furnished with automatic temperature controls so indoor conditions can be regulated and the effects of the changes recorded.

This data will be supplemented by reports from Air Force second lieutenants who are living in the completely-furnished "laboratory rooms" and carrying out duties similar to those which Academy cadets will perform, Quarles said.

The project is under the supervision of Col. Albert E. Stoltz, director of the Air Force Academy Construction Agency which has the mission of constructing the modern service school.

Efficiency Depends On Human Comfort

Disclosing details of the study, Col. Stoltz said, "It is recognized that human efficiency depends on human comfort. Because much of the cadet's actual learning will come from his after-classes studies, it is essential that conditions in the dormitory rooms be coordinated and designed to provide the most efficient 'learning climate' possible.

"The problem is especially critical in this area," Col. Stoltz continued, "because of the intense daytime sunlight, cold nights, rapid outside temperature variations, and climatic

changes. "Before proceeding with construction of the buildings we must determine how they will be affected by these conditions."

Col. Stoltz pointed out that the project will also make possible the testing of room arrange-

-A research program-first of sound, and equipment-even its kind in military history-is doorknobs-before they are inbeing conducted on the site of stalled in the completed build-

Instruments used in the experiment include a radiation dedeveloped by Honeywell re Air Duct Names Details of the experiment search scientists to study the school, office, and factory heat-

Consisting of two dissimilar sensing elements, it measures Force Academy Construction and records the effect of sun- Duct Div. of The Wiremold Co., Agency and Minneapolis-Honey- light on inside temperatures, well Regulator Co. who are co- shows what happens indoors when the sun goes down or is Two 13 by 18-ft. dormitory obstructed by clouds, and mea- salesman working out of the

heat due to sunlight, bright Janitrol Appoints dows, engineers stated.

Findings are being analyzed Williamson to Post by Honeywell scientists in the

said, "that these studies will not only help us in training future Air Force officers but will also make a significant contribution to the study of comfort in homes, efficiency in offices and factories, and pupil-learning.

HARTFORD, Conn. - Appointment of Robert S. Dutton to the sales force of the Air has been announced by John D. Murphy, president.

Dutton will serve as a special

company's comfort research OMAHA, Neb.—The appoint-laboratories at Hopkins, Minn. ment of Ola E. Williamson as "It is our hope," Col. Stoltz sales engineer for the Janitrol Heating & Air Conditioning Div. of Surface Combustion Corp. has been announced here by Don A. Albert, Omaha district manager for the division's

> Williamson will represent the Janitrol line in the states of Nebraska, Kansas, and the Da-

His office will be located at 1133 Redick Tower, here in Omaha.

Prior to joining Janitrol, Williamson was the owner of his own heating and air conditioning contracting firm in Omaha. He has had previous experience

Airtemp Names Karnell N. J. District Manager

DAYTON - An appointment to the New York regional sales staff of the Airtemp Div., Chrysler Corp. has been announced by F. J. Laughna, director of regional operations.

John Karnell has been appointed district manager for the state of New Jersey. Most recently, Karnell was associated with the Northeastern Engineering Co., Patterson, N. J., as sales engineer.

His headquarters will be the Airtemp New York sales office.

Carrier Names Burgmeier

SYRACUSE, N. Y.-Frank H. Burgmeier, well-known local television newscaster, has joined the public relations department with Yates American Machine of Carrier Corp., it was an-Co. as a sales engineer, it was nounced by John K. Barnes, director of public relations.



Inside Dope

By GEORGE F. TAUBENECK

(Concluded from Page 1, Col. 1) the ton-versus-horsepower problem right into the manufacturer's lap. So, where do we go?

Frankly, I am sure that most of us who have been in this business several years have, in effect, stamped on our consciences so many times that we can revert to the good old ton with literally no conscience pains whatsoever. If so, why talk one language in specification literature and a different language in public advertisements? I submit that such double-talk is far worse than the technical misuse of the terminology "ton" in regard to window air conditioner capacity.

Since the buying public's impression of window air condifor 1956, on the basis of prac- to stress B.t.u.'s in 1957 advertically 100% retail ads talking tising, instead of "tons" or a method of preserving perishin tons, I suggest we confess what we actually intend to do advance, to be sure. , use tons for ratings. (Attached please find my 1956 pledge card marked "rescind-

How does it look to you?

R. F. ABELL,

How About 'Comfort Degrees?'

Frankly, Mr. Abell, the General Public doesn't understand "horsepower" (as it relates to Phooey to the Saturday a stationary object) or "tons" (most householders mistakenly assume that "tons" refers to the weight of an air conditioner neither vardstick makes much sense to purchasers.

Via "the grapevine" we hear

"horsepower." That's an honest

But what prospect for air significance of B.t.u. (British Thermal Unit) measurements?

What this industry needs is a new WORD for air conditioning output. A popular wordone which ordinary folk "dig." Any suggestions?

As a thought-starter, how about "comfort degrees" as a synonym for B.t.u.'s?

Evening Post

Within the space and time of and that scares them). So ning Post alarmed too many people in refrigeration and air conditioning unnecessarily.

Initial "scare story" pro-

would replace refrigeration as warmer every year." be answered easily:

cream, satisfying cool milk, ditions at home and outdoors. et cetera-over lukewarm irradiated proteins or antibioticinoculated carbohydrates.

Another Boo for Post Scaremongers

Second scare-story in the weekly Post attempted to prove that our climate will grow colder, "inich by inich," during the upcoming 80-years-or-so.

Already this prognostication two weeks The Saturday Eve- has disturbed subscribers to AIR CONDITIONING & REFRIGERA-TION NEWS. "Does that indicate," they are asking, "we shouldn't bet further on the progress of air conditioning?"

ANSWER: Of Course Not.

day Evening Post weatherman is almost alone in his predictions of doom for the cool-comfort business. Practically every other respected climatologist forecasts continued long-term warming-up climates for the heavily inhabited northern areas of our Earth.

However, let's grant that the Saturday Evening Post prophecies could come true. What then? Here's one answer.

PEOPLE HAVE BECOME CONDITIONED TO AIR CON-DITIONING

They work, play, and ride from here to there in air conditioned comfort. NOW THEY WANT TO LIVE (and sleep) likewise—as proved by their PERSONAL purchases of automobile and residential air conditioning in recent months.

Air Conditioning Has Become a Habit

weather forecaster is right or drawers, kitchen odors, or soggy wrong about long-term climate breakfast cereals - IF their trends, most American citizens homes are air conditioned.

tioner sizes may already be set that ARI members will agree claimed that antibiotics soon truly believe that "it's getting

Reason: Air conditioning in able foods. That fright-cap can their offices, factories, retail transportation stores. and Americans, we are sure, will (planes, trains, autos) make conditioning understands the prefer cold beer and coke, frozen them dissatisfied with highdesserts, chilled salads, ice humidity-and-temperature con-

> Even naturally cool resort area hotels such as those in upper Michigan are being forced to install air conditioning (the reverse of "coals to Newcastle") because guests demand it.

> People want it. They work, travel, and play in zones of air conditioned comfort. Logical next step is to acquire PER-SONAL zones of air conditioning in their homes.

Really, residential air conditioning is relatively inexpensive. Families who deplore hot summers spend money to escape their hot homes via autos to air conditioned restaurants and theaters.

hel

con me

har

Co.

ple

the

ref

tur

his

sto

ing

esta

plo

but

nan

tha

mer

Mar

cha

gra

kee

Thi

time

mar

refr

pop

Sam sper

fore

wor

prog

In the first place, the Satur- It Saves Budget Money, Too, In the Home

Furthermore, a complete home air conditioning system is a money-saver via these practical considerations:


(1) Rugs, drapes, wallpaper, carpeting, furniture, and appliances seldom need cleaning.

(2) Allergies, colds, and other health problems are overcome.

(3) Anything a man buys for his family-a house, car, furniture, appliances-usually depreciates overnight. EXCEPTION to this rule-of-thumb: air conditioning. The moment you add air conditioning to your home (and at least for three years thereafter) air conditioning enhances the value.

(4) Air conditioned homes are happier homes. Fewer tensions, or perspiring arguments take place when Pa, Ma, and the kids are quietly comfortable.

(5) Housewives don't fume over petty exasperations-such Whether or not this-or-that as hardened salt shakers, stuck



2-3-5-8-10 TON WATERLESS UNITS New air cooled units, easy to install, need no plumbing



When water is short, impure, costly - or where sewer tax is a problem you can handle the job easily and economically with a Typhoon waterless air-cooled condenser. Units are easy to install and require little or no maintenance . . . deliver full capacity in hottest weather...give you a powerful selling plus! Round out your line with Typhoon waterless air conditioners-full range of sizes up to the exclusive 10 ton unit.



Superior Typhoon Engineering:

Centrifugal blower eliminates wind resistance factor, overloading of fan motor ... adaptable to duct work.

Bigger condensing surface-more cooling capacity with less electrical input.

Self-contained or remote installationfor most advantageous positioning.

Non-stop performance even in hottest weather because compressor is never

Quiet - slow speed blower with beltdriven, ball-bearing drive cuts noise level.

Weatherproof design - all components housed inside cabinet for outdoor installation by refrigeration contractor.

TYPHOON

Specialists in Air Conditioning Since 1909


Typhoon Air Conditioning Co., Inc. 505 Carroll St., Brooklyn 15, N. Y.

I'd like to know more about selling Typhoon Waterless units. Send me Bulletin A-16.

Name Address

City.

State. Zone_



MODEL 77 Diaphragm Descaling Acid Pump

Descaling compounds can't affect this pump! All parts in contact with compounds are completely acid-resistant. Can be supplied as portable unit with pump and motor mounted on sturdy base and with

convenient carrying handles.



Plus a complete line of centrifugal pumps

... sized to fit your needs. 4 H.P. thru 7½ H.P. Easy to install and compactly built. Advanced features include exclusive baked-on lifetime finish to enhance appearance and resist corrosion, John Crane mechani-cal seal, and all-bronze onepiece impellers. Continuous duty motor.

Manufacturers representatives and distributors' inquiries invited.



PUMP CORPORATION

140 HERNANDO ST. . MEMPHIS. TENN.

PONTIAC, Mich.-The Frostrode Div. of Warren Alloy has just completed the transfer of its manufacturing machinery to its new and greatly expanded

The new plant has three complete production lines for the construction of Frostrode cooling units for coolant chilling for Gustafson In Sales machine tools, solvent stabilizing in dry cleaning plants, and air conditioning in homes.

The Frostrode Div. is managed by John Rise, who has been chief engineer of the company since 1942. Frostrode sales man-PHOENIX, Ariz.-Lending a ever installations have been ager is Bob Stewart, recently J. M. Oberc, Inc.

The new quarters give Frostrode larger facilities.

reduce





quarters at 421 Ferry St. here. Dole Ups Lauterbach To Chief Engineer;

CHICAGO - Dole Refrigerating Co. announces the appointments of W. E. (Ned) Lauterbach as chief engineer and Election of S. Michael Schatz as trict representative covering tors of Bush Mfg. Co. was an-Texas, Louisiana, and Missis- nounced here recently.

Valve Co., also located in Chi-

Commercial Refrigeration

Previous experience in the refrigeration industry includes service on the staff of Armour Research Foundation as assistant supervisor of materials engineering, and later as chief engineer of the Albright Co., where he was instrumental in the design and production of the Col-Flake ice maker.

Gustafson, formerly head of the Order Dept. at Dole headquarters, will assist J. A. Wilkerson, field engineer, in Dole's south central territory. His address is 3133 Hudnall St., Dallas.

Bush Elects Schatz

WEST HARTFORD, Conn .-Leonard E. Gustafson as dis- a member of the board of direc-

A member of the Connecticut

Contractor Builds Goodwill, Prospects By Helping Out at Market Openings

ONE OF Frank Samuels Co.'s representatives shown

helping at a checkout stand at a Phoenix, Ariz. supermarket opening as part of the firm's goodwill plan.

helping hand to food store own- made to remain abreast of mar- with J. Geo. Fisher & Sons and sippi. ers on "grand" openings has ket owners' experience with paid off in developing goodwill equipment and to and new prospects for a local chances of ill will. commercial refrigeration equipment contractor.

Frank Samuels Co., which handles Hussmann Refrigerator Co. commercial units, after completing a sale, not only helps the market operator develop his refrigeration system and fixtures, but then Samuels details his entire staff to assist at the store opening.


Working at check stands, acting as hosts who greet and conduct visitors on a tour of the establishment, Samuels' employes aid the harassed operator. They wear large plastic buttons bearing their firm's name and thus gain attention.

It isn't entirely coincidental that the veteran contractor's men point out refrigeration ideas to anyone who will listen. Many other store owners and chain store managers visit grand openings in their area to keep apace with developments. This offers an excellent opportunity for Samuels' staff.

In business since 1928, several times the Frank Samuels Co. has won national awards from Hussmann for "excellent commercial refrigeration sales" in sparselypopulated Arizona. Today, at 73, Samuels believes his policy of spending as much time with customers after the sale as before has definitely proven its

Every salesman follows a program of repeat calls where-

Formerly, Lauterbach worked and New York bars since 1942, on new products in the Research he joined the law firm of Schatz & Development Dept. of Dole and Schatz in 1946. It's great to be a Carrier



Features of Carrier's 8 Icemakers

- · Models for cubes and for cubes plus three grades of crushed ice!
- Rugged, compact units, occupying only 24" x 25" of floor space!
- · Jet action self-cleaning after every ice harvest!
- · Simplified operation, no complex mechanisms to service!
- · Waist-high ice storage bins, no stoop, no squat!

Features of Carrier's 3 Flakemasters

- · Hard, dry, flaked ice that never mushes or freezes together!
- Simplified design, few moving parts, no refrigerant seals!
- · Separate bin and icemaking sections for installation flexibility!
- Completely automatic operation with self-cleaning action!
- · Choice of air-cooled or water-cooled high-production models!

Plus certified capacity on every model

There's a Capacity Certificate to cover every model of Icemaker and Flakemaster, every operating condition. No vague promises of "up to so many pounds of ice per day." Your prospect knows he'll get every pound he needs. It's certified in writing!



Filtrine

Extra-large storage Safety from freeze-up


Fast hourly recovery

20-year life construction Capacities: 5 to 500 g.p.h. Storage: 2 to 240 gals.


Water coolers for all uses factory-packaged with your condensing unit. Write for

FILTRINE MFG. COMPANY

216 W. PROSPECT ST. . WALDWICK, N. J.



automatic ice machines



Ranco 6-Month Sales at All-Time High; Von Der Scher Takes Air Conditioning Control Volume Up 16% Norco Field Post

ended March 31 were \$14,061,- period a year ago. Earnings be-543, the highest for any six- fore taxes were \$3,149,687 this month period in the company's year against \$2,597,030 last 42-year history, A. M. Hoover, year. president, reported. They were

controls were 31% higher, it period. was noted.

vision for income taxes, com- quarter last year.

COLUMBUS, Ohio-Sales of pared with \$1,162,830 or \$1.16 Ranco Inc. for the six months per share in the corresponding

March quarter sales this year \$11,374,140 in the like period were \$7,384,333 compared with \$6.677,209 in the previous quar-Hoover said Ranco's sales of ter and \$6,776,713 a year ago. temperature controls to the air Net earnings for the quarter conditioning industry were 16% were \$739,867 or 74 cents per greater in the first six months share compared with \$674,119 or of the current fiscal year than 67 cents per share in the previ- the company in all matters of a year ago. Refrigeration con- ous quarter and \$850,508 or 85 servicing and installation of trols were up 15% and specialty cents per share in the like 1955

Earnings before taxes were Net earnings for the six \$1,649,667 compared with \$1,months this year were \$1,413,- 500,019 in the previous quarter

LOS ANGELES - Appointment of Floyd Von Der Scher as technical field representative Guided Missile. has been announced by Norman H. Lee, head, Norco Sales Corp. Air Force Base, 100 miles

Von Der Scher was formerly with Servel for 24 years and served as appliance service manager of the Sales and Service Div. in the western states. His background with the company includes extensive manufacturing experience in its factory.

At Norco he will represent Krefft convertible refrigerators, Vaillant instantaneous water call on trailer manufacturers try, and LP-Gas distributors.

DRIVER for Chance Vought Aircraft's Dallas plant, sits in his comfortably Frigikab air conditioned tractor cab as plant award signs out his precious corgo-a Vought Regulus Regulus was delivered to Edwards northeast of Los Angeles, 1,443 miles from Dallas, four days later. Officials disclosed that prior to air conditioning tractor cabs, it took a full day longer to make the cross-country trip because of frequent stops



made necessary by fatigue and dehydration due to intense heat.

Cab Cooling Cuts Urgent Cargo Carrying Time

conditioning in tractor cabs is east of Los Angeles, an airheaters, and other Norco prod- saving a full day's driving time craft company executive disucts. In this capacity he will transporting Regulus guided closed recently. missiles and other urgent cargo 987 or \$1.41 per share after pro- and \$1,872,308 in the March and dealers, the boating indus- from the Chance Vought Air- traffic and transportation, Grant

DALLAS-Installation of air Air Force Base, 100 miles north-

Chance Vought's manager of craft plant at Dallas to Edwards Bunnell, announced that beginning last summer-when the company equipped some of its tractor cabs with a Dallasmanufactured air conditioning unit called "Frigikab" - the rugged 1,443-mile, cross-country trip has been cut from five to four days. This time-saving, according to Bunnell, represents a saving alone in operational cost of between \$50 and \$60 for each

flu

for

bos

one

tem

will

pro

cali

wor

also

heat

well

the

mon

thro

Cha

hand

"Fre

Grad

eran

of a

coho

and

Se

"The time conserved in making urgent cross-country deliveries is, of course, as important to us as the saving in cost," Bunnell said.

"The fact remains that we are saving enough on purely operational costs-not figuring in depreciation-to amortize the cost of a Frigikab air conditioner in about five trips to the coast," he added.

Bunnell attributed the remarkable saving in driving time to the fact that with air conditioning, drivers can remain efficient on the road for longer unbroken periods of time. He said that prior to air conditioning drivers found it necessary to stop numerous times to rest, or for refreshments to compensate for dehydration.


"Our drivers can now stay safely and comfortably at the wheel for 150 miles at a stretch on the severest summer days, without a coffee or coke break. And they do this of their own volition, knowing that above everything else we want them and their cargo to arrive safely," Bunnell stated.

The Chance Vought drivers questioned, said they use the air conditioners 10 months in the year.

A. M. Johnston, a driver with the company for six years, considers air conditioning in the big International he operates, an important contribution to safety and a vital health factor.

"Instead of sitting in a steam bath for hours like I used to do, I'm in a cool, comfortable place. I used to get painful blisters from the hot wind and I'd get so terribly sleepy, especially after eating, that I'd have to stop for coffee or run the risk of wrecking the equipment, the cargo, and myself," Johnston further said.

"If the ICC would let me, I'll bet that with a Frigikab unit in my cab, I could drive 14 hours without stopping to sleep. I arrive in California as fresh as when I left Texas."



RAPID, ACCURATE CHECKS ARE MADE ON AIR CONDITIONING SYSTEMS BY NOVI EQUIPMENT CO. SERVICEMEN WITH G-E LEAK DETECTORS

ON NOVI CO. AIR CONDITIONING UNITS . . .

Service Costs Cut 85% with G-E Leak Detector

"85% of our service repairs on auto air conditioning units were due to loss of Freon* at a cost of approximately \$5.00 per repair," says Mr. Lewis W. Welch, president of Novi Equipment Company of Novi, Michigan. "Since we adopted the G-E leak detector as a standard item in our repair kits. complaints have been reduced to almost nil. We are in the process of equipping all of our 90 factory installation centers with G-E leak detectors to assure that our customers will receive the best possi-ble initial installation."


Like Novi Equipment Company, you can benefit from these outstanding features of the General Electric Type H-1 leak detector:

SIMPLE IN OPERATION, the detector will locate leaks in any system which contains a halogen compound, or into which such a compound may be introduced as a

EXTREMELY SENSITIVE, the detec-1/100th ounce of Freon* a year.

LOW IN PRICE, the detector costs only \$604.50** complete. For more information contact your nearest General Electric Apparatus Sales Office or write for bulletin GEC-233 to Section 585-30, General Electric Co., Schenectady 5, N. Y.

Registered trade-mark, Kinetic Chemical Division of E. I. DuPant de Nemours & Company.






MANY APPLICATIONS are possible with the General Electric Type H-1 leak detector. Lightweight and portable, it also features audible leak indication.

Charging, Test Board Allows Contractor To **Check Operation of Almost Any Component**

every component involved in refrigeration and air conditioning-thermostats, pressure controls, expansion valves, and motors-can be checked out on the charging and test board in the shop of Ralph W. Lampie, contractor here.

This versatile and extremely useful setup, which is changed from time to time to meet requirements of improved equipment designs, was devised by Benton Barnes, shop superintendent, with the aid of O. M. Duggans, now associated with a local parts wholesaler.

The board presents an imposing array of switches, hand valves, gauges, and charging equipment, all of which serve a definite purpose.



One of the most useful features of the board is the setup for checking controls. Installed flush with the bench surface of the board is a well constructed of 3-in. hard copper pipe. The well serves as the evaporator for a 1/4-hp. air-cooled unit located beneath the bench.

Mounted on the board is an thermometer. indoor-outdoor "Outdoor" bulb of this thermometer is inserted in the well.

To check the cut-in and cut-out points of a thermostat, its bulb is first inserted in the well. Then by means of handy clips on the board, the thermostat is plugged into the electrical circuit of the 1/4-hp. condensing unit.

By observing the "outdoor" thermometer, which registers the temperature of the well containing the thermostat bulb, one can determine at what temperatures the thermostat cuts the unit in and out. This will show if the thermostat is properly calibrated, or out of calibration, or possibly not working at all.

This well arrangement can also be employed to check superheat settings of expansion valves, Barnes points out. Bulb of the valve is placed in the well, and the valve is hooked up to a refrigerant drum. With the condensing unit running, the valve operation can be checked by watching the thermometer and flow of gas through the valve.


Charging Section

Section of the board devoted charging is equipped to handle both "Freon-12" and "Freon-114," as well as alcohol. Graduates containing the refrigerants are scaled to a fraction of an ounce while that for alcohol indicates cc. Compound and pressures gauges tied into



1

8



stalled on the board.

Usual procedure in charging system.

of the vacuum pump a mercury is occasionally checked with the U. S. Weather Bureau.

board is devoted to electrical age, and wattage tests on units.

VERSATILE charging and test board devised by Benton Barnes (above) and O. M. Duggans, permits checks to be made on operation of just about every component employed in refrigeration and air conditioning systems. Here a window unit is

the charging system are in-test equipment, which is wired for both 110 and 220 volts.

A series of capacitors is wired is first to pull a vacuum on the in the board providing capacisystem with a Cenco-Pressovac tances of 60, 80, 100, 110, 120, vacuum pump and then break and 140 m.f.d. Proper capacithe vacuum with the measured tance can be selected by turncharge of refrigerant. The board ing a knob. These are so wired is so piped and valved, however, that when the toggle switch that dry nitrogen can be used which controls the capacitors is to force refrigerant into the turned off after the motor gets up to speed, the motor is sup-To provide an accurate check plied with straight line voltage.

The board is also equipped barometer is mounted on the to permit continuity tests, give board. Setting of the barometer 1,200-volt d.c. tests for grounds (this current being obtained from a home-made power pack), Approximately half of the as well as run voltage, amper-

Two 110-volt receptacles and three 220-volt receptacles are installed on the board. Multiplicity of receptacles is needed to accommodate the various types of plugs being used today.

Also available at the board being checked for running characteristics. is 220-volt three-phase current.



Compare the Ansul line on the left with a typical competitive line at the right.

You can see how the Ansul line will cut your dollar investment in driers up to 75%

You start to save money immediately when you standardize on the Ansul line of T-Flo Driers and fittings. Service engineers and contractors who have stocked the Ansul line have been able to cut their dollar investment in drier truck stock an average of 50% to 75%.

Savings like this are possible because Ansul's 4 T-Flo Drier cartridges and 8 T-Connectors are all interchangeable. These twelve parts give you 32 possible installation combinations. Why tie up two or three times as much money in 32 ordinary driers? The Ansul line not only provides a complete stock at a fraction of the cost, but assures a better, faster drying job. For the largest installations Ansul T-Flo Driers can be easily manifolded or used on a by-pass to provide unlimited drying capacity. No need to stock large, expensive driers that you seldom use.

Changing a T-Flo Drier cartridge is the easiest thing

in the world. Breaking leak-proof flared or sweated joints is unnecessary. Just unscrew the old drier and replace it with a new one. Hand tightening will give you a leak-proof seal. And you can install the T-Flo Drier in any position, up, down or sideways.

Ask your wholesaler about the new Dry-Eye fitting, the moisture indicator which means substantial savings in both time and money to service engineers and equipment owners. The window in the dry-eye

changes color to let you see if the system is wet or dry. Blue means the system is dry, pink means excessive moisture is present.

Ansul is a national distributor for DuPont "Freon"-the time tested refrigerant. Ansul Chemical Company, Marinette, Wisconsin.





They'll Do It Every Time

Jimmy Hatlo



Neither Rhyme Nor Reason In Air Conditioning Distribution

BIGGEST puzzle in the eagerly promising air conditioning industry nowadays is this unsolved problem:

Who will sell it locally?

Nearly every previously-tried answer to this expensive question has been unsatisfactory on a national scale.

Take room coolers. Willy-nilly following a volume distribution fallacy, most window air conditioner manufacturers placed their bets on unselected thousands of radio-TVappliance dealers. The latter messed up the room cooler distribution picture alarmingly with their price-cutting and wheel-and-dealing. In the process, both they and serious air conditioning specialists lost money.

Could that happenstance be a warning to residential air conditioning producers who assume they must "go through existing channels?"

Take the obvious "lock-up" which sheet metal and heating contractors are presumed to enjoy in this end of the business. The latter hold "hole cards," it is assumed, because they install furnaces in new homes, and because their "back" departments are needed to fabricate the ductwork often required for cooling applications.

But-can EVERY ONE of these traditionally "all back and no front" purveyors of plumbing and heating equipment SELL all year around home air conditioningwhich is a specialty selling job?

Too few have proved that they can. Most of them are accustomed to bidding, in contrast to the specialty selling methods (ringing doorbells, introducing a new product to people who don't know they need it) required for pushing residential air condi-

Yet, year-round air conditioning is the greatest opportunity most of these heating and plumbing contractors ever will encounter as local businessmen during their lifetimes.

Year-round air conditioning for homes, or summer cooling added on to existing winter heating systems, currently can be represented by a wide variety of dealers. They may be variously classified as air conditioning specialists, warm air heating

DEMOS.

dealers, sheet metal contractors, fuel oil dealers, commercial refrigeration dealers, and a few big appliance dealers who also sell commercial refrigeration.

Domination by one type over any other of these hasn't truly appeared on a nationwide scale. In certain local areas one type of air conditioning outlet is out front. The situation is reversed in other localities. However, the air conditioning dealer who most often leads the pack is the veteran air conditioning specialist.

Manufacturers like Carrier, Airtemp, Worthington, G-E, Frigidaire, Westinghouse, Lennox, and York wish there were more of these "naturals" in existence. In the meantime, they are trying to fill in dead spots in their national distribution map by attempting to convert every type of outlet now on their rosters into an air conditioning specialist.

There is considerable overlapping among the various types of dealerships which sell and install commercial, industrial, and residential air conditioning-along with heating, commercial refrigeration, and appliances. And that's confusing.

Examples: many old-time heating dealers handle gas and oil-fired equipment, wet E. I. du Pont de Nemours & Co. heat and warm air jobs. Furthermore, "old line" commercial refrigeration and air conditioning outlets recently have become heating dealers.

Currently we find a continuing shift of emphasis among many well-financed contractor-dealers of every description toward household that these appliances air conditioning as their Chief Business. And that's good.

AC&RN subscribers who emphasized air conditioning in the last few years sold the most year-round residential and commercial systems in most areas of our country, according to all available surveys. Will they continue to do so? Probably. All types of contractor-dealers, industry manufacturers hope, will become year-round air conditioning specialists.

The great goal of air conditioning sales managers simply is:

"Like Abou Ben Adhem, may their tribe increase."

No sooner do we cease being poor, than we become poor once more, because the scale of living has been upped.—RAPHAEL

AN INTERNATIONAL INSTITUTION . SUBSCRIBERS ALL OVER THE WORLD

Trade Mark reg. U.S. Pat Est. 1926

1956, Business News Publishing Co.

F. M. COCKRELL, Founder

'The Conscience of the Industry'

Published Every Monday by BUSINESS NEWS PUBLISHING CO., 450 W. Fort St., Detroit 26, Mich. Telephone Woodward 2-0924. Subscription Rates: U. S. and Possessions and Canada: \$6.00 per year; 2 years, \$9.00; 3 years, \$12.00. All other countries: \$10 per year. Single copy price, 40 cents. Ten or more copies, 30 cents; 50 or more copies, 20 cents each. Send remittance with order.

EDITOR & PUBLISHER, EDITORIAL DIRECTOR. Phil B. Redeker ASSOCIATE EDITOR, C. Dale Mericle ASSISTANT EDITORS: John Sweet Hugh Mahar

George Hanning

Robert Lacey RESEARCH MGR., John MacLean

ASST. GEN. MGR., Warren Jones GEN. PROD. MGR., Walter Schuler ADV. PROD. MGR., A. M. Barrow CIRCULATION MGR., Robert Roberts SUBSCRIPTION MGR., Marilyn Gass READERS' SERVICE MGR.,

GEN. MGR., Edward L. Henderson ADV. MGR., Robert M. Price WESTERN ADV. MGR.,

Allen Schildhammer ASST. ADV. MGR., Joe Sullivan

ADVERTISING REPRESENTATIVES: Rex Smith William Zurkan

ADVERTISING OFFICES: New York, 521 Fifth Ave.
MUrray Hill 7-7158
Robert M. Price
William Zurkan

134 S. LaSalle St. Chicago, FRanklin 2-8093 Allen Schildhammer Rex Smith

450 W. Fort St. Detroit, WOodward 2-0924

Joe Sullivan Los Angeles, 4710 Crenshaw Blvd. AXminster 2-9501 Justin Hannon

Member, Audit Bureau of Circulations. Member, Associated Business Publications.

VOLUME 78, No. 1, SERIAL No. 1,416, MAY 7, 1956



Portland Fixture Co. 338 Northwest Fifth Ave. Portland 9, Ore.

RE: Your editorial; "Recognize Anyone on This List."

Yeah! I sure do. Also knew two-owner firm in business for years; making money, satisfied employes, everything fine, then 'long came a business consultant. Result: utter confusion. Old employes quit, started new competing company. Old company has been under "bank control" ever since, and new company their No. 1 competition. Need new business consultant.

EMERY E. WILSON P.S.: Not our company. We are confused, but making a living. Never sold a freezer on a food plan.

Wilmington 98, Del. Editor:

I have noted from the recent issue of The NEWS that the sale of freezers in 1955 dropped sharply below the sales of 1954. believe I know the reason.

There is no doubt in our hazardous. Several days

ago my wife opened our upright job and a roast of beef fell out and banged her on the toe. She is still limping.

I suggest that a pair of steel toed shoes be provided with each upright freezer.

N. C. COOPER

lin

th

T

El

Mi

off

Ch

for

pre

vic

Th

the

Chrysler Corp. Detroit 31, Mich.

Editor:

In a recent Canadian paper the attached clipping brought to light a condition which probably caused someone a very red neck.

I pass it on to you with a suggestion that you consider it for your "Dope" column.

"Shiver 19 Years, Heat Valve

"Vancouver (CP) - For 19 years the heat was piped toward the coroner's office here, and for 19 years the workers inside shivered during winter months.

"Workmen installing a new heating system unit today found out why. A main valve controlling the system was not opened when the original unit was installed in 1936."

Ken L. CRAPEAU, Airtemp Sales Mgr., Export Div.

Handy Way to Subscribe

To See the Industry In Action EVERY WEEK

Keep up-te-date on what's going on in your industry. You'll see action weekly in AIR CONDITIONING & REFBIGERATION NEWS. Covers latest news and gives you top how-to-do-it reports on commercial and residential air conditioning, commercial and home refrigeration: manufacturing, contracting, distributing, retailing, and servicing. Read the Industry's newspaper for profit every week. Only \$6.00 per year, 52 issues.

	St., Detroit	26 Mich.	N NEWS	5-7-56
Gentlemen: S		s every week fo	r one year. 🗆 🏍	.00 enclosed
Name	*********	***********		********
Company			********	*********
Street		**********		********
City	*********	Zone	State	********

Supplier Applies Own Products, Methods of air conditioning systems are To Air Condition New Headquarters



IMPORTANCE vapor barrier on ductwork emphasized by John Moffitt, engineer with A. Lynn Thomas Co., Richmond insulation supplier, points out to Ed. Burrell careful sealing of joints on ducts of 20-ton system serving company's new building. To complete job ducts will be covered with canvas and painted white.

overlooking the need for a vapor barrier.

Should Have Vapor **Barriers on Ducts**

"People who designed warm air heating systems for years and then switched to air conditioning don't think about the vapor barrier on ducts," he says. "If a vapor barrier is not applied outside the duct insulation, condensation may occur on or close to the duct itself.

"This cuts down the value of may attack the adhesive holding by Connor. the insulation to the duct, points out Moffitt.

"A good vapor seal," he also says, "will protect the duct insulation should a leak develop in the roof. The insulation value RICHMOND, Va.—New head- ideas on its use. For example, can possibly be reduced as much

many designers and installers Activated Carbon Filters Solve Photo Fogging Problem on Sensitive Plates

nor Engineering Corp. here re- phasized. cently was instrumental in solvin Cleveland, the company re-

For direct printing of name plates, dials, diagrams, scales, pressure within the section and similar products, Metal- where the plates were made photo Corp., Cleveland, recently light-sensitive, creating outward introduced a photosensitized air movement, and by admitting the insulation, and the moisture aluminum plate, it was added all ventilating air only through

> surface of the plate in which been no reoccurence of trouble the image is imbedded by photo- since the filters were installed a graphic printing is so sensitive, year ago, the firm states. it is claimed, that production gases which seeped into the batch of damaged plates.

DANBURY, Conn.-Activated printing plant from nearby incarbon equipment made by Con- dustrial areas, the company em-

Although these gaseous coning a chemical reaction problem taminations were in extremely in a photographic printing plant low concentrations, the company continued, they still caused severe damage to plates.

By maintaining slight air activated carbon filters, the The 0.0005-in. thick anodized problem was solved. There has

According to R. A. Kempe, runs were occasionally spoiled Metalphoto vice president, the by fogging. This is a chemical filter system cost less than half reaction caused by sulphide the loss resulting from one

quarters here occupied by A. John Moffitt, engineer with the as 50% by moisture in insula-Lynn Thomas Co., Inc., supplier firm, comments on the fact that tion." of insulation, filters, registers, etc., to the air conditioning and heating trades in a three-state territory, not only is air conditioned but features many of the products and application methods promoted by the firm.

Founded in 1894, the firm recently moved to a new 25,000sq. ft. building providing offices, meeting rooms, display and sales room, extensive warehouse space, and a kitchen for

The building is on a four-acre site beside the main railroad line through Richmond, and has a siding that will accommodate three freight cars. Truck docks and plenty of parking space for customers and employes are also

Two 10-Ton Units Air Condition Building


conditioning Air system. which was installed by Gundlach & Co., local contractor, consists of two 10-ton General Electric package units connected to ductwork. All ducts in the building are wrapped with Microlite insulation.

The firm represents such manufacturers as L.O.F. Glass Fibers Co., American Air Filter, Midco Register, Ruberoid, Minnesota Mining, Permacel, and others. It maintains branch offices in Norfolk, Raleigh, Charlotte, and Columbia, S. C.

Wilton L. Thomas, son of the founder, is president of the firm; Richard G. Lewis, vice president; Arthur D. Thomas, vice president; Mrs. Martha M. Thomas, secretary-treasurer.

As a specialist in insulation, the company has some definite





How To Build Commercial Refrigeration Into a \$2,000,000 Business

By C. Dale Mericle

amazing 10 years the remark- stay." able Pappas brothers here have Refrigeration, however, was parlayed a two-man, hole-in-the- not exactly an unknown field another \$300,000 in remodeling. wall commercial refrigeration for Jim and Pete, because the business into a \$2,000,000-a- father, H. D. Pappas, now re- made Pappas Refrigeration year operation that occupies an tired, got into it back in 1936 eight-story building (complete as Dallas sales manager for Zero refrigeration distributor in the with penthouse) in downtown Plate Co. Houston, employs 60, and maintains branches in Beaumont and brothers in the business. George San Antonio.

The gambling term "parlay" is perhaps not inappropriate to business with their Paco Petrodescribe the almost incredible leum Corp. operating in Illinois, growth of Pappas Refrigeration Indiana, and Kentucky. All four Co., for, as Jim Pappas, president, puts it:

"We Greeks are gamblers, both businesses, When my brother Pete and I

HOUSTON, Texas - In an of? Why, America is here to

Actually, there are four and Tom joined in 1947, but have since gone into the oil brothers, veterans of World War II, have equal shares in Jim Pappas.

The biggest single step were debating about starting Pappas Refrigeration has made and are actually occupying space, though, there were other the business, our father com- in its remarkable growth was 90,000 sq. ft. here," he says. motives behind the move, he mented, 'What are you afraid the purchase-for \$700,000-of

the eight-story Varner Bldg. in downtown Houston last year. On top of this investment, the Pappas brothers are spending

In terms of footage, this move probably the largest commercial country, although the brothers themselves make no claim on that score.

Does the firm actually need all the space contained in the structure, which covers a full half of a city block?

Some refreshingly answers on that are given by

seams in our former location, "We have 60,000 sq. ft., how- reveals.



VAST display of commercial equipment on sales floor of Pappas Refrigeration in Houston provides almost endless choice for prospects.

"We were bulging at the ever, available for lease."

Besides the need for more

Excellent Investment In Real Estate

First, the brothers figure it's an excellent investment in real estate. Besides the rental income from space their own firm doesn't occupy, they hope ultimately to increase the "take" from the property by building an eight-story parking garage on the section now occupied by a 11/2-story section of the structure.

There were a couple of intangibles involved, too.

Building Purchase Booms Credit Rating

"It was amazing," Jim revealed, "how sharply our credit rose when the purchase of the building was announced. People who had been dubious about extending us credit, as well as a lot of people we never heard of, rushed to offer us all the credit we needed."


The building serves also as an excellent "fly-catcher," adds, explaining that all four brothers can be interested in money-making "propositions" aside from their present business interests.

Since they purchased the building, hardly a day passes that a "golden opportunity" or two isn't offered to them, he

There's more to be said about Pappas Refrigeration's new building, but it is also of interest to examine their operations in the refrigeration and allied field, where the company has obviously made tremendous headway in 10 years.

Even competitors agree with the company's claim that it does 95% of the bar business in the Houston area, and they also agree, though they aren't sure how it's done, that Pappas is

(Continued on page 31)



have been "standard" on **Vogt Tube-Ice machines**

for over 18 years

Continuously dependable service . . . that is the reason Allen-Bradley motor controls are "standard" on so many refrigeration units . . . such as the Vogt Tube-Ice ma-


The simplicity of Allen-Bradley solenoid starters makes such performance possible , there is only ONE moving part . . . nothing to wear or bind . . . your guarantee for continuous, trouble-free operation. The double break, silver alloy contacts never need maintenance. You can install Allen-Bradley controls...and forget them.

Permanently accurate thermal overload relays protect motors against burnout. Specify Allen-Bradley . . . you'll never have reason to regret this decision.

Please write for your copy of the latest Allen-Bradley Handy Catalog . . . the guide to "Quality" motor control.

Allen-Bradley Co. 1313 S. First St., Milwaukee 4, Wis.

In Canada Allen-Bradley Canada Ltd., Galt, Ont.



5,000 lb automatic Vogt Tube-Ice machine

THE SIGN



BULLETIN 709 Across-the-line solenoid starter



A-C control relay, universal type



BULLETIN 836 High and low-





The swirling, atomizing action of the water as it goes through the Aspir-Jei means more effective heat transfer and higher efficiency from any spray-filled cooling tower. Pressure as low as ½ pound gives affective water break-up and distribution.
Formed of butyrate plastic, Aspir-Jets will not corrade.



Available through Refrigeration and Air Conditioning Wholesolers

Annufacturers & Refrigeration Wholesalers: you are not now using or stocking this asteunding new product, wire or write

THERMAL AGENCY 1515 DALLAS . HOUSTON, TEXAS



NEW TYLER PRODUCE SALES-CASE (Series Y)

STEPS OUT AHEAD AGAIN!

NOW IT'S SUPER-SELF-SERVICE

with the new Tyler Sales-Case Line (Series Y)

STARTLING NEW FEATURES

SUPER self-service, for supermarket, superette or neighborhood store, is really here with the new Series Y Tyler Sales-Cases . . . super sales power . . . super efficiency . . . super economy!

Tyler steps out ahead again with this new line, the most complete and advanced line for the sale, display and back-room storage of all types of perishables . . . with a new store planning service and color plan that make it easy for you to cash in on the most modern merchandising methods.

So don't let rising costs nibble away at that vital profit margin . . . Tyler-tailor your store to take advantage of these practical features that help you boost profitable volume and reduce expenses:

NEW LOW 33" FRONT...the most efficient merchandising height, approximates the variety store standard, set by almost half a century of profitable self-service experience! Makes it easier for all customers to see, to bend and reach naturally and quickly!

Use of this height on checkout counters already speeds up that operation. Remember, the easier it is, the faster they buy, the more they buy! Another full-line Tyler First!

SHOPPING ZONE VISIBILITY and quick department identification are provided by new 33" height with direct, uninterrupted view of inclined display . . . to speed up store traffic still more.

NEW COLOR-COMPATIBILITY SYSTEM, developed in consultation with Howard Ketcham, Inc., color experts...provides removable Vertical Trim Panels, front panels and ends, in a choice of 9 standard colors and white . . . for attractive duo-tone or single color cases . . . with suggestions for wall, floor and sign colors.

You can go right with color—to increase store atmosphere, to pull people in. You can go wrong with color, too. So play it safe. Use these approved, store-tested colors.

NEW VERTICAL TRIM PANEL simplifies joint treatment on continuous Sales-Cases...saves installation time...makes possible duo-tone effects, simple color accents or department identification.

NEW QUICK-ADJUST MEAT TRAYS, produce screens and dividers . . . instantly adjustable without clips or brackets. Can be changed without disturbing display. Easier, faster cleaning.

IMPROVED MIRROR ANGLES to provide best reflection of merchandise display . . . for maximum mass display effect.

PATTERNED STAINLESS TRIM avoids excessive reflections or glitter...does not compete with display...hides scratches.

NO GLASS to interfere with direct view of display . . . to smudge and need cleaning . . . to break and replace or become a hazard.

NEW STREAMLINED SUPER-STRUCTURES, shipped separately, simplified for fast installation, distinctive in appearance,

LIGHT HOOD slopes back . . . extra room for tall shoppers.

NEW UNIFORMITY . . . all Sales-Case models line up perfectly. REAR LOADING and service with displays easier to reach regardless of height of clerk.

EASIER ACCESS FOR SERVICING. Provision is made for quick access to all colls, valves, drains, and connections.

SANITARY, NO-SWEAT SILLS for double-duty model sliding doors . . . slanted to drain away any possible moisture.

RETRACTABLE HOSE . . . new produce accessory, disappears.

NEW BAG RACK has adjustable back stops.

RECESSED DOOR HANDLES on double-duty models . . . speed

COMBINATION HANDLE AND STOP on superstructure sliding mirrors and windows . . . speeds up loading, prevents damage.

HIGH-LEVEL REFRIGERATION. Positive No-Block circulation of cold air throughout display and storage areas. Dependable, uniform temperatures, extra-large coiling, plenum chamber and ducts.

FULLY-AUTOMATIC DEFROST SYSTEM. Defrosts entire system including evaporator, all air passages.

Tyler CONDENSING UNIT ASSEMBLIES provide perfectly balanced systems and logical arrangement for quick servicing or adjustment . . . save valuable space, avoid dangerous clutter, prevent last-minute installation delays.

SUPER SANITATION . . . easiest-to-clean case there is . . . display compartments with rounded corners, and smooth, unobstructed walls . . . all surfaces of stainless steel, aluminum or modern, hard-surface finishes . . . foolproof drainage system.

LOWER UPKEEP AND MAINTENANCE COSTS. Lower condensing unit requirements, more efficient insulation and refrigera-

tion save you money . . . every day!

And that vital Tyler feature—sturdy, one-piece WELDEDSTEEL SHELL . . . precision-welded with accurate jigs and fixtures . . . for strength, uniformity, longer useful life. Seals in cold,
seals out heat, humidity, vermin! Protects refrigeration efficiency!



NEW ADJUSTABLE-SHELF DAIRY SALES-CASE (Series Y)



CLERKS like fast, easy REAR LOADING . . . all-around, time-saving, convenience . . . the way Sales-Cases keep foods in top condition!

HOUSEWIVES

Ike to shop in the pleasant atmos-phere of a TYLER-TAILORED store . . . colorful, well-organ-ized, modern!

FULL SHOPPING-ZONE
VISIBILITY...
with display on incline from new 33"
front. Shopper identifies merchandise quickly, from a distance
... direct view, NO GLASS.

DISPLAY FLEXIBILITY.

Meat and produce trays and screens quickly adjustable to 9 inclined positions. Get full mass display on slow and peak days.


GREATER CAPACITY...
with larger display compartment...
wider from front to back and
top to bottom.

NEW TOE ROOM . . .
ample recess permits customer
to stand close to case. Removable
base offers much EASIER ACCESS
to drain and refrigerant lines.

NEW CART GUARD
of sturdy stainless steel protects
front of Sales-Cases, and serves
as raceway for wiring. Simplifies
electrical work.

NEW MEAT SALES-CASE (Series Y)

NEW COLOR FLEXIBILITY...with choice of 9 colors and white...for single color or duo-tone effects, on removable Sales-Case fronts, ends, and Vertical Trim Panels.




Mint Green Lettuce Green Peach Pink Crushed Strawberry Ostmed Beige Silver Gray Huckleberry Blue Ice Blue Butter Yellow (above)

NEW LOW MERCHANDISING HEIGHT: Properly engineered 33" front on entire line! The easier it is . . . the faster they buy, the more they buy!

TOTAL

See us at the SMI Show in Cleveland - Booth A-12





EXTENSIVE shop facilities are a feature of Pappas organization. Here's a section of woodworking department.



BROTHERS Pete (left) and Jim Pappas parlayed \$4,000 and a hale-in-the-wall commercial business into a \$2,000,000 yearly business in 10 years. Two other brothers share ownership.



REMODELING eight-story building in downtown Houston (sale price: \$700,000), Pappas Refrigeration did most of the work itself. This general office is typical.

Building a Business--

(Continued from page 26) about the highest-priced operator in the field around the Hous- out. ton area.

Prepared for 'Turnkey' Job In Bars, Restaurants

On bar and restaurant work, Pappas is prepared to do the complete job on a "turnkey" basis if desired. It maintains an extensive wood-working shop and other facilities to build bars, booths, walk-in refrigerators, shelving, and the like.

About a year ago, incidentally, the firm decided to enter the complete food store business, taking on the C. V. Hill line.

Pappas Refrigeration makes a point of its high quality installations, and besides showing prospects existing jobs, the firm can now point to its own building where it did virtually all the remodeling with its own

A large sales force is maintained by the company, including 20 salesmen working on commission.

Introduced Broad **Appliance Line**

Although the company is still primarily in the commercial refrigeration business, it took on a broad line of appliances after moving into its new building where a big sales floor was made available.

"People who run bars and restaurants are also prospects for appliances in their homes," comments Jim Pappas.

Much of the 20,000 sq. ft, of ground floor display area is devoted to commercial refrigeration and restaurant equipment, however, and two salesmen are required to handle floor traffic in this department alone, he says.

There's more to this tremendous display of commercial



to impress prospects, Jim points one.

can't make a selection from the sent problems.

field, and it's hard to sell from a people in the food business buy used equipment of all types. that the man who comes in and emphasizes, but he admits that ness a luxury," Jim cautions,


25 different models we have on
If the prices of new merchan-

picture," he says. "We figure on the spur of the moment," Jim "You don't sell a little busi-

says he wants a reach-in but such a big inventory can pre- "you sell him something that will make him money."

The Pappas organization is a equipment than just the desire the floor really doesn't want dise seem a bit steep to the pros- great believer in the meter plan pect, Pappas salesmen can take for selling commercial equip-"You have to have merchan. him to the second floor which is ment, describing it as "just a "This is a highly competitive dise in order to sell it, and jam-packed with reconditioned systematic way to get the customers to pay their bills."

About half of its sales are (Concluded on next page)



EXCLUSIVE FRANCHISE



Chip-Freeze AUTOMATIC ICE FLAKER

Here is the line of trouble-free ice-making equipment you've asked for . . . with new scientific innovations that will make sales history!





MOST SANITARY UNIT MADE!

New ice is produced at TOP of the CHIP-FREEZE unit so that there is no possibility for accumulation or decay of eld ice. As you draw ice from lower part of upper section of sanitary, stainless steel storage bin, new ice is then produced at the top of the storage bin. Most equipment foday has ice storage section at bottom of unit; thus, scum and dirt formations in that section contaminate fresh ice

6 EXCITING NEW COLORS!

place, anywherel Space-saving cabinet design in beautiful hi-bake enamel color schemes makes CHIP-FREEZE unit adaptable for any location!

SAVINGS-SAVINGS-SAVINGS

Seve up to 95% Imagine, 560 LBS. PER DAY— ice Rokes for as little as 2c per bushel or 6c per hundred bts. (depending on local power and water rates)! Pay only for the ice you need. Fills Itself automatically as ice is used. Mechanism is easily accessible from front and roar. Machine turns itself

EYE APPEAL, SALES APPEAL, ICE APPEAL for:

- Supermarkets Restaurants
- Bakeries
 Hotels
 Fish and poultry markets
- Fresh produce markets Florists Hospitals Soda Fountains
 Retail Stores

COCORA Products COLD CORPORATION OF AMERICA

Manufacturers of ice Making Equipment 371 89 N. North Branch St. . Chicago 22, III. . MI 2 4816

- Priced below competition! (Nationally advertised.)
- Fully automatic (featuring new monostructure ite-making assembly.)
- Sales-tested selling plan! (We supply you with leads, tool)
- Maximum output guaranteed! (Ideal for any type of water system.)
- · Low installation cost . . . as easy as "A-B-C" to maintain!

EXCLUSIVE PROTECTED TERRITORIES STILL AVAILABLE. Write, wire or call today!

COLD CORPORATI	ON OF AMERICA	ACRN
1371-89 N. North	Branch St.	
Chicago 22, Illinois		
Gentlemen:		
I om interested in kno-	wing more about "CHIP-I	FREEZE" automatic ico flakors.
Mfg. Rep.	☐ Distributor	☐ Dealer
Others, please specify		
Name		
Firm		
Address		Phone
City	****	State

Distributor's Growth --

(Concluded from preceding page) handled this way, and the company now has some 2,500 meters out.

6 Meter Collectors

"We have six men who do nothing but collect from the meters, and we selected men for this job who have enough brass to collect the money," Jim dewill cuss you sometimes, but they'll certainly get to know you, and actually, they'll admire and reconditioning operation is round without seasonal layoffs. and service operations occupy you for being firm about collections."

Pappas Refrigeration does not discount its paper, but hypothecates it, instead; that is, borrows money for working capital 18 by 20-ft, paint booth for re- thing away." on the strength of the paper it conditioning. holds.



clares. "Sure, the customers PEOPLE who run restaurants also have homes, so appliances were added recently to of these hardware items simply engineering and layout depart-Pappas' commercial refrigeration lines.

maintained for this equipment

equipment. An extensive repair its 10 servicemen busy the year- duces a fair income, for many proper is devoted to the firm's

where the boxes are completely \$75,000 tied up in repair and 24-ft. long freight elevator sim-"gutted," cleaned, refitted, and replacement parts," Jim Pappas plifies handling of equipment

An example is a board 8 ft.

EMPLOYES and tenants of Pappas Refrigeration find dining room convenient and relaxing for lunch and coffee breaks.



aren't available anywhere else. ment.

Although the various shop "We probably have close to upper floors of the buildings, a part of the building.

The company offices are lo-The company goes so far as square covered with hardware cated on the ground floor, tak-As stated above, the firm to rewind motors itself, figuring removed from junked commer- ing up some 5,000 sq. ft. A does a big business in used that it costs less and helps keep cial fixtures. In itself this pro- "mezzanine" over the offices

No 'Private' Offices

Incidentally, the firm doesn't believe in "private" offices. The office shared by Jim and Pete painted. There's a 15 by 15-ft. comments. "For one thing," he and material. A large off-street Pappas, for example, adjoins the steam cleaning room and an explains, "we don't throw any- loading dock for trucks is also sales floor and is fitted with glass on three sides.

As for "privacy," the bosses' offices seems more like Times Square on New Year's Eve.

All these offices are air conditioned by means of two 71/2-ton packaged units connected to ductwork. A 40-ton system is also in use to cool the offices on the eighth floor which are leased out to tenants.

250 Tons of Air Conditioning To Service Rest of Building

Another 250 tons of air conditioning is being installed, however, to serve the rest of the building, and should be in operation this summer. All the work of installing the air conditioning has been handled by Pappas employes.

While the company is best known for its activities in the bar and restaurant field, it gets into a variety of refrigeration applications. One such which Pete Pappas is directly concerned with is the growing field of ice-making installations for poultry and shrimp processors. (Details of these activities will be outlined in a separate ar-

ticle). The Pappas brothers have made great progress in remodeling and modernizing their building, but they have extensive plans for the future. On the sixth floor, for example, they expect to have a large auditorium which will be available for meetings of various organizations as well as the company's own use.

Already the large penthouse which comprises the eighth floor of the building has been remodeled into several offices leased out to tenants.

The separate solarium on the roof has been converted into an attractive dining room for the benefit of employes and building tenants. This is operated on a cost basis.

Human Interest In Success Story

If the story about the remarkable success of the Pappas brothers in the refrigeration industry in 10 years were to be written for a consumer magazine in typical human-interest style, as well it might be, they would be given much credit for their assistance to war refugees.


oi b

a

L

At the present time the company has 10 such people on its payroll. Some or all of these will no doubt go into business for themselves eventually, and when that happens they'll not only have the encouragement of the Pappas brothers, but, if needed, the brothers' financial support as well.

Design a Wagner Hermetic Motor into your next sealed unit



YOU'LL GET ... carefully built, thoroughly tested, performance-proved motors that you can seal for life!

Wagner hermetic motors, like all Wagner motors, are known for their ability to give years of trouble-free service. Wagner hermetics are built on modern production lines—with the newest, finest production tools available. Repetitive surge and dielectric tests are given to every Wagner hermetic motor stator. Every rotor that goes into a Wagner hermetic motor is given an individual speed test.

Such exacting manufacturing techniques and quality control enable us to provide you, the manufacturer, with hermetic motors that will give years and years of dependable service . . . motors on which you can safely

stake the reputation of your product.

When your motor drives are to be hermetically sealed, it's to your advantage to specify Wagner for use on your equipment. Get the facts . . . call the nearest of our 32 branch offices or write us.



SINGLE-PHASE 1/4 to 5 hp, 60 cycle, 115 or Capacitor-start induc tion run. Capacitorstart and run.

Wagner Electric Corporation 5441 Plymouth Ave., St. Louis 14, Mo., U.S.A.

BRANCHES AND DISTRIBUTORS IN ALL PRINCIPAL CITIES

ELECTRIC MOTORS - TRANSFORMERS - INDUSTRIAL BRAKES - AUTOMOTIVE BRAKE SYSTEMS-AIR AND HYDRAULIC

Dealer Finds Air Conditioning Outlook Bright

Newspaper Ads, Weather Forecasting, Window Unit Rental, ing re-installed in the spring at the owner's convenience, the Room Unit Winterization Plan Help Promote Firm's Business units are tested for operation. In re-installing units, service-

By John O. Sweet

year, Tom Reedy, president of North Town Refrigeration Corp. and its sister firm, South Town carefully." Refrigeration Corp., is planning to double last year's air condi- year in connection with the tioning promotion budget.

3-Month Dollar Volume Triples First 4-Mos. In '55

Reedy has good reason to be optimistic. Dollar volume of the firms' total air conditioning sales for the first three months of 1956 was three times more than for the first four months of last year, he reported.

This gain was primarily in commercial installations, Reedy pointed out. He said room cooler sales through March were slightly ahead of the like yearago period and sales of residential units about the same as in the first 1955 quarter. However, he added, "we're much ahead on inquiries on residential units."

Program Launched Month Earlier

d

The firms' air conditioning promotion program was to be launched the first week in April -a month earlier than in the past. Reedy noted that people remember last year's heat waves and that he has heard several say they're going to get an air conditioner at the beginning of the season this year.

He said that 80% of the promotional budget would be for daily newspaper advertising, covering commercial, residential, and room air conditioners. Direct mail advertising is also contemplated.

As an aid in planning promotions, the two Frigidaire sales and service firms are using a long-range weather forecasting

Now being worked out is a campaign to promote a window air conditioner rental program inaugurated last year. Under this plan, a consumer can rent a unit at the beginning or during the air conditioning season and use it until Oct. 15. However, if the customer desires, the time limit will be extended to Nov. 15.

Rental Fee Can Be Applied to Unit Cost

The rental fee can be applied on the cost of the unit if the customer wishes to purchase it. Reedy said the plan proved very successful last year, with 75% of rental customers deciding to buy. Some commercial units also were rented, he stated.

Reedy said the firms try to

Deliver-Install-Service Air Conditioners Without a Helper OU DON'T DRAG IT

CHICAGO—"Very optimistic" be very careful in making rental about the outlook for sales of arrangements. Prospective cusair conditioning equipment this tomers are investigated just the same as those asking for credit, "sometimes even much more

> One problem developed last plan. The trouble was, Reedy pointed out, that company phones were sometimes tied up with calls from persons who wanted to rent a unit for a few days and for "a few bucks." They had company coming the next week or a man's wife was coming home from the hospital and he wanted her to be com-

To eliminate such calls, Reedy

fee in promotional material this men also check all seals.

over-all air conditioning profourth year.

Rental Plan Explained

Under this plan, units are rebonded, uniformed serviceof soot, grease, and dirt. Rust touched up, the units checked are usually made. and tested, and the filter re-

plans to include a specific rental wrapped in rustproof, oil-im- units were taken in for winter- Inc.

insured warehouse. Before be-

Complete charge for this Another phase of the firms' service has been \$49.50. Reedy said a higher rate for 11/2 and gram is a 10-point "room cooler 2-ton units is being considered winterization" plan, now in its since these units are becoming more popular.

Promotion Methods

To promote this plan, post moved from owners' premises cards are sent out at the end of the air conditioning season men and are thoroughly steam to previous customers of the cleaned in the shop for removal service and to persons who purchased air conditioners from spots on portions of units ex- North Town and South Town posed to the elements are during the year. Three mailings

The plan has been very popular, according to Reedy. During The air conditioners are then the past off-season, about 350

pregnated paper containers and ization, he said. One advantage stored on special racks in an of this setup, he added, is that it helps keep the shop men busy during the winter season.

Turning again to the outlook for 1956, Reedy commented that if sales are as good as expected, it will be difficult for installers to keep up with demand. Therefore, he said, early installations are being encouraged as much as possible.

Airtemp Names Prince Dallas Room Unit Mar.

DAYTON-Martin A. Prince has been appointed room air conditioner district manager. Dallas (Texas) region, for the Airtemp Div., Chrysler Corp., according to F. J. Laughna, Airtemp director of regional op-

Prior to joining Airtemp recently, Price was assistant merchandising manager for Servel,

For air clean and fresh as Springtime



a better 1/2-inch air filter for today's improved air-conditioning units

Here it is . . . American Air's attractive, new GREEN AMER-glas filter, a true air-conditioning filter! It passes every rigid test for minimum air resistance and maximum dirt-catching power with flying colors!

MANUFACTURERS have gone to much trouble and expense to improve their air-conditioning units. Now AAF has called upon its many years of research and know-how to provide an improved, attractive filter developed especially

for today's air conditioners. Leading manufacturers have long depended upon AAF to help solve their problems. DISTRIBUTORS AND DEALERS are already stocking this new GREEN filter as a standard replaceable AMER-glas product, 1/2" thick only, in a complete range of sizes.

FILTER FOR EVERY NEED. Whatever your requirements, American Air has AMER-glas filters in every size and shape ready for immediate delivery. Call us without obligation.

WRITE TODAY FOR FREE AMER-glas FILTER \ ----

Louisville 8, Kentucky

	American Air Filter Co., Inc. 109 Central Ave., Louisville 8, Ky.
Picase send as sample and We see a Manufacturer NAME	complete information on new GREEN filter Distributor.
COMPANY	
ADDRESS	
CITY	ZOME STATE

Sunroc Introduces 'Cafeteria' Cooler Line

-KEY NO. F-510-

GLEN RIDDLE, Pa.-A new "Cafeteria" cooler, manufactured by Sunroc Corp., is now available



in a wide range of capacities, from 6 g.p.h. to 42 g.p.h., "for smallest to largest require-ments of restaurants, schools, institutions, commercial, and industrial cafeterias."

The compact cooler is convenient 36-in. counter height, 281/16 in. wide, and 21% in. deep.

Even the 42-g.p.h. model is restricted to these small dimensions,

it was pointed out. This is possible, the company said, because the Cafeteria incorporates a coil-cooling system as opposed to storage tanks.

The cooling unit is designed with seamless copper tubes "that instantaneously cool the water that flows through them. The copper tubes resist corrosion, and all water is fresh and clean."

The cooler is available for either wall or island location. The cabinet is supplied in either stainless steel or grey hammertone enamel finish. The stainless steel top and drain grille is equipped with glass fillers, bubblers, or a combination of each to meet individual requirements. Double-headed glass fillers are available for island locations.



Norge Washer Has Power Rinse Action

KEY NO. F-512-

CHICAGO-A conventional washer with power rinse action to cut clothes handling was introduced recently by Norge Div., Borg-Warner Corp., the manufacturer announced.

"Deep" power rinse provides a continuous current of aerated water through fabrics while vigorous agitator action unfolds and rinses each item and eliminates need for extra tubs, the firm stated.

Ten lbs. of clothes can be cleaned in from 5 to 7 minutes, it was said. There are five widely spaced wheels on the unit for stability, timers give a wide selection of timed wash periods, and the wringer has fingertip control with rolls adjustable to exact pressure the type of clothing needs, the company further declared.

Hotpoint Pizza-Baking Oven Holds 6 Pizzas

KEY NO. F-513-

CHICAGO-A new pizza-baking oven, with a capacity of six 12-in. pizzas, claimed to cut baking time to 5 minutes per item was introduced here recently by Hotpoint Co., Commercial Equipment Dept., it was announced.

"Superheat" electric pizza oven has a temperature range of 300 to 600° F. which allows for other baked goods and most roasting operations, it was explained. Insulated on six sides, made of stainless steel, the unit can be stacked or banked with other Hotpoint oven sections for space-saving, it was added.



2 Zatex Colors Can Be Sprayed at Same Time

KEY NO. F-514-

CLEVELAND - A new spray enamel which permits the application of two or more colors simultaneously from a single spray gun has been developed for the industrial products and commercial finishing fields, it was announced by A. D. Duncan, vice president of The Glidden Co. and general manager of the firm's paint division.

Called "Zatex," the new enamel applied with standard spray equipment and spray techniques. It is available in a wide range of color combinations and, according to the manufacturer, the decorative finish offers excellent coverage over surface irregularities, a

high degree of mar resistance, and extreme washability.

The new multi-color coating adheres well to metal, wood, plywood, ceramics, stucco, plaster, wallboard, brick, and building block, it is said.

One gal. of Zatex, priced from \$3.75 to \$4, depending on the formula, has an estimated coverage of 100 to 125 sq. ft., it was noted.

"Zatex air dries to the touch in 30 minutes and is ready to handle in four hours," the company said. "In a baking operation, it will cure in approximately two hours at 140° F. or 20 minutes at 225°

Aircraft Refrigeration Equipment Developed

LOS ANGELES-Nordskog Co., purchaser Inc., Van Nuys, Calif., designermanufacturer of custom galleys for aircraft, announces its newest engineering development-"Aero-Kool" refrigeration equipment for all types of commercial and mili-

tary aircraft.

The new product, "already widely specified by leading national and internationally-known aircraft concerns," is, according to the firm's president, R. A. Nordskog, "a further step in company moves to custom-construct to the exact specifications of aircraft manufacturers complete galley and component equipment for any need in the feeding of crew and passengers."

Aero-Kool equipment, he states, is fabricated from complete styles, finishing materials, and dimensions

according to the selection of the

The Aero-Kool units are selfcontained.

"A typical refrigerator can attain a temperature drop from 90° ambient to 35° in approximately 40 minutes," it is claimed.

Within one hour, 30 minutes, the unit can drop to 25°," Nordskog further stated.

The entire wall area of the box is refrigerated, "giving maximum heat transfer through a thermal conducting plastic.

"Emphasis has been placed on the weight factor, as well. A typical Aero-Kool refrigerator of cu. ft., will weigh only about 135 lbs. Electrical load is 8 amperes, 28 volt circuit-or 110 (which is optional," the statement concluded.

KEY NO. F-515-CROSSE, Wis. - A new

"Type C" convector with a snapon front panel, new suspension element, and single piece rolled its bottom against convector entop and sides was announced recently by Trane Co. here.

due to the one piece rolled top added.

and sides, the firm said. is claimed to be the only tool needed for quick panel removal. Front snaps into place by pushing closure and swinging up.

Damper chain comes through a Plaster or wood baseboard can slot in the enclosure, heater clips be brought out flush with the hold heating coil suspension, and front of the convector without in- the element can be pitched by terfering with front panel removal raising one end of the unit, it was

sh

tul

ide

rai

ex

he


exp tio

tul

fier

Announcing ... NEW Paragon water spray defroster at

NEW WS24 gives you (UL



√ ONE MOTOR **✓ NEW COMPACT DESIGN**

YES, Paragon engineering advancements score again for you — 3 important ways! (1) You get tremendous savings — from \$78.00 to \$34.50. (2) Only one dial and one motor. (3) New compact size saves 4½" in width over former model. makes WS24 easier to install.

pact size saves 4½" in width over former model . . . makes WS24 easier to install. And, of course, you get Paragon's usual service warranty plus a nation-wide service organization. Order a stock of WS24's today from your jobber, or write Department 1687.



Bank on Paragon Time Controls for all types of Air-Conditioning and Refrigeration Service



32

COMMERCIAL



DEHUMIDIFIER





Let us send you data on all these dependable, accurate Paragon time switches

WORLD'S FOREMOST MANUFACTURER OF TIME CONTROLS

Information Center

For more information on What's New products, current literature and catalogs available, equipment advertised in AIR CONDITIONING & REFRIGERATION NEWS use Key Numbers where designated or specify products advertised and we'll see that you receive this information promptly.

Trane Announces Convector with Snap-On Panel

Products Advertised

(list name, page, and issue date)

1					_			_			_					_	_	_			_			_	_	_		_		_	_		_		_	 	_	_		_
					*				*									*	*	*		*			*		*								*					
	*			0	۰		0			*		0	0	9		0		0					0		6				0			0		0	9		0		0	

WHAT'S NEW OR CURRENT LITERATURE AVAILABLE


(PLEASE PRINT PLAINLY)

Name .	0	0	0			0		0			0	0	0	0	6	9	6	0		T	It	le	•	0	0	0			0	0	0			9	
Company	y				0				9			9							0		0				9	0		6						0	٠
Street		0		6		0		0		0	0	0	a	0	8			0		0	8		a	0	0		0	0			0	0	0	0	
Class														-	7.	 							e												

MAIL THIS FORM TO AIR CONDITIONING & REFRIGERATION NEWS

Readers Service Dept.

450 W. FORT ST. DETROIT 26. MICHIGAN



Larkin Improves Line of Air-Cooled Condensers

KEY NO. F-516-

ATLANTA-Larkin Coils, Inc. has made several design improvements in its line of "Zephyrcon" air-cooled condensers and has added a new 10-ton model to the line, it was announced by O. M. Sims, president.

The major design improvement was a reversal of the air flow. Air is now pulled instead of pushed through the unit.


"This makes possible a better distribution of air, holds airstream noise to a minimum, and makes removal of lint and leaves simple," it was stated.

"Other improvements include a motor and fan housing, eliminating the need for a hood on outdoor installations, a fan guard, which is standard equipment, and an external conduit box, which facilitates wiring."

The Larkin Zephyrcon comes in 2, 3, 5, 8, and 10-ton units, engineered for parallel use. They make use of the Larkin "Crossfin" coil.

"Weatherproofed with corrosionresistant, epon-base, chlorinatedrubber enamel, the Larkin Zephyrcon is made to withstand the elements. It operates efficiently

either outdoors or indoors.
"Pre-punched holes for easy connection to ductwork make inside installation simple and effec-Slotted hanger bars also simplify installation either on the floor or from the ceiling."



Imperial Announces 3-Test Plug Set

KEY NO. F-517-

CHICAGO-A set of three test plugs, for use in temporarily shutting off ½, %, and %-in. O.D. tubing (%, 1/4, and %-in. nominal sizes), has been announced by The Imperial Brass Mfg. Co. here.

plugs are conveniently packaged in a plastic box with Sizes are clearly hinged lid. identified.

"The test plugs can be used anywhere that it is desirable to shut-off the end of a tube temporarily without pinching it off or installing a valve," the company explained. "Fields in which they are widely used include plumbing, heating, instrumentation, refrigeration, and LP-Gas work.

"Plug is inserted in end of tube and wing nut is tightened. This expands the synthetic rubber portion of the plug and seals the tube. The test plugs will hold pressures up to 100 lbs."

The new test plug set is identifled as No. 142-F.

Packless Metal Hose **Absorbs Movement**

KEY NO. F-518-NEW ROCHELLE, N. Y .-Packless Metal Hose, Inc., manufacturer of seamless drawn flexible metal hose, offers a free engineering service designed to assist

those with other than normal vibration difficulties. Regardless of the problem, engineers will, as part of the service,

make their recommendations for

vibration absorbers engineered for

specific needs, the customer's company said.

Made of spirally corrugated seamless drawn tubing with new, patented reuseable couplings machined out of high quality brass, Packless hose "will completely absorb all movement with no 'whip' transmission," the manufacturer claims.

Pressure Reducing Valve Offered

-KEY NO. F-519-

WALDEN, N. Y .- A new directoperated water pressure reducing valve has been introduced by

Spence Engineering Co., Inc., here. Called the D25, the new valve can regulate water flow to such fastacting equipment as flushometers and snap cocks, the company said.

It incorporates a

high pressure molded diaphragm and heavy spring chamber construction for operation in the reduced pressure range between 30 p.s.i. and 80 p.s.i., the announcement stated,

adding: "It is especially designed for dead-end water service where flow intermittent and subject to abrupt fluctuations."

Design features include "an es-

minimize variations in delivery pressure resulting from varying inlet pressure; large paranite diaphragm for sensitive response; packless construction; and composition single seat providing for dead-end shutoff and preventing pressure-creep when no flow is required."

The valve is recommended for industrial processing operations; municipal or plant water mains; apartment houses, hotels, office buildings, and hospitals to provide each floor with steady operating pressure.

Griddle-Top Range Cooks 1,000 'Burgers an Hour

KEY NO. F-5110-

CHICAGO—A 36 by 24-in. one-piece "Rocket" griddle-top cooking surface with rated capacity of over 1,000 hamburgers an hour is the feature of Hotpoint Co.'s electric "Supergrid" heavy-duty range.

A variety of foods can be sentially balanced single seat to cooked at separate, correct tem- company.

peratures at the same time due four individually-controlled thermostats, each with its own signal light, the firm stated. Range top temperature can be set from 200° to 450° in each of the four areas.

Heat comes to the 1/2-in. thick surface from a "14-Fold" calrod unit pressure-clamped to the underside. The automatic electricity-saver turns off current the moment desired cooking temperature is reached, turns it on again when needed, according to the



Dunham Bulletin Describes Baseboard

KEY NO. R-510

CHICAGO - A new 16-page, two-color bulletin has been published by C. A. Dunham Co., manufacturer of heating and cooling equipment.

Booklet 1231 contains photographs, drawings, and technical data on the firm's residential building baseboard. Roughing-in data, design, and details of typical installations, capacities, and procedures for selecting baseboard systems are included.

Kramer Manual Covers 'L' Thermobank Uses

-KEY NO. R-511-

Trenton Co. here has announced the publication of a 16-page manual covering operation, application, neers. and specifications of the new Kramer "L" Thermobank.

The company said the "L" Therof the original Kramer Thermobank, is a fast, completely auto- Warren Illustrates matic hot gas defrost system for low temperature refrigeration in Merchandisers, Freezers stallations.

The new manual (No. TV-320) has complete engineering data for temperature applications from 32° F. to -75° F., with ratings at various levels. In addition, there are rapid selection tables covering the range of box sizes, various temperature levels, under a range of loading conditions.

"With this data, it is possible to figure a complete job including selection of high and low side equipment without picking up a pencil," it was stated.

A complete description of the Thermobank operation is given in detail as well as information for winter operation.

Production of the "L" Thermo-TRENTON, N. J.-Kramer bank marks more than a decade since the original Thermobank was developed by Kramer engi-

"The new 'L' Thermobank system utilizes both sensible heat transfer coefficient, choosing plus latent heat by freezing a tube Thermo-Panel Coils, mobank, a "marked improvement" of ice around its re-evaporator comparison method, determination coil during defrost," it was said. of delta T, wall and surface losses,

KEY NO. R-512-

ATLANTA - Warren Co., Inc. here recently issued a colored. illustrated folder describing its island merchandisers. storage freezer, and frozen food and meat merchandisers.

said to do, the illustrations show the equipment as it might be seen in a market.

Dean 'ThermoPanel Coils' Technical Data Explained

-KEY NO. R-513-

BROOKLYN - First technical data book, bulletin 355, on "Thermo-Panel Coils" was recently published by the manufacturer, Dean Products. Inc. here.

Subjects included in the 52page manual are operating pressures, industrial heating, heat pipe coil

and many other things.

Photographs of uses of the 34 listed typical applications are Motor Starters also included.

Essex Wire Issues 4-Section Computer

-KEY NO. R-514-

DEKALB, Ill. - A four-section Explaining what each unit is plastic-bound circular computer tion information on General Elec-Essex Wire Corp. here shows

> Visualization of actual cord dimension data. samples is made possible by rotating the illustrated disks of the 'Cordinator" chart. Graphic tables, capacity, and gauge charts show proper selection of wire, the firm said. A composite chart indicates various standard components and connectors adaptable to cords selected.

Worthington Offers Tips, Costs on Ice Rinks

KEY NO. R-515-

HARRISON, N. J .- A new bulletin containing construction tips and operating costs of permanent and portable ice rinks has been issued by Worthington Corp.

As illustrated in the bulletin (#C-1100-B85P), installations of Worthington equipment include hockey rinks, curling rinks, figure skating rinks, municipal rinks, and commercial rinks. Notable among the Worthington installations are the Rockefeller Center skating rink, the University of Illinois rink, and the Harvard university rink.

The bulletin outlines how type, design, size, and location of desired rink influence choice of ery room. It contains information accessories. concerning lighting of rinks and tips on how to keep ice in good condition. A full page is devoted to estimated average cost of the three basic types of rinks-permanent concrete deck, fixed-iron-pipe grid, and "take-up" or portable

Frick Illustrates Unit Air Conditioners

KEY NO. R-516-

page multi-colored bulletin illus- ing, and ventilation supplies and trating unit air conditioners of Frick Co. was published recently. Blazer & Son was issued here.

WALK-IN COOLERS BEVERAGE COOLERS

G-E Manual Covers

-KEY NO. R-517-

SCHENECTADY, N. Y. - General Electric Co. has announced availability of an eight-page bulletin (GEA-6358) on manual motor starters.

The bulletin gives new applicadeveloped by Cords Ltd. Div., tric CR 1061 and CR 1062 manual starters for fractional and integral engineering and design of cord horsepower motors to 71/2 hp. The publication includes enclosure and

Nor-Lake Catalog Lists Reach-In Units

-KEY NO. R-518-

HUDSON, Wis.-Twelve models of Nor-Lake reach-in refrigerators, including the new "window-door" models, are listed in a catalog sheet (Form RI-19) recently issued by Nor-Lake, Inc. here.

Special features of the refrigerators are pictured and described, including the glass-front door, forced air unit, and ice cuber, while other advantages are shown in cutaway diagrams. Complete product specifications are given.

Redmond Covers Uses, Capacity of Small Units

-KEY NO. R-519-

OWOSSO, Mich. - A newlypublished Redmond "Standard Line" MicroMotors catalog, announced by Redmond Distributors, Inc. here, lists the uses and performances of the complete line of Redmond fractional horsepower electric MicroMotors, blowers, and fan blades, plus full information equipment and location of machin- on Redmond replacement kits and

Included in the catalog are pictures and data on types L and BL MicroMotors for low-powered applications; the heavy-duty motors; and the extra heavy-duty AY-BY motors.

Blazer Publishes **Estimating Catalog**

-KEY NO. R-5110-

PASSAIC, N. J.-An illustrated estimating catalog covering air WAYNESBORO, Pa .- An eight- conditioning, refrigeration, heatequipment manufactured by M.



SOLAR would like ...

- dealers who can service refrigeration equipment or who have access to a refrigeration service outlet.
- dealers who have experience selling dairy farmers.
- ... dealers who want a high quality line and greater profits.

SOLAR offers you...

- . a well known company, that has been serving dairy farmers and processors for nearly a century with top quality, highly respected products.
- ... the finest bulk milk tank on the market-a tank that has incorporated in it, every feature dairy farmers want for fast, economical cooling-work saving, time reducing methods that ease your selling job.
- ... a hard hitting advertising program to dairy farmers and processors, plus a dealer aid program that can turn prospects into buyers.

SOLAR PERMANENT CO. TOMAHAWK USI



DIRECT DRAWS EXPORT OFFICE: 80 BROAD ST., NEW YORK, CABLE: EXIMPORT

System Cools Stored Trees, Warms Workers Dean 'Thermo-Panel'

Van Well Nursery 'Heat Pump' Chiefly For Winter, Fall Use

al

n

WENATCHEE, Wash. - Refrigeration performs double duty for the Van Well Nursery here. Heat extracted from a fruit tree storage room by a 5-hp. system is ducted into a workroom to supplement electric heaters providing comfortable working conditions for em-

This "heat pump" system was devised by Art de Desrochers, local contractor, and is intended for fall and winter use primari-

Basic purpose of the installation is to maintain a 35° F. temperature and high humidity in the fruit tree storage room. This is a 48 by 64 by 10-ft. room with concrete block insulated walls but an uninsulated natural earth floor.

EQUIPMENT DESCRIBED

Refrigeration system consists of a 5-hp. Tecumseh Model R compressor connected to a builtup air-cooled condenser. Latter was devised by using six individual 3/4-hp. condensers laid horizontally and fed with a field-fabricated distributor similar to those used on expansion valves to feed multi-circuit coils, Desrochers explains.

Condenser assembly mounted directly above the compressor and motor, which are mounted on a poured concrete

"I estimate that this compressor kicks about 55,000 B.t.u. per hour into the backroom when refrigeration is on," Desrochers says. "As the customer is using electric heaters to warm that room, any gratis heat is so much eggs in the beer."

Compressor and condenser are located in a small room which serves as a plenum. By means of ductwork, a blower, and manually controlled dampers, return air can be brought from the workroom, sent through the air-cooled condenser and thus heated, and then supplied to the workroom. In passing through the condenser, of course, the recirculated workroom air cools and condenses the refrigerant.


WARM WEATHER USE

During warm weather when no heating is needed in the workroom, the two dampers close off the duct connections to the workroom and at the same time open outside air connections. Outside air is then pulled through the condenser and exhausted outdoors.

By other settings of the dampers, however, which are manually controlled through a sash cord and pulley arrangement, outside air can be pulled across the condenser and then supplied to the workroom, or air from the workroom can be pulled through the condenser and then exhausted outdoors.

UsAireo Names Smith

MINNEAPOLIS-J. V. Smith Heating & Sheet Metal Co. Springfield, Mo., has been named a distributor by United States Air Conditioning Corp.



WORKROOM of Wenatchee, Wash. nursery gets supplementary heat from 5-hp. refrigeration system used to cool fruit tree storage thanks to ingenious arrangement of dampers devised by contractor Art de Desrochers.

Names 5 Sales Firms

BROOKLYN-Dean Products, Inc., Thermo-Panel Div., recently named five firms as sales representatives for the "Thermo-Panel Coil."

Cameron Engineering Co., San Francisco, was appointed to cover the northern half of California and Washoe County, Nev. E. C. Paul Edwards represents the firm.

Allan Edwards, Inc., Tulsa, Okla., was named representative for Oklahoma, Arkansas, and Texas panhandle. Salesmen include A. J. Edwards, Jack S. Osborn, Bruce B. Pettigrove, Bill W. Jones, C. E. Shilling, Joseph C. E. Schumacher, and Dan B. Mathey.

Operating through the cenbe Thermal Specialties Co. of Its headquarters is in Cleveland.

Harrisburg. B. Zaritsky and Seth B. Wood will travel for the

company. Merlo Steam Equipment, Detroit, with Anthony A. Merlo, Raymond R. Paschke, and Joseph S. Florek, will cover


eastern Michigan. J. F. Munn of the J. F. Munn Co., Pittsburgh, was named representative for nearly all West Virginia, western Pennsylvania, and the western tip of Mary-

Hotel Orders 100 Low-Amp. Window Air Conditioners

NEW YORK CITY - The Savoy Plaza hotel here has ordered 100 %-hp. Gibson low amp room air conditioners from Munson, Sigafoos, Blonchek & Associates, according to H. M. Sigafoos, partner.

Contract Was tral section of Pennsylvania will through the firm's local office.

The most ADAPTABLE AIR CONDITIONER ever offered



Horizontal construction permits suspension of unit from platform or ceiling. Shown here is large-sized unit with damper section.

New Worthington units cut installation time and expense

Extreme FLEXIBILITY of the new line of Worthington air conditioners permits you to install them anywhere . . . cutting your installation time and expense, and saving valuable space for your customers.

Designed to work with a central refrigeration system these new units ht your exact requirements—from large plants and offices to small stores and shops.

The fan section may be mounted with front, top or rear discharge - as shown in the diagram below. The motor can be mounted on the top, front, back or at either end.

Here's where the new Worthington units get their flexibility

Here's maximum adaptability in every installation!

Standard unit consists of base section, fan section and coil section-all constructed of rugged, fabricated steel that is Bonderized and coated with a corrosion resistant enamel. For more facts on this new line write Worthington Air Conditioning, Sec. A6105, Harrison, N. J

- exclusive 31/4" motor base adjustment for true belt tension
- up to 81 coil combinations
- quiet, dynamically balanced fans
- accessories interchangeable between horizon-
- accessibility-easily removed fan section and panels simplify inspection



CLIMATE ENGINEERS TO INDUSTRY, BUSINESS AND THE HOME

Proposed Kalamazoo Model Code--

(Continued from Page 1) scrutiny, Madaus invites suggestions and comments from anyone interested. Copies of the code were submitted last fall to local contractors, national associations in the industry, architects, engineers, and city officials for their comments.

More than 500 suggestions were received and most of them are being incorporated.

Code Covers Truck Refrigeration, Ignores **Auto Air Conditioning**

Madaus pointed out that while the code includes a few sections on truck refrigeration, it ignores automobile air conditioning. He said he saw no need to cover auto air conditioning at this

heat-x

One of the interesting provition and air conditioning are sions for truck refrigeration is only now coming under close that the truck must be stored shall be located in a warm air outdoors except while being serviced.

> The code requires that all air tures of at least 250° F. conditioning equipment be rated in B.t.u.h. based on the temperature of cooling media used to change the high-side gas to a liquid.

Window Units Must Be Connected to Own Meter Line

It requires that window air conditioning units be installed in strict accordance with manufacturers' requirements. It also requires that they be connected to a separate line to the meter, and that any air conditioner employing more than 1/2-hp. motors shall be wired to 220-volt cir- the code says water shall be dis-

On combination heating and

'CH' WATER CHILLERS

Copper Inner-Fins in refrigerant passages. Water passages of non-ferrous construction. Single

Advanced engineering

design, copper con-

struction of all water passages,

quality materials and careful

workmanship throughout

assure the solid reliability

of all these heavy duty

Heat-X products.

Write for descriptive

catalogs on these or

other Heat-X units.

'CCP' PACKAGE CHILLERS

damage. Hermetic or open or pressors available. 16 H.P.

through 10 H.P.

Combinations of cast aluminum capiers. Complete, ready to in-stall. No danger of freeze-up

HEAVY

. Equipment you can Rely on

"IC" CONDENSERS

Copper Inner-Fins in refrigerant passages. All water passages of non-terrous construction. 5 to

'RX' HEAT INTERCHANGERS

trapping problem. Low Freen

charge required. 71/2 to 100

'PCL' CHILLER ASSEMBLIES

For those who prefer to the in their own condensing unit and water pump. Construction the same at 'PC' line. 10 to 90 Tons.

'PC' WATER CHILLERS

cooling conucity, far less bulk.

wired, ready to install. 2 H.P.

through 100 H.P. Capacity con-

tral, available on 2 H.P. through

15 H.P. models for use with

hermetic and semi-hermetic units,

eliminates short-cycling during light load conditions and main-

tains constant suction pressure.

"packaged" units:

erant passages m

Completely

Inner-fin co

cooling equipment, the code specifies that cooled air shall not be passed through the heating chamber of a heating unit. It specifies that no cooling coil supply duct which has not been designed to withstand tempera-

Heat pumps, the code says, shall not be placed in an area subject to freezing temperatures. It requires that the equipment be installed so as to provide ample area for maintenance and accessibility to operating controls. It requires that piping of an air coil system shall use a glycol solution or equivalent anti-freeze and shall be provided with an auxiliary water source.

Water Can't Be Disposed Of In Sanitary Sewer

For water-cooled equipment, posed of in accordance with the type of system employed but in no case into the sanitary sewer and by special permission only into the storm sewer.

Where electric heating is used, the code specifies that outdoor air shall be supplied at the rate of 4 c.f.m. per person where the volume of the structure is not less than 1,000 cu. ft. of air per person.

It says that ventilation duct size for residential homes shall be determined by use of the following formula: $D = P \times 3.12$ where D is duct size in square ING EQUIPMENT. inches and P is the number of persons.

Madaus said that this formula may cause some comment in the industry but it has been checked thoroughly and works out very well.

Madaus re-emphasized that all these provisions are merely suggestions and that additional comments are welcome.

Some of the specific new provisions in the model code are as follows:

Partial Text Of Proposed Code

SECTION 48.0.0. ELECTRIC HEAT-

48.2.1 CLEARANCES TO COMBUS-TIBLE MATERIALS.

No equipment shall be placed against combustible materials whose surfaces may produce heat in excess of 125° F. Where such surfaces may produce heat in excess may produce Where such surfaces may produce heat in excess of 125° F. an air space and insulation shall be provided in accordance with the inspector's approval.
48.2.2 CLEARANCES TO DRAPES,

CURTAINS, ETC.

No drape, curtain, or similar type materials shall be closer than one foot to the heating surace in any direction.

48.2.3 LOCATION OF EQUIPMENT.

Equipment shall be located to avoid amage to the equipment or injury to occupants and shall have a minimum clearance to any obstructions of not less than three feet from its face.

48.2.5 ELECTRICAL-RELAY OPER-

No automobile relay device to cut off some of the heaters shall be in-stalled unless a by-pass switch is pro-vided in the circuit. 48.2.6 INSULATION OF AREAS TO

BE HEATED

Any area involving more than two rooms or more than 400 sq. ft. shall have all walls, ceiling, and floors in-SECTION 48.4.0 VENTILATION

Outdoor air shall be supplied at the rate of 4 cu. ft. per person per minute where the volume of the structure is not less than 1,000 cu. ft. of air per person. For structures of lesser vol-

mes consult the inspector.
48.4.1 DETERMINATION OF VENTI-LATION DUCT SIZE FOR RESIDEN-TIAL HOMES

Duct size shall be determined by use of the following formula. $D = P \times 3.12$. Where D = Duct size in square inches. P = Number of Persons.

SECTION 49.0.0 AIR CONDITION-

ING SYSTEMS.
49.1.1 DESIGN CONDITIONS, DO-MESTIC INSTALLATIONS.

Domestic air conditioning conditions shall conform to No. 11 of the National Warm Air Heating and Air Conditioning Association, Issue of 1955 and IBR Manual 1955 Edition. The term Domestic Air Conditioning shall mean the installation of air conditioning equipment in one r two family private dwellings and sed for living purposes only. 49.1.2 AIR CONDITIONING SYS-

TEMS PROHIBITED. No air conditioning equipment shall be installed in places of hazardous occupations or where inflammable gases may be used unless explosion proof equipment is employed. Doctor's and dentist's offices may be considered under this requirement.

49.1.3 RATING OF AIR CONDITION-

All air conditioning equipment shall All air conditioning equipment shan be rated in B.t.u.h. based on the tem-perature of cooling media used to change the high-side gas to a liquid. 49.18.1 LOCATION OF MAIN ELEC-TRICAL DISCONNECT SWITCH. A main electrical disconnect switch shall be located near the unit and

shall be located near the unit and outside of the unit. When the ma-chinery is located in a machine room or in a room not readily accessible a separate main disconnect switch shall be located just outside of this room. 48.18.2 LABELING OF DISCONNECT

SWITCHES All main and emergency disconnect switches shall be properly labeled to indicate the equipment it serves. 49.21.1 INSTALLATION WINDOW

49.21.1 INSTALLATION WINDOW AIR CONDITIONERS. Window air conditioning units shall be installed in strict accordance with manufacturer's requirements. Where such requirements cannot be followed. proposed changes to the requirements shall be submitted to the inspector before any installation is made.

49.21.2 EXTENTION OF WINDOW UNITS BEYOND FACE OF WALL.

No window unit shall be installed in windows which permit an overhang of the unit of more than 12 in. beyond the face of the wall when such wall adjoins public thorofares.

49.21.3 ELECTRICAL CONNECTION. All window air conditioners shall be connected to a separate line to the

49.21.4 ELECTRICAL DISCONNECT. All window air conditioners shall be supplied with a means of disconnecting e current at or near the equipment. 49.21.5 ELECTRICAL SUPPLY RE-

QUIREMENTS. Any air conditioner employing over hp. motors shall be wired to 220-

olt circuits. SECTION 49.22.0 HEATING AND COOLING EQUIP-

Combination cooling and heating systems shall meet the same requirements

their respective codes. 49.22.1 DUCT DESIGN. Duct design and installation shall be provided on the bases of whichever system requires the larger size ducts or greater number of ducts.

49.22.2 DUCT INSULATION AND CLEARANCES. Insulation and clearances to ducts

shall be provided on the basis of whichever systems is the most severe. 49.22.3 COOLED AIR TRAVEL

Cooled air shall not be passed through the heating chamber of a heating unit. 49.22.4 COOLING COIL LOCATED IN WARM AIR SUPPLY DUCT.

No cooling coli shall be located in the warm air supply duct which has not been designed to withstand temperatures of at least 250° F.

49.22.5 COOLING COLLS LOCATED OVER HEATING CHAMBER.

Cooling colls located over heating

Cooling coils located over heating chamber of a warm air furnace shall be provided with positive means for

preventing moisture drip on the heat-ing chamber. 49.22.6 WINTER-SUMMER CHANGE-OVER DEVICE.

Simple and positive means, manual or automatic, shall be provided for customer to change from winter heat-ing to summer cooling. 49.22.7 REGISTERS OF COMBINA-

TION INSTALLATIONS.
All registers for combination units shall be of the diffusion type.
49.22.8 BY-PASS DAMPERS FOR

WINTER-SUMMER CHANGEOVER. Any by-pass dampers shall be so arranged that they will not alter the effectiveness of any limiting control. 49.229 LOCATION OF EVAPORA-

TOR EXPANSION VALVE.

No evaporator expansion valve shall be located inside a warm air supply

SECTION 49.23.0 HEAT PUMPS 49.23.1 RATING OF EQUIPMENT. All heat pump equipment shall be B.t.u.h. rated.

SECTION 49.24.0 INSTALLATION. LOCATION The heat pump shall not be placed in

an area subject to freezing tempera-

49.24.1 FOUNDATION.

The equipment shall be placed on a level and firm foundation of masonry with substructure capable of carrying the load without carrying vibration characteristics to the surrounding structure 49.24.2 ACCESSIBILITY.

The equipment shall be so installed as to provide ample area for maintenance and accessibility to operating

49.24.4 VENTILATION.

Fresh air shall be provided to the equipment room for proper operation and for venting gases in case of leaks. SECTION 49.25.0 PIPING.
All piping shall conform to the requirements of section 40.00 Low Preseure Bollers.

sure Boilers.
49.25.1 PIPE INSULATION.

All piping in the ground shall be insulated with a moistureproof insu-lation where ground temperature is lower than the heat source.
49.25.2 TESTING OF WATER PIP-

(Concluded on next page)

FURNAS ELECTRIC CONTROLS do the best job for AIR CONDITIONING and REFRIGERATION

MAGNETIC CONTROLS FOR HERMETIC UNITS As original and replacement controls for air condition-

ing and refrigeration units, these compact magnetic controls are available in ratings of 20, 30, 35 and 50 amperes sizes and are listed as standard by Underwriters' Laboratories. Also available is a complete line of magnetic control for open type compressor units for applications through 200 hp.

Write today for Air Conditioning Bulletin 5410, IIII McKee Street, Batavia, Illinois.



SALES REPRESENTATIVES IN ALL PRINCIPAL CITIES

HEAT-X, WSTER . NEW YORK

For more information about products advertised on this page use Information Center, page 32.

Kalamazoo Code- Multiple-Thermostat Systems Growing (Concluded from preceding page) All water piping shall be tested at a minimum of 200 p.s.i. for four hours. In Popularity, Says M-H Report

All water piping shall be tested at a minimum of 200 p.s.i. for four hours. 49.25.4 GROUND COIL SYSTEM. Piping of a ground coil system shall be below the freezing line and shall employ the use of the glycol solution or equivalent anti-freeze.

49.25.5 DIRECT HEAT TRANSFER

direct heat transfer systems lo-

cated in ground shall be installed not less than 5 ft. from ground level. 49.25.6 AIR COIL SYSTEM. Piping of an air coll system shall employ the use of a glycol solution or equivalent anti-freeze and shall be pro-

vided with an auxiliary water source.
49.25.8 WELL TYPE WATER DISPOSITION. When water is returned to a well the dump well shall be located down-stream from the supply well or at a different level than the supply wel 49.25.9 STREAM TYPE SYSTEM.

49.25.9 STREAM TYPE SYSTEM.
When a stream, river, or creek is
employed as a heat or cooling source,
such water shall not be circulated is polluted. An indirect system must

49.25.10 RADIANT TYPE INDIRECT

D

All systems of this type shall employ the use of an anti-freeze solution. SECTION 49.27.0 DISPOSITION OF

WATER.
Water shall be disposed of in accordance with the type system employed but in no case into the sanitary sewer and by special permission only into the storm sewer.

49.28.1 DISCONNECT SWITCH.

A main disconnect switch shall be

A main disconnect switch shall be provided and located in an accessible position within 5 ft. of the operating

equipment and properly labeled.

49.28.2 CIRCULATING PUMP CONTROL. A control shall be provided which will energize circulating pump before the compressor starts.

49.28.3 MOTOR STARTERS.

Motor starters shall be provided for

Motor starters shall be provided for compressor and circulating pumps.
49.28.4 CONTROLS CIRCUITS.
All control circuits shall be 115 volts

or less.
49.28.5 COMPRESSOR CIRCUITS. Compressor circuit shall be 220-440

stat systems to more sensitively house. adjust indoor temperatures to outdoor weather.

operations of Honeywell Regulator Co.

last year's activities-which re- lar. sulted in record-breaking sales installations stimulated

MINNEAPOLIS - The one- zoned heating systems. A zoned thermostat home is being frozen system is one that makes use out of the American housing of individual thermostats to picture - an insistence upon control temperatures in two or greater personal comfort is ac- more areas of the house. Gencelerating the trend in U. S. erally, there are the sleeping, homes toward multiple-thermo- working, and living areas of a

They also reported that this firm's system of electronic ther-So states a summary of 1955 mostats placed both outside and Minneapolis- inside the house and linked to an electronic control "brain." In a report to stockholders on had become increasingly popu-

With respect to the expanding of \$244,482,068—officials of the use of central air conditioning company said the home buyers' equipment in the home, the continued preference for the company reported it was workranch-type house and the new ing to develop standardization interest in split-level design had of controls for this type of sys-

Housing Project Offers Complete Home Air Conditioning for \$1,500

WANTAGH, L. I., N. Y .- is available under \$20,000, it Samuel Walton, builder, has an- was stated. nounced the opening of Orchard Park at Wantagh where 120 architect, the split level home homes are now being con- has an exterior of brick, wood structed in a location directly shingles, and asbestos with overlooking Southern State asphalt shingle roof. It features Parkway here.

A display model, offered at \$18,500, has been opened on Seaman's Neck Rd. The same house completely air conditioned

Designed by Herman H. York, seven rooms, one and one-half baths, garage, full basement. and patio, and occupies a landscaped plot of 6,000 sq. ft.

The home has oil-fired Airtemp heat. Since the air ducts can readily be used to circulate cooled and dehumidified air through all rooms, the home may be turned into an air conditioned residence at any time, it was noted.

If the home buyer decides to have the house completely air conditioned at the time of initial purchase, monthly payments are increased by only \$7, according o the announcement.

Utility Appliance Names Skafte Engineering Head

LOS ANGELES-Utility Appliance Corp. announces the promotion of Stanley F. Skafte to the newly-created position of director of engineering for all the company's products.

Skafte, a director of the company, was formerly director of sales for the heating and air conditioning division.

At the same time Ben B. Breslow, president of Utility, announced the following promotions: Charles F. Cushing, from merchandising manager to director of sales, heating and air conditioning division; Richard J. Petersen, from chief engito manager chief engineer, Utility divisions; Clifford D. Mohr, from senior engineer to chief engineer, range





THIS TWIN Iron Fireman Co. system of heating and air conditioning, which combines independently operated "SelecTemp" heating system with "In-the-Wall" coolers, each with separate room thermostats, is the company's approach to providing occupants in individual rooms control of their own indoor climate and comfort, winter or summer.





- home in any state!
- precision engineering (in compliance with U.L. standards)
- ultra performance (guaranteed at A.S.R.E. and A.R.I. standards)
- Simplified "A-B-C" installation and servicing
- · Shana-Air selling program

AIR-COOLED

SAR and SAAC

Series

Available in 2, 3

and 5 ton capacities

WRITE,

WIRE OR CALL



SW Series Available in 2-3-4-6 ton capacities




Shana "Duo" Units! • Combination Units! Commercial Units! • Winter Air Conditioners!

Shana Manufacturing, Inc. 188 West Randolph Street Chicago 1, Illinois TODAY! DEarborn 2-7030 Please send me additional information about SHANA-AIR ☐ Exclusive franchises still available. ☐ Cost of units.

Description of all air conditioning units manufactured by Shana Manufacturing, Inc. Name of Firm.

Address_ City.___ Zone State Phone Number.

☐ Distributor ☐ Desler Others-Please Specify...






Delco Products makes more models and types of electric motors for the airconditioning industry than any other manufacturer. For quick service call your nearby Delco Electric Motor distributor.

DELCO Electric MO Proved bost by Performance!

Contractor Finds Profit In Variety of Operations Including Wholesale Unit Rebuilding



FUNCTIONS of controls and wiring of typical residential air conditioning system can be demonstrated for dealers and servicemen with this panel devised by Edgar Weaver, manager of service department for Matthews Engineering Co., Dallas.



EARLY step in rebuilding Airtemp compressors is to run parts through series of cleaning baths. Note overhead rail and electric hoist.

By C. Dale Mericle

DALLAS—Typifying the wide variety of activities which seem to mark the present-day air conditioning and commercial refrigeration contracting firm, Matthews Engineering Co. management here not only is involved in the usual type of contracting but must concern itself with problems of wholesale distributing and wholesale compressor rebuilding.

The latter wholesale activities are handled by Royalair Distributors, a wholly owned subsidiary which distributes Airtemp residential and commercial air conditioning and performs in-warranty compressor and room air conditioner repairs for Airtemp for a large zone.

Retail contracting and service is done directly by Matthews Engineering Co., a veteran firm headed by R. R. Matthews.

Although Matthews himself heads up both the contracting and the distributing firm, the two operations are kept distinct, each with its own personnel and management.

William C. Steinle, for example, who is vice president of the parent concern, is in direct charge of the company's contracting division, which has a service department headed up by Edgar Weaver, three sales engineers, a construction department superintended by Lloyd Dyche, and a sheet metal shop managed by Weldon Peters.

Division Services Auto Air Conditioners

Besides the usual type of installation and service work, this division of the firm also services automobile air conditioners, a rapidly growing field in this area.

Royalair activities as an Airtemp wholesale distributor serving some 15 franchised dealers in five counties are directly in charge of Roy P. Cookston, a former advertising agency man who serves as sales manager of Royalair.

His background in sales and promotion is ably complemented by Boyce Farrar, Jr., a graduate mechanical engineer who is a master electrician and plumber and also holds a professional engineer's license. Farrar's basic assignment is to help dealers in their engineering problems.

"Between these two people,"
Matthews says, "one for promotion and one for engineering,
Royalair can cope with just
about any problem that comes
up."

The room unit and compressor rebuilding operations are set up nominally as a department of Royalair and are managed by Douglas Yates.


Aids Dealers In Several Ways

"Royalair tries to help its dealers in several ways," Matthews points out. "We work with dealers on sales, particularly on project type jobs for residential air conditioning. We'll help in sales promotion and advertising by assisting in the preparation of advertising campaigns and participating in joint advertising. Royalair pro-

(Continued on next page)

SHORTEST STROKE V8 OF ANY LEADING TRUCK!

... one reason for top-notch fuel economy, low maintenance costs in this New Chevrolet Truck V8



That picture above gets right to the heart of a modern performance champ, the new Chevy Trademaster V8!* The arrow points up the shortest stroke of any leading truck engine—your assurance of power that eats up work while using less fuel, and minimum engine wear stemming from reduced piston travel.

This shorter stroke has brought about a whole new concept of more efficient engine design, exclusive with Chevrolet truck V8's. Because of it, Chevrolet engineers have been able to make the Trademaster V8 the most compact truck engine on the market, with more horsepower per pound than any other. "Dead weight" has been pared off to give you the efficient performance you want, more pound-pulling power!

So, remember this special kind of short-stroke design Chevrolet truck V8's now bring you. Remember what it means in terms of money-saving, profit-making hauling. Certainly, you'll want to see your Chevy dealer soon. . . . Chevrolet Division of General Motors, Detroit 2, Michigan.

*Optional at extra cost in 3100 through 4500 models.



The dollar-saver that looks like a million!

Here's modern truck beauty that adds to your business prestige! Long, low, forward-sweeping lines provide good advertising for you wherever you go. And you'll go more easily, too, thanks to the nimble maneuvering these new Chevy models provide!

CHEVROLET

NEW CHEVROLET TASK-FORCE TRUCKS

Anything less is an old-fashioned truck!

For more information about products advertised on this page use Information Center, page 32.



ACTUAL rebuilding takes place at stations on work bench. Here Marvin Quinn installs stator while Fred Geisen, shop foreman, lowers compressor body into special work fixture.

Contractor Finds Profit --

(Continued from preceding page) Demonstration Panel vides engineering and service help, too."

The distributing firm also calls on Weaver's service department for assistance in training dealers.

"Whenever we take on a new dealer, he's subject to a very close inspection of his jobs," Matthews explains. "We make sure the jobs are properly installed and started up.

"Dealers in small towns often have limited facilities, so we train them very carefully in Control Elements their early days. Besides inspecting their early jobs, we go through the evacuating and charging procedure with these typical system are mounted on dealers.

Is Training Tool

One of the most effective "tools" for training new dealers as well as Matthews' own service personnel is a demonstration panel devised by Edgar Weaver, the service manager, and built by J. D. Boyd, assistant service manager, to show the wiring and function of components of a year-round residential air conditioning sys-

Explained

All the control elements of a a panel and connected by wiring



PARTS for rebuilding are kept in dry atmosphere of air conditioned room, stators being further protected by a canvas cover. Douglas Yates, manager of rebuilding, is checking serial numbers above.

which is color-coded the same as in the actual system. The control elements are spread out on the panel, of course, so their function and the wiring can be more easily demonstrated.

Light bulbs are employed to represent the compressor motor and fans. A 7-watt bulb represents the compressor motor starter winding; another 7-watt bulb, the running winding, and two 25-watt bulbs simulate the evaporator and condenser blowers, respectively, the board being for an air-cooled system.

Mounted on the panel are a summer-winter thermostat, high and low pressure cut-out, starting and running capacitors, starting relay, transformer, overload, lockout relay, evaporator fan relay, fan and limit control, auxiliary control relay, "power pile" diaphragm gas valve, "power pile," the main toggle switch, a duplex receptacle (to "plug in" the heating plant), and three toggle switches with red pilot lights to permit cutting out the overload, low pressure cut-out, and high pressure cut-out.

Trick Wiring Needed To Simulate System

"There's a certain amount of trick wiring involved in this panel," Weaver reveals, "which is necessary to simulate the operation of an actual system."

For example, because light bulbs are employed to represent the starting and running windings of the compressor motor, the capacitors do not actually function as such. In fact, inside the starting capacitor Weaver actually concealed a time delay mechanism which switches the

Handy Tube Bender Smoothly Bends any pipe or Tubing 38"-118" O.D.

wrist assures perfect, even bonds - right any angle, U and offset. Save enough on ONE job pay for your HANDY BENDER.

free folder

HOLSCLAW BROS., INC. 428 N. Willow Road . Evansville, Indiana current from the "starting" to 'running" light bulb.

And a wire that apparently goes directly from one control element to another may actually go to the back of the panel, concealed by a staple, to run through a resistor.

But the board functions just as an actual system does.

Besides permitting Weaver to demonstrate just how a real system is supposed to operate, the panel is sometimes used to let dealers and servicemen diagnose complaints.

"Occasionally we'll let one group mess up the board by loosening connections, etc., and then have a second group diagnose the problem," Weaver ex-

"The idea, of course, is for the second group to fix things without blowing any fuses. I always provide a box of fuses to protect the board."

Operations of the firm's Air-(Continued on next page)

New Small Size! Lowest Cost Ever!

new ... Emprile (cadet


water coolers

At last . . . an efficiency size, budgetpriced bottled water cooler for high volume sales to offices, stores and countless other locations. Completely new Temprite Cadet water coolers are smartly fashioned to complement modern interiors, designed for installation in areas no larger than a square foot . . . and they're amazingly low priced! Temprite Cadet Model BT-28 uses bottled water . . . serves 60 people hourly under normal conditions features new whisper-quiet operation!

Cadet coolers for connection to local water supply also available.

DESIGNED FOR HOMES! Temprite Cadet Model KT-2S, designed expressly for homes, doctor's offices, laboratories, etc. Unit is standard counter height, finished in glistening white. May be used with 2, 3, or 5 gallon

Cadet Model BT-25 over-all measurements only 12" square x 36" high, (excluding bottle).





optional.






228.8 Output

MAY HELP YOU SELL MORE AIR-CONDITIONING EQUIPMENT

Many air conditioning installations in older buildings have been postponed due to the cost of supplying adequate electrical facilities. Now, in most cases, this problem is solved with an Acme Electric Buck and Boost transformer. When connected to the existing low voltage electrical source, voltage can be boosted to exactly meet the requirements of the modern air conditioning equipment, often without any extensive rewiring.



The Boost and Buck transformer is essentially a 4 winding insulated type transformer with tap connections to permit interconnection of primary and secondary windings to boost or reduce voltage to meet the needs of the power requirements.

> For catalog giving detailed methods of application write for Bulletin BE199.


ACME ELECTRIC CORPORATION CUBA. N. Y. 925 WATER STREET



Season's sweetest plus-profit story!

HONEYWELL

plug-in thermostat for room coolers



Sell thermostatic control with every room cooler and make over \$7 plus-profit on every sale!

More sales, more profits in room conditioners with the Honeywell TA42M, finest thermostat of its kind. Only needs plugging in! Keeps room comfort constant-turns air conditioner on and off automatically as room temperature demands. Ends overcooling, cuts power costs; unit operates only when it's needed. Quickly installed; no wiring necessary.

Honeywell Room Cooler Thermostats list for as little as \$24.20. See your wholesaler - or write Honeywell, Dept. AN-5-76, Minneapolis 8, Minn.

Honeywell



First in Controls

112 offices across the nation

Contractor --

(Continued from preceding page) temp compressor rebuilding depot are also of interest. Considerable shop space is devoted to this activity. Procedure followed in rebuilding compressors is outlined by Douglas Yates, department manager:

"When received, a compressor first goes to the teardown section. If the workman sees that the oil is clean and there is no burned smell, the unit is carefully checked before tearing it down to determine if possible what the trouble is.

Explains Compressor Rebuilding Process

"Most compressors that come in, however, have to be completely torn down," Yates says. "The parts are first steam cleaned and then everything except the stator and rotor is put through a series of cleaning tanks, going through cleaning solutions, rust inhibitor, and sweet water baths. After the parts have been thoroughly dried with hot air and covered with a rust preventative, all the parts of each compressor are placed on specially designed dollies.

"Dollies are then moved to the inspection department where crankcase bearings are installed and all parts that don't measure up to specifications are replaced. Then the dollies are moved to assemblers for the compressor to be built up.


"The department is set up like a production line," Yates points out. "Two men specialize on teardown, one on inspecting parts and installing bearings, and two or three on assembly of compressors.

"When it is necessary to rewind stators, including those that are burned out as well as those that don't measure up to specifications, these are sent out for rewinding.


Compressor Test Rack

first sent to the test rack where Fred Geisen, shop foreman, and ly by flipping switches we can his assistant check the perform- get any combination of capaciance of rebuilt machines," he continued.

The test rack is rather elabo- Yates. rate. The panel is set up to per-



AFTER a compressor has been completely rebuilt, it goes to this test rack where it is completely checked out.



OVEN for evacuating and drying compressors following test has doors on top and at front to facilitate handling.

motors, and every variation of motor assembly. motor operating characteristics employed by Airtemp, Yates ex-

vary with the make on single ammeters that are on the board. phase, so on the board we have wired in eight different starting capacitors, four different "Completed compressors are running capacitors, and three relay-and-coil assemblies. Meretor and relay required to test the different motors," says

Incorporated in the test panel mit tests on either "Freon-12" also are high and low pressure or "Freon-22" systems, single cut-outs just as in a complete

phase or three-phase 230-volt unit to protect the compressor-

"We usually give the compressor about 20 minutes running time on the test stand, checking "Characteristics of the motors the operation with gauges and

Evacuating, Drying Ovens Receive Checked Out Units

"When the compressor has checked out okay on test, it is moved to the evacuating and drying ovens. The shop, incidentally, is equipped with an overhead monorail and electric hoist system to simplify handling.

"We pull 28 in. vacuum with (Concluded on next page)

EDWARDS

CO-AXIAL FREON CONDENSERS

The **LATEST** DESIGN IN WATER-COOLED

FREON CONDENSERS

-give you these SELLING advantages:

2. Cost reduced 30-40%

3. Stock sizes 1/2 to 71/2 ton

4. Many compact configurations

1. They use 35% LESS WATER

5. Easy installation

6. Simplified connections 7. Economical operation


A TYPICAL CONFIGURATION-

EFFICIENT, COMPACT, DESIGN

Send for catalog TT-625 TODAY—or call TERHUNE 5-2808

EDWARDS 100 ALEXANDER AVENUE

ENGINEERING CORP. POMPTON PLAINS, NEW JERSEY



HELPING to maintain close control over costs, a copy of Work Order accompanies each machine through plant for listing of all parts replaced. Note dollies for keepingall parts of each compressor together.

West Memphis Firm Expands -

a temperature of 180° to 200° storage. F. for three or four hours or more," Yates says.

to facilitate getting the units in note. and out of the oven and hooking the vacuum lines to the units

Units Charged, Checked, Painted

T-

ng

nd

d.

its

nd

ner-

th

units are given a charge of re- cate and provides means for

ANNOUNCING THE

(Concluded from preceding page) after which they go to the paint a vacuum pump on the units booth. Following painting, the while the oven is maintained at units are crated for shipping or

How this company handles the "paper work" necessary to Doors are provided on both keep tab on compressor rebuildthe top and front of the ovens ing operations is also worthy of

The copy of the Return Material Record which comes in with each compressor is first sent to Yates who uses it in making out a Work Order. This latter form, which is numbered Following dehydration, the serially, is made out in triplifrigerant and checked for leaks, keeping track of the compres-

been completed. Second copy is customer's name. used by Yates to note the time spent on the compressor, this the Work Order properly filled being obtained from individuals' time reports.

kept with the compressor on is a printed list of the most frequently used parts. The assembler notes here how many returned again for repairs. of which parts he has to replace in rebuilding the compressor.

Totals Costs Of Labor, Parts

When the rebuilding job has been completed. Yates totals up the direct costs of labor and parts on the back of the third David G. Hill, president. copy of the Work Order. This counting department. First copy of sales since 1952.

sor and all the work that is done of the Work Order is filed with the Return Material Record, First copy of the Work Order freight records, etc. Yates mainis kept on file in Yates' office tains a file of the second copy until the compressor repair has of the Work Order under the

With the various copies of out, there is not only a complete record of the cost of re-Third copy of the Work Order pairs but such important data form is placed in a jacket and as amperage readings of the compressor as well as head, sucdolly. On the back of this form tion, and oil pressures. Thus the history of this machine is readily available if it should ever be

Pittsburgh Plate Glass Div. Names McLaughlin

of Robert A. McLaughlin as and Virginia. general manager of Pittsburgh Plate Glass Co.'s Fiber Glass asserted, "Food Fair prefers to Div. has been announced by own and control rather than

copy is then sent to the ac- Laughlin had served as director these through the sale of de-

Food Fair To Open 50 Markets In '56

PHILADELPHIA - During the next year, Food Fair Stores, Inc. plans to open 50 new supermarkets at a cost of \$24 million, Louis Stein, president, declared recently.

He reported that three new stores would be opened by the end of April. Twenty are already under construction and 36 more will be started soon.


Of these new stores, he said, 15 will be located in New Jersey, 13 in Pennsylvania, 10 in New York, eight in Florida, six in Maryland, three in Connecti-PITTSBURGH-Appointment cut, and two each in Delaware

"Generally speaking," Stein rent its stores, fixtures, and Prior to his appointment, Mc- other fixed assets, financing bentures and mortgages.

KING SIZE SCIVUE DOORS








ALL BARRDORS FEATURE:

mirror bright frames, sagless, adjustable shelves, 8' or 9' metal rachet posts, 48" Slimline lighting. (U.L. Approved)

Electrically heated doors for high humidity areas. (U.L. Approved)

All doors are insert type, set into heliarc welded frame, and ready to place into any opening. Glass is two pane, hermetically sealed, bearing 5 year warranty.

> Some desirable areas open for factory representatives.



LOW TEMPERATURE **DEFROST SYSTEM** Unit-Cooler DESIGNED BY SPECIALISTS IN THE LOW

Quick pulldown, with maximum capacity from compressor. Performs economically in any ambient, regardless of location or season. Heat for re-evaporation supplied by low wattage ELECTRIC HEATER. Patented DOLE VACUUM principle insures faster heat transfer for quicker defrosting. Dehydration kept at a minimum,

DOLE REFRIGERATING COMPANY 5920 NORTH PULASKI ROAD, CHICAGO 30, ILLINOIS 103 PARK AVENUE, NEW YORK 17, N. Y.

> In Canada: Dole Refrigerating Products Limited 44 Elgin Street, Brantford, Ontario

WRITE FOR ENGINEERING CATALOG SECTION DBE

TEMPERATURE

FIELD!



BARR MANUFACTURING CO.

8925 SAN LEANDRO STREET OAKLAND, CALIFORNIA

Refrigeration Problems And Their Solution

By Paul Reed For Service and Installation Engineers



Using Old Steel

(Continued)

USE A SCALE TRAP

Wash out and blow out these coils as well as you can, but you will not get them as clean as the

frigerant will gradually loosen and remove the scale left after Ammonia Coil with you have washed and blown the coil as well as you can.

'F-12' Compressor can, and then provide a suction line scale trap just ahead of the compressor, to catch what the refrigerant will later remove from the system.

2. DRYNESS

Also, use a generous size liquid "Freon-12" and oil will. The line drier ahead of the expansion oil return, so you are going to halocarbon refrigerants — the valve. It will not only act as a Genetrons, methyl strainer to protect the expansion oil logging in this coil. chloride, Carrene 7, etc.-are valve, but, try as you will you very good solvents, so the re- will not get the system as dry sion valve to obtain a frost-out

After the installation is completed, but before charging, pump a deep vacuum on the rator. system, preferably with a factory-made vacuum pump. Then break the vacuum with "F-12," pump another deep vacuum and again break the vacuum with refrigerant. Then charge; although some men prefer a third vacuum before charging the system.

3. OIL RETURN

It is quite common to use 11/4-in. pipe for ammonia coils. If this coil is made with 11/4-in. pipe, the gas velocity using F-12," will be too low for rapid have to watch for indications of

Be sure and feed the expan-

"Genetron-12," so a drier is re- two or three feet to encourage with a forced quired to finish the dring of the oil return. If later, there is any indication of oil logging of the coil, you may find it necessary to put on a high-side oil sepa-

> About a week after installation, take an oil sample from the compressor. If it is discolored, change the oil. Repeat within 60 days.

GRAVITY VS. FORCED CONVECTION

And finally, the matter of continuing to use the ammonia coil with the new "F-12" unit. Undoubtedly your customer has had good temperature, humidity, and circulation conditions with this coil, so it is quite understandable that he is inclined to want to continue to use it.

He can, and will probably continue to get good results with it on the "F-12" system. However, he should understand that he

as is demanded by "F-12" or on the suction line for at least can get equally good results convection "blower-type" unit.

NEW BLOWER COIL CHEAPER IN LONG RUN

On the other hand, it is quite possible that the use of the old coil will result in a temperature difference between coil and air in the cooler of 18° F. or more, whereas with a properly selected blower-coil, he can maintain a TD of 10° to 12°, which will result in higher relative humidity. higher coil temperature, and higher suction pressure with resulting increase of unit capacity, reduction of running time and lower cost of operation.

He should realize that his reason for continuing to use the gravity-type coil is a possible savings in first cost, and not because the gravity-type coil is superior to the forced convection type.

SEALED OR OPEN-TYPE UNIT?

There are advantages in both types of units, sealed or opentype, but in general, the sealed unit has won favor over the open-type, particularly in the smaller sizes.

The outstanding advantages of the sealed unit are:

1. No belts or shaft.

These two features alone have greatly reduced service calls on the sealed unit as compared to the open-type.

2. Cost.

As a rule, the sealed unit can be built for a lower cost than the open-type, particularly in the smaller sizes. In the larger sizes, this advantage tends to disappear.

Perhaps the two outstanding advantages of the open type

unit are: 1. Flexibility of capacity.


By changing pulley ratios, the displacement and capacity of the open-type compressor can be changed, and it can be adapted more easily to various evaporator temperatures. This is helpful on some applications, but is not important to your job if you size the new condenser properly to the coil.

2. More easily serviced in the field.

This is a consideration in your case, for if you get scale or dirt in the compressor, you can more easily disassemble the opentype and clean it out. This can also be done on the semihermetics also, and most of the so-called sealed motor-compressors in the size that you will use on this job, are the semi-sealed type, that can be serviced in the field without having to send them back to the factory.

If you use a good suction scale trap of ample capacity, you need not get scale or dirt into the compressor, even though there will probably be some washed out of the steel pipe coil after it has been installed and in use for a short

Regardless of whether you choose a sealed, semi-sealed, or open-type compressor, you should, by all means, use a scale trap, and you should open it and clean it within a week after installation and again about a month later, or sooner if the suction pressure between the scale trap shows that the trap is dirty.



ANNOUNCING a whole new family of WATER TREATMENT CHEMICALS!

"Virginia" announces the introduction of an entire new family of superior water treatment chemicals specifically designed for use in the air-conditioning, refrigeration and heating industries. These products were developed under field test methods which established their efficiency for practical use.

WATER TREATMENT and SCALE INHIBITOR

"Virginia" Water Treatment & Scale Inhibitor is a special blend of sparingly soluble glassy polyphosphates which hold scale-forming solids in suspension or solution, greatly reducing scale buildup on metal surfaces. The slow, controlled solubility of the crystals supplies a continuous, effective inhibiting dosage—no feeder devices are required.

SCALE REMOVERS (Solid and Liquid)

When scale has already accumulated, "Virginia" Scale Removers are safe, quick and economical to use. Avail-

able in dry granular form for maximum safety to equipment, and for use in localities where water hardness is less than 200 parts per million; also in liquid form for heavier incrustations and where water hardmillion.

NEW ALGAECIDES

"Virginia" Algae-Cide No. 1 is an organic copper compound which releases an exceptionally high copper ion concentration. It is more effective and more economical than ordinary copper salts. "Virginia" Algae-Cide No. 2 is a blend of two different water-soluble organic compounds for use in eliminating slime and mixed infestations of slime and algae. It is also recommended for killing copper resistant algae.

ICE MACHINE CLEANER

"Virginia" Ice Machine Cleaner rapidly and effectively removes scale and slime from ice machines. It eliminates the cause of objectionable odors and prevents formation of cloudy ice. It is easy, safe and economical to use.

about all of these products

Refrigeration Division 139 Jefferson St. VIRGINIA SMELTING COMPANY West Norfolk, Va.



ESOTOO + KINETIC CHEMICAL'S "FREON" REFRIGERANTS +V-METH-L CAN-O-GAS . PERMAGUM . PRESSTITE TAPE . KWIKWRAP . SUNISO REFRIGERATION OUS . WATER TREATMENT CHEMICALS

Available in Canada and many other countries

'Better Heating-Cooling' Promotion To Stress 'Wet' Systems Quality

NEW YORK CITY - Promo- Week, to be held this summer. tional plans of the Better Keyed to generate homeowner CHICAGO — Orders received Heating-Cooling Council were enthusiasm for piped heating by Union Asbestos & Rubber proval by the board of directors.

n

d

ie

28

re

0

n

er

O

g

of

ın

18

is

b

er

in

11

rt

ın

1e

ed

1e

rt

en

el

n-

rt

u

or

u

a

ld

a

nd or

re

Greene announced that a National Promotion Week, a new local use, and a series of fact-Council's nationwide promotion local TV stations. of hot water heating and cooling for homes and small build- for

special promotional ciation showings. projects will be combined with the basic program of continu-

Designed to stress the Q (for lasting benefits of baseboard, ing and cooling field. convector, and radiant heating promotion.

1. A Better Heating-Cooling throughout the nation.

Floral City Division

New York public relations coun-Cooling Week.

color sound movie for TV and color sound movie, telling the cently. story of this permanent type of finding editorial round tables comfort, aimed for "living room this year orders totaled \$5,272,were planned as part of the viewing" by homeowners on 872, the largest amount of any

> contractor, manufacturer, and trade asso- quarter of 1955.

ous publicity and promotion sumer editors of all media. Pur- months by the nation's railproduced by the Council's staff. pose is to help stimulate this roads. mass-circulation portion of the create fresh homeowner and what's new-and economicalbuilder interest in the long- in the hot water and steam heat- the remainder of the present

4. A permanent six-member and cooling, the Council's opera- staff of the Council will carry program of decentralization detion calls for the following ini- out a complete public relations signed to achieve greater opertial steps in the \$100,000-plus and publicity program on a ating efficency and economies continuous year-round

Rosen To Head UsAirco Servel Names Kuhen To Product Post

MINNEAPOLIS - Meyer Rosen has been elected a vice Kuhen, a veteran of 25 years at president of United States Air Servel, Inc., has been promoted Conditioning Corp., it is an- to the newly-created position of nounced by David E. Feinberg, assistant product director for president.

Rosen will be in charge of the announced. Floral City Heater Div. of UsAirco, in Monroe, Mich.

from 1935 until its recent acqui- the firm. sition by UsAirco.

gas and oil-fired residential trends in air conditioning and trade name "Flo-Co."

Portable

2 MEN

Safely Raise

200 to 4,000 Lbs.

Up to 18 Feet

In One Hour

Ideal for

All Types of

Equipment

Can Easily and

EVANSVILLE, Ind. - G. O. all-year air conditioning, it was

by A. B. Kennison, vice presi-Rosen had served as president and coordinator of research Buensod Board Chairman dent of Floral City Heater Co. and product development for

Kuhen will assist Robert K. Floral City, founded in 1883, Eskew, product director, in manufactures a complete line of making continuous studies of warm air furnaces, as well as allied industries with a view tocombination home heating and ward introducing new products cooling units, all under the and improving all current products.

Unarco Orders Top '55 First Quarter by 41% for 4-Year High

made known recently after ap- and cooling, the Council has Co. for the first quarter of 1956 hired Tyndall Associates, Inc., are up more than 41% over the same period in 1955, Edwin E. Executive Director Franklin cil, to stage Better Heating- Hokin, president, announced at the company's annual stock-2. A brand new half-hour holder's meeting held here re-

> In the first three months of similar period in the past four The film will also be available years, Hokin said, compared wholesaler, with \$3,729,622 in the first

He attributed the increase 3. A series of round table primarily to the large purchases editorial conferences for con- of equipment placed in recent

Prospects for greater sales in Quality) factor in an effort to press, radio, and TV to tell all divisions of the company, Hokin said, look favorable for year.

He told shareholders that a basis had been placed into immediate

As part of this program, he said, Vice President Emil T. Johnson had been named general manager of Unarco's Fibrous Products Div., and Vice President John F. Corcoran, general manager of divisions based at the Blue Island plant, including truck refrigerator units, hand brakes, railroad supplies, and steel fabricating.

The announcement was made Buensod-Stacey Elects Smith Chief Executive

NEW YORK CITY - Milton S. Smith, vice president and treasurer of Buensod-Stacey, Inc., has been elected president and chief executive officer of the company, it was announced recently.

Smith, who 20 years ago was one of the founders of the company, succeeds A. C. Buensod, also a founder of the company and president since its organization, who has been elected to the new post of chairman of the board.

R. O. McGary, also a founder, has been elected senior vice president in charge of sales.

Before Buensod-Stacey, Inc. was incorporated to do business in the latter part of 1935, all three men, together with several other associates, had been connected with the Carrier Corp. in the application of air condition ing systems, both for industrial and commercial usage, it was stated.





ACCESSIBILITY of central control panel on UsAirco packaged air conditioner is demonstrated by R. M. Dawson, sales representative in San Antonio, at a distributor and dealer meeting. Shown in the photo are left to right, Perry Widener, Dawson, Les Simmons, Ben Falk, and Henry Meyer. The meeting was one of a series of spring promotion sessions sponsored throughout the South and Southwest by UsAirco representatives for the firm's residential and commercial equipment.

NEMA Full Color Film Explains, Promotes Electric Home Heating

NEW YORK CITY-Electric House Heating Equipment Sec- package are 100 pamphlets conleased on May 1 a full-color the 18 minutes of heating inforand ear approach to electric "easy-to-understand" manner. house heating sales," it was an-

played simultaneously with the afford it?" showing.

Included in the promotion tion of the National Electrical taining supplementary material Manufacturers Association re- for audience handout following sound-slide film as "an eye mation told in the film in an

Claimed to be a potent sales tool for utility salesmen, elec-"Heat Your Home Electrical- trical contractors, distributors, ly" consists of 96 colored pic- and builders, the film is said to ture frames on standard 35 mm. answer questions such as: "Is filmstrip. A companion record-electrical heating practical? ing on standard 33 r.p.m. long- How does it work? What are its playing vinyl record can be advantages to me? and Can I

Price of the filmstrip is \$15.





Write for Information and Price

HERE IS A BIG MONEY SAVER

The New Low Cost

Hastings

Heat Pump Air Conditioning Expands West Memphis Firm's Business

Heat, Plentiful Water Supply, Even Summer-Winter Load Balance, Moderate Power Rates, Safety, Constant Temperature Help Sales



AUTO sales room in West Memphis, Ark. has year-round comfort thanks to heat pump installation. Here Bill Klinke (left) of Klinke Motor Co. checks dual thermostat setting with Abner F. McGehee of Southern Heat Pump Co.

By C. Dale Mericle

places and homes are air con- firm in West Memphis. ditioned. You can pick up any architect's drawing and it will problem in selling heat pumps."

This view is mighty encourag- source. ing to Southern Heat Pump Co. here, which has been promoting and installing heat pumps for nearly 10 years in the tri-state area of eastern Arkansas, western Tennessee, and northern Mississippi.

Business, Institutional Installations Growing

Many of the firm's heat pump installations have been in resi- pumps has been used by Southdences, but there's a growing ern Heat Pump for its jobs, in-number going into business cluding A.C.I., G-E, Marvair, places and institutions, point and Typhoon Prop-R-Temp, and out George Craddock, chief partner in the firm, and Abner F. been built-up systems. McGehee, a limited partner.

ness, which maintains a branch the plentiful supply of easily

WEST MEMPHIS, Ark. - in Chattanooga, Tenn., Crad-"Down in this part of the coun- dock operates an appliance dealtry we're reaching the point ership, an air conditioning conwhere all the better business tracting firm, and a well drilling

The latter business ties in nicely with heat pump, for most call for 100% air conditioning. of those installed by the firm This solves a good part of the are water-to-air jobs depending on well water for the heat

Good Supply of Water Which Averaged 62°F.

A number of air-to-air systems have been installed, but, as McGehee points out, "there's a good supply of water, in the West Memphis area at least, which averages 62° F. the yearround."

A variety of makes of heat a number of installations have

Besides the obvious need for Besides his heat pump busi- air conditioning in summer and



SAFETY is one of the major features of a heat pump, so no one seems concerned that cartons of oil cans and antifreeze are piled around 10-ton heat pump serving auto showroom.

obtainable water, other factors that contribute to the success of the heat pump in this area are owner had the firm replace the the fairly even balance between summer and winter loads, and moderate power rates, according to McGehee

The winter load does run a bit higher than the cooling load, though, he says.

"For winter we use 0° - 70° F. for design, even though the winter outdoor temperatures seldom get down to 0° F. We have had some sub-zero weather. however. We use 100° F. as our summer design temperature despite the handbook's 95°," he explains.

Power rates in the area for heat pump service range from 1 cent to 2 cents per kilowatt. The territory covered by Southern Heat Pump includes TVA power, municipal lighting plants, and private utilities.

Safety, Constant **Temperature Stressed**

One of the big sales points of the heat pump which this firm stresses is its safety as a heating device, but its ability to maintain a constant temperature year around is most important,

On the safety angle, Southern Heat Pump cites the experience of one homeowner whose house

TWO 10-ton heat pumps serve American Legion Post 53 in West Memphis, permitting cooling or heating be supplied at the moment needed.



was badly damaged when a con-furnace ventional heating system blew pump. up and set the structure ablaze. After surveying the damage, the Gehee comments, "are absolute-

with a

"Modern heat pumps," Mc-(Concluded on next page)



AIR CONDITIONING INSTALLATION AND MAINTENANCE

You and your customers get more for your money with Sta-Rite. First cost is usually lower than comparable pumps. More—check cost per gallon delivered. Cost of installation. Cost of maintenance. Yes, and check cost against the expected life of the pump. Sta-Rite pumps give you clear-cut superiority. You see it the way we make bronze impellers, the full-power, ball-bearing, capacitor-type motors, the leak-proof mechanical sezl, the one-piece corrosion-

STA-RITE PRODUCTS, INC.

701 S. Eighth Street, Delavan, Wisconsin Los Angeles, Calif. • Chamblee, Ga. In Canada: STA-RITE Pumps (Canada) Ltd., Ajax, Ont.



Prop.Rtemp YOU can build a highly profitable new HEAT PUMP business with revolutionary Prop-R-Temp heat pumps. . . . People are buying more of 'em every year . . . in 5 years one of our dealers has grown from a \$65,000 annual volume to \$465,000, and that's all heat pumps. That's why Typhoon leads the field today. Sales will expand 12 times in the next 2 years. Prop-R-Temp's ploneering has developed the broadest line and the highest performing units in the field. A "wait and see" attitude can only help your competitor. . . . Write us today and get the full story. . . .

Do you know the real

HEAT PUMP story?

TYPHOON HEAT PUMP CO.

Div. of Hupp Corp. 2001 GARCIA AVE. TAMPA, FLORIDA



DAYTON 1, OHIO

are

Making Mone



PLANS for another 10-ton heat pump to be added to American Legion Post are dis cussed by William Bowcock, finance officer, and Abner F. McGehee of Southern Heat Pump Co.

Heat Pumps Build Business --

ly automatic. You can set the Dodge and Plymouth dealer. temperature and forget about it. of so many people raises the eration. temperature inside the house, the heat pump will automatically switch from heating to cooling to compensate for the change.

The newer heat pumps offer another advantage, too, he says.

"Advances made by manufacturers in reducing the space requirements of the heat pump have helped considerably in sales. Some of the earlier systems required a considerable amount of floor space, and sometimes the owner was reluctant to devote that much space for

Although many of the company's installations are for homes, Southern Heat Pump has Year-Round Conditioning installed systems for churches and commercial applications, among others.

Recent commercial installa-

(Concluded from preceding page) Klinke Motor Co., West Memphis

Unit iself is located in a stor-Automatically it takes care of age room opening off the parts sudden changes in outdoor tem- department, and is connected by perature. And if you should ductwork running to the auto have a large gathering at a sales floor and offices. A dual party in your home during the control thermostat on the wall heating season, if the presence of the showroom controls its op-

Firm Lays Out Complete Job

On heat pump installations the firm lays out the complete job, including ductwork and wiring, but sublets the latter two. As far as the customer is concerned, however, Southern Heat Pump is responsible for a "turnkey" job.

Another installation of note handled by the firm consists of two 10-ton package heat pumps serving the hall of American Legion Post 53 in West Mem-

Virtually a Must In Hall

Year-round air conditioning is virtually a must for the hall betion was a 10-ton package heat cause the Post's regularly sponpump for the new showroom of sored functions attract consider-

Bowcock, finance officer and club manager for the post.

For this installation, additional outside air and exhaust are provided to minimize the effects of the great amount of smoking that takes place, Mc-Gehee points out.

"We're now preparing to add third 10-ton heat pump here to handle an addition being constructed for the club," he says. "This ought to be evident that the heat pumps are satisfactory.

One of the early jobs put in by the company was for an apartment house. A series of five 10-hp. heat pumps was required to provide year-round air conditioning for the apartments in this project.

A somewhat unusual residential installation on the records of Southern Heat Pump required 15-ton system. Water is pumped from a well to the heat pump and thence to a 3,000-gal. storage tank. Water is then supplied from the tank to the house for normal use and to a swimming pool. Water hookup for fire protection is also incorporated in the system. Final discharge of the water sprinkles a three-acre lawn.

The big storage tank provides a supply of water for house use and fire protection in the event the pump should fail.

Questioned as to whether use of well water for heat pump service might not lead to scaling problems, McGehee says water treatment isn't necessary on heat pumps.

Scaling Easy To Handle In Heat Pumps

"Scaling does develop, yes, but it can be easily removed. First we turn the water off and then freeze the coil slightly. Then we turn the water back on and reverse the heat pump cycle.

able numbers, indicates William which results from quickly al- the gathering that Williamson's scale that might be present to range of models offered." flake off.

we consider this as just part of a normal service operation on heat pumps," he explained.

Water problems are also minimized, he added, by using a submersible pump in the well supplying the heat pump. This keeps air in the water system to a minimum and reduces oxida-

As a general practice Southern Heat Pump gives a one-year guarantee that includes free service plus the additional warranties offered by manufacturers of components.

Williamson Offers Dealers 'New Look In Heating, Cooling'

CINCINNATI - A two-day meeting was held here recently by the Williamson Co. to acquaint its dealers from adjacent states with four complete lines of new gas and oil heating equipment and five types of air conditioning equipment.

More than 250 dealers at tended the "New Look in Heating and Cooling" conference. Supplemental field meetings will be held to reach the firm's entire dealer organization throughout the nation.

Discussing the "New Look in Cooling," Hugh Calahan, vice president in charge of the cooling equipment division, stated the company had rounded-out its line of air conditioning units from 2 to 71/2-ton capacity with the introduction of an air-cooled 4-ton model which, he said, develops full 4-ton capacity at 105° F.

Gustav Leytze, vice president The expansion and contraction and sales manager, claimed at

ternating the cycles causes the 1956 line "represents the widest

Marvin E. Ralston, in charge "If the water is bad, we have of product design, spoke on the to descale about once a year, but "New Look in Heating." He pointed out the company's new heating units with roundedcorner design, new nameplates, and new colors.

> "Williamson's new easel presentations will be a powerful tool for salesmen's use in contacting builders and dealers," declared Paul Jensen, vice president in charge of dealer sales division.

> J. Preston Field, vice president in charge of the distributor sales division, described the firm's program in the prefabricated fittings field.

> C. T. Pfirrmann, advertising manager, told the assembled dealers that spring and summer promotions of the Williamson line will be backed by the largest advertising program in the firm's history.



Here's a book that enlightens you on many of your valve problems. This comprehensive catalog gives complete details. application data and other pertinent information on the many types of valves now used on Household and Commercial Refrigeration Units, Residential and Automotive Air Conditioning, as well as Compressors, Receivers, Condensers and Evap orators. Primore Valves are hydrogen brazed steel constructed, thereby resulting in considerable savings to the user. A section of this catalog also covers Special Valves, Parts and **Fittings**

Valve Catalog



ales, inc.,

310 National Bank Building Adrian, Michigan

designing · sales · engineering

New compactness in air-cooled AIR CONDITIONER design!



Smallest air-cooled, selfcontained (not remote) 5-ton central type unit made.

5 natural woodgrain finishes available on all free-standing models.

Completely automatic, thermostat controlled, air-cooled condenser.

MODEL RO-525A (with air distribution head)

MODEL NO.	NOMINAL	TOTAL COOL. B.T.U.	COOLING C.F.M.	OUTSIDE DIM.
FL-2	2 Ton	24,000	900 @ .3 S.P.	30Wx21Dx43H
RO-26	2 Ton	24,000	1000 ⊕ .3 S.P.	30Wx21Dx34H
RO-31	3 Ton	36,000	1200 @ .2 S.P.	30Wx23Dx38H
RO-31 H P	3 Ton	37,700	1400 @ .3 S.P.	30Wx25Dx40H
BQ-525 A	5 Ton	65,500	1800-2400 ⊕ .3 S.P.	40Wx26Dx57H

Complete air conditioning for entire home - or equivalent commercial or office area — at the lowest cost in smallest space! GENERAL AIR CONDITIONERS deliver 2, 3 or 5 tons of cooling. All models operate on standard outlet (220 V, single and 3 phase except 2-ton - single phase only).

Attic, roof, outside, or free-standing units

NATIONWIDE SALES AND SERVICE

Offices and warehouses: LOS ANGELES . ATLANTA **BOSTON · CHICAGO** CLEVELAND . HOUSTON KANSAS CITY . MIAMI NASHVILLE . NEW YORK PHILADELPHIA SAN FRANCISCO . SEATTLE ST. LOUIS . TAMPA

WRITE today for details. Franchise dealerships available.

MODEL RO-525A (without air distribution head)

Main Office

GENERAL AIR CONDITIONING CORP.

Dept. N-28 • 4542 E. Dunham St. Los Angeles 23, California

FIVE YEAR GUARANTEE—easy payment plan

12 NEMA Firms Sell 292,090 Refrigerators In January

Complete Electric Household Refrigerators Only-Sales by Sizes-Units

JA	NUARY (12	Companies)		
Sizes · 1	Domestic	Canadian	Foreign	Total
1. 3 cu. ft. (3.4 & under)		100		4119
2. 4 cu. ft. (3.5 to 4.4)	923		13	936
3. 5 cu. ft. (4.5 to 5.4)				
4. 6 cu. ft. (5.5 to 6.4)	1,072			1,073
5. 7 eu. ft. (6.5 to 7.4)	7,521	447	418	8,386
6. 8 cu. ft. (7.5 to 8.4)	29,174	272	6,900	46,346
7. 9 cu. ft. (8.5 to 9.4)	12,069	473	447	12,989
8. 10 cu. ft. (9.5 to 10.4)	55,846	1.032	3,226	60,104
9. 11 cu. ft. (10.5 to 11.4).	61,783	774	2,779	65,336
10. 12 cu. ft. (11.5 to 12.4).	56,905	243	1,311	58,459
11. 13 cu. ft. (12.5 & over).	°87,572	*166	*723	*38,461
12. Total	272,866	3,407	15,817	292,096
Refrigerators Having Two Exterior Doors (All Sizes				
Included In Above)	53,020	631	1,411	55,062
*Combined to prevent possibl	e disclosure.			

Participating companies: Admiral Corp.; Crosley & Bendix Home Appliances Div., Avco Mfg. Corp.; Frigidaire Div., General Motors Corp.; General Electric Co.; Gibson Refrigerator Co.; Hotpoint Co., a Div. of General Electric Co.; Kelvinator Div., American Motors Corp.; Norge Div., Borg-Warner Corp.; Philoo Corp., Appliance Div.; Servel, Inc.; Westinghouse Electric Corp.; Whiripool-Seeger Corp.

19 NEMA Firms Sell 51,017 Freezers In January

Summary for January, 1956

Electric Farm and Home Freezers-Complete-Sales by Sizes-Units Farm and home freezers complete with high and low side and cabinet where 50% or more of the net cabinet capacity is designed for the freezing and/or storage of frozen foods.

	JA	NUARY (19	Companies)		
	Sixes	Domestic	Canadian	Foreign	Total
1.	6 cu. ft. (6.4 & under)				
	Chest Models				4
	Upright Models	*		1	1
2.					
	Chest Models	*1,919	*2	*10	*1,931
	Upright Models	1424	Ť	11	1425
3.					
	Chest Models	909	24	8	941
	Upright Models			1	3
4.		.4)			
	Chest Models	40.000	400	4400	
	Upright Models	17,239	198	1163	17,496
5.			6167	4404	40 010
	Chest Models	§7,415 4,601	22	#631 25	18,213 4,658
6.		4,001	44	80	4,005
0,	Chest Models	6.457	188	56	6,701
	Upright Models	0,407	100		0,701
7.	16 & 17 cu. ft. (15.5 to 17.	47			
	Chest Models	3.232	visor.	2	3,234
	Upright Models	14,978	17	18	14,988
S.					11.010.00
	Chest Models	3.121	79	20	3.230
	Upright Models	2.856	22	51	2.929
9.	20 & 21 cu. ft. (19.5 to 21.	4)			-,,,,,,
	Chest Models	3,289	114	. 7	3,410
	Upright Models	11	11	11	11
10.	22 cu. ft. (21.5 & over)				
	Chest Models	563	2	1111	565
	Upright Models	††2,295	112	. 11	112,297
	Total Chest Models	26,905	576	744	28,225
	Total Upright Models	23,386	146	258	22,792
	Total All Models	49,293	783	1,002	51,017

*Chest models for items 1 & 2 combined because of possible disclosure of

the transfer of terms 1 & 2 combined because of possible disclosure of individual company data.

†Upright models for items 1 & 2 combined because of possible disclosure of individual company data.

‡Chest models for items 3 & 4 combined because of possible disclosure of

Participating companies: Admiral Corp.; Ben-Hur Mfg. Co.; Carrier Corp.; Crosley & Bendix Home Appliances Div., Avco Mfg. Corp.; Frigidaire Div., General Motors Corp.; General Electric Co.; Gibson Refrigerator Co.; Hotpoint Co., Div. of General Electric Co.; Kelvinator Div., American Motors Corp.; Maytag Co., The; Norge Div., Borg-Warner Corp.; Philoc Corp., Appliance Div.; Revco. Inc.; Servel, Inc.; Sub-Zero Freezer Co., Inc.; Victor Products Corp.; Westinghouse Electric Corp.; Whirlpool-Seeger Corp.; Wilson Refrigeration.

Mueller Brass 6 Mos. Sales May Hit \$40 Million, Earnings \$1.4 Million

PORT HURON, Mich - Sales proximate \$40 million and earnfirst six months of its fiscal year This would compare with nual meeting.

Improvement in profit mar- common stock at that time. gins which developed in the first three months of the fiscal period 3 York Distributors has continued so far in the sec-

ond quarter.

equipment and methods intro- Commercial Div. duced in 1955."

sales for the 6-months fiscal Salisbury; and Illinois Appli- a selling approach which created period ending May 31 would ap- ance, Inc., Peoria.

and earnings of Mueller Brass ings would be about \$1,400,000, Names Miss Fitz-Gibbon Co. here are being maintained at equal to around \$2.50 a share a rate about 30% higher in the on the 557,458 common shares.

similar period last year, F. L. six months ended May 31, 1955, Riggin, president, told the an- and earnings of \$1,065,378, or

YORK, Pa.-York Corp. has "The improvement of profit appointed three new wholesale Wanamaker's, and Gimbel's, and margins," Riggin explained, "re- York room air conditioner disflects improved operating effi- tributors, it was announced by Woolens and John Wanamaker. ciency and the benefits of new R. E. Cassatt, manager of sales, She writes for a wide group of

They are: Appliance Whole-

Etheridge To Assist

DETROIT-G. T. Etheridge,

president and general manager of Kelvinator Div., American Motors Corp. In his new position, Etheridge will be responsi-

G. Etheridge

for special ble sales and purchasing assignments, Chapman announced.

A 22-year veteran of appliance sales and sales engineering, Etheridge joined Kelvinator in 1941 as commercial sales representative in Cleveland. He rose to sales manager of the commercial wholesale division and served on special assignment for government contract work.

In 1952, he was made western regional manager in charge of Kelvinator's field sales organization in central and western United States. Before joining Kelvinator, he held various positions with appliance distributors and a manufacturers agent.

Copeland Names Streck **Factory Manager for Compressor Operation**

SIDNEY, Ohio-Copeland Refrigeration Corp. has appointed Charles Streck factory manager

of the company's compressor manufacturing erations.

Streck was graduated from Washington university, St. Louis, in 1934 as a mechanical engi-

individual company data.

§Chest models for items 4 & 5 combined because of possible disclosure of individual company data.

§Upright models for items 6 & 7 combined because of possible disclosure of individual company data.

†Upright models for items 9 & 10 combined because of possible disclosure of the was factory manager of the individual company data.

†Upright models for items 9 & 10 combined because of possible disclosure of frigerents. Co. St. Louis, and frigerator Co., St. Louis, and Kupfer Products Co., Madison, Wis.

Before World War II, Streck was chief engineer for American Bakers Machinery Co. and Emerson Electric, St. Louis. He also served as production control supervisor and later chief of methods for United Cartridge Div. of Western Cartridge.

Frigidaire Ad Agency

NEW YORK CITY—A special consultant on advertising copy ending May 31, than for the sales of \$31,999,200 during the and merchandising for Frigidaire Div. of General Motors Corp. was named recently by the \$1.92 a share on the outstanding firm's advertising agency here, Kudner Agency, Inc.

Bernice Fitz-Gibbon, widely known in the merchandising field, has worked in the advertising departments of Macy's, consultant for Stroock periodicals.

In announcing the appoint-On the basis of current op- salers, Inc., Detroit; Artcraft ment, Kudner said that "retailerations, Riggin estimated that Electric Supply Co. of Maryland, ers credit Miss Fitz-Gibbon with a merchandising revolution."

Bohn First Quarter Net Sales Volume Hits Chapman at Kelvinator \$15,520,128 as Diversification Progresses

DETROIT - Stockholders of Chapman, vice net sales are expected to about ceding year. equal the first quarter's \$15,-520,128.

> Bohn's diversification program "has now developed to the 1954. point at which we are less than one-third automotive parts, to \$582,454, an increase over the compared with 60% three years \$474,685 a year ago and \$289,ago," Den Uyl declared.

Reports for the quarter ended former Kelvinator western re- Bohn Aluminum & Brass Corp. March 31 are: Net sales of \$15,gional manager, has been named were told by S. D. Den Uyl, 520,128, up from \$13,719,759 in assistant to B. A. president, that second-quarter 1955 and \$11,204,801 the pre-

> Profit before income taxes now is \$1,253,454 over \$978,093 last year and \$590,747 during

> Net profit after taxes comes 057 the previous year.

12 Nema Firms Sell 298,742 Refrigerators In February

Summary for February, 1956

Complete Electric Household Refrigerators Only-Sales by Sizes-Units

	Sizes	Domestic	Canadian	Foreign	Total
1.	3 cu. ft. (3.4 & under)				
2.	4 cu. ft. (3.5 to 4.4)	667		4	671
3.	5 cu. ft. (4.5 to 5.4)			1100	
4.	6 cu. ft. (5.5 to 6.4)	639			639
5.	7 cu, ft. (6.5 to 7.4)	4,497	500	434	5,491
6.	8 cu. ft. (7.5 to 8.4)	47.032	1,141	10,387	58,560
7.	9 cu. ft. (8.5 to 9.4)	12,556	1,286	1,042	14,884
8.	10 cu. ft. (9.5 to 10.4)	36,514	990	2,643	40,147
9.	11 cu. ft. (10.5 to 11.4).	66,708	1,199	2,921	70,828
10.	12 cu. ft. (11.5 to 12.4).	64,909	924	1.576	67,409
11.	13 cu. ft. (12.5 & over).	38,576	687	850	40,113
12.	Total	272,098	6,787	19,857	298,742
	rigerators Having Two xterior Doors (All Sizes				
In	cluded In Above)	52,615	526	1,266	54,407

Participating companies: Admiral Corp.; Crosley & Bendix Home Appliances Div., Avco Mfg. Corp.; Frigidaire Div., General Motors Corp.; General Electric Co.; Gibson Refrigerator Co.; Hotpoint Co., a Div. of General Electric Co.; Kelvinator Div., American Motors Corp.; Norge Div., Borg-Warner Corp.; Philoo Corp., Appliance Div.; Servel, Inc.; Westinghouse Electric Corp.; and Whiripool-Seeger Corp.

19 NEMA Firms Sell 54,932 Freezers In February

Summary for February, 1956

Electric Farm and Home Freezers-Complete-Sales by Sizes-Units

Farm and home freezers complete with high and low side and cabinet, where 50% or more of the net cabinet capacity is designed for the freezing and/or

	Sizes I	Domestic	Canadian	Foreign	Total
1.	6 cu. ft. (6.4 & under)				
	Chest Models				
	Upright Models	7	4	*	1
2.					
	Chest Models	*1,697	*68	*28	*1,793
	Upright Models	†114	9	†2	†116
3.	9 & 10 cu. ft. (8.5 to 10.4)				
	Chest Models	1.357	57	17	1,431
	Upright Models	1	1	3	2
4. 3	11 & 12 cu. ft. (10.5 to 12.4)			
	Chest Models				9
	Upright Models	\$5,245	1290	1228	15,763
5.	13 & 14 cu. ft. (12.5 to 14.	4)			
	Chest Models	18,542	181	5282	\$8,905
	Upright Models	6,388	127	165	6,680
6.	15 cu. ft. (14.5 to 15.4)		-		
	Chest Models	6,625	246	120	6,991
_	Upright Models		- 1	1	1
7.	16 & 17 cu. ft. (15.5 to 17.				
	Chest Models	2,893		30	2,923
	Upright Models	13,769	122	112	13,803
8.	18 & 19 cu. ft. (17.5 to 19.			60	4 001
	Chest Models	4,034	7 27	20	4,061
9.	Upright Models		31	3	4,197
v.	20 & 21 cu. ft. (19.5 to 21. Chest Models	4.721	85	31	4.837
	Upright Models	4, 121	8.0	91	9,037
10.	22 cu. ft. (21.5 &(over)				
200	Chest Models	1.063		10	1.073
	Upright Models	**2,352	**2	**5	**2,359
	Total Chest Models	30,932	544	538	32,014
	Total Upright Models.	22,025	478	415	
					32,918
	Total All Models	52,967	1,622	953	54,932

Chest models for items 1 & 2 combined because of possible disclosure of

individual company data.

†Upright models for items 1 & 2 combined because of possible disclosure of individual company data. \$Upright models for items 3 & 4 combined because of possible disclosure of

individual company data.

§Chest models for items 4 & 5 combined because of possible disclosure of

individual company data.

[Upright models for items 6 & 7 combined because of possible disclosure of individual company data. **Upright models for items 9 & 10 combined because of possible disclosure of individual company data.

Participating companies: Admiral Corp.; Ben-Hur Mfg. Co.; Carrier Corp.; Crosley & Bendix Home Appliances Div., Avco Mfg. Cop.; Frigidaire Div., General Motors Corp.; General Electric Co.; Gibson Refrigerator Co.; Hotpoint Co., Div. of General Electric Co.; Kelvinator Div., American Motors Corp.; Maytag Co., The; Norge Div., Borg-Warner Corp.; Philico Corp., Appliance Div.; Revco, Inc.; Servel. Inc.; Sub-Zero Freezer Co., Inc.; Victor Products Corp.; Westinghouse Electric Corp.; Whirlpool-Seeger Corp.; Wilson Refrigeration, Inc.

"A CASE OF COOL JUDGMENT" FLO-COLD DRINKMASTER

STAINLESS STEEL CUBER - COOLER. SOLD THRU DEALERS ONLY WRITE

United Friguator Engrs. MENOMINEE, MICH.

AVAILABLE IN SIZES 4 to 10 FT.

956

ded 15,in ore-

xes 093 ing nes the

otal 671

.491

,560 ,884 ,147 ,828 ,409

,113

,407 plieral tric

l/or

otal

.

116

763

680

803

061 197

073 359

014

918


932

of

of

of

of



What's your product's RF* in the board room?

(* recognition factor)

The Newspaper That Carries More Advertising By

Far Than Any Other Publication In The Field.

If you have been advertising in the NEWS—the chances are that over 93% of the manufacturing executives who make the buying decisions have read your sales story. Here's why!

A recent readership study of 135 NEWS subscribers in the complete unit manufacturing field shows that more than 93% of all department heads regularly read—and clip—AIR CONDITIONING & REFRIGERATION NEWS. Said one executive: "By the time I get through with (the NEWS) it is usually pretty well cut up by clippings.

Fortunately, we get numerous other copies in this division." As important as these survey results were to the NEWS, they are even more important to OEM suppliers.

A glance at the following breakdown will show who reads your sales story—in the NEWS. Aren't they important to you?

	NO. OF	% DEPARTMENT
DEPARTMENT	READERS	HEADS
Chief Executives	63	
Sales	132	100%
Engineering	118	96%
Purchasing	32	100%
Service	58	77%

Production	50	93%
Advertising	48	89%
Promotion	19	100%
TOTAL READERS:	520	

AVERAGE READERS PER COPY: 7.4

Yes, mighty important men. Busy men. Difficult to contact men. If you want to tell your product story to them—these men who control the purchasing power of the industry—the place to do it, obviously, is in the NEWS. Then you know it will be read by the people who make the decision to buy. So do your first job where the first job is being done—in the NEWS.

AIR CONDITIONING & REFRIGERATION

The Newspaper of the Industry





450 West Fort Street, Detroit 26, Michigan

DETROIT, 450 West Fort St., WOodward 2-0924, Joe Sullivan.

NEW YORK, 521 Fifth Ave., MUrray Hill 7-7158, Robert M. Price. CHICAGO, 134 S. LaSalle St., FRanklin 2-8093, Allen Schildhammer. LOS ANGELES, 4710 Crenshaw Blvd., AXminster 2-9501, Justin Hannon.

For more information about products advertised on this page use Information Center, page 32.

Servicing Automobile Air Conditioners

BY C. DALE MERICLE

This is the final instalment describing the air conditioning system installed in Chrysler cars.

Makes previously discussed have included A.R.A., Frigikar. Automotive Air Conditioning, Pivot, Novi, Oldsmobile, Buick, Pontiac, Chevrolet, Ford, Nash, Mark IV, Mobil-Aire, and Lincoln-Mercury.

Next instalment will start the description of the units used in Plymouth cars.

CHRYSLER (3)

Chrysler Div. Chrysler Corp. Detroit 31, Mich.

SERVICE HINTS

Evacuating System

ing system Chrysler Div. recommends the use of a vacuum As a guide to what can be expump and the double-evacuation pected, Chrysler lists the follow-

nected to the system through a peratures at an engine speed of gauge manifold set, the vacuum 1,200 r.p.m.: pump should be operated until a vacuum of 26 to 28 in. is reached.

Failure to reach a vacuum of 26 to 28 in. indicates a leak.

After this vacuum has been maintained for five minutes with the vacuum pump operating, the vacuum pump should be turned off and disconnected, and the system charged with 1 lb. of "Freon-12."

speed to 1,200 r.p.m. Turn the field. The valve is pre-set to blower control to "high" and maintain a superheat of between temperature control to "cold." Operate for five minutes and check system for leaks.

Then discharge the system, re-connect vacuum pump, and pump a vacuum of 26 to 28 in. make certain thermo bulb of for 30 minutes.

The system is now ready to be charged.

Charging System

Chrysler air conditioning systems are charged through the low side in the usual manner. The full charge is 4 lbs. of

"Freon-12" in 1955 and 1956 models.

For charging, the car engine should operate at 1,200 r.p.m. with the blower control set on "low" and the temperature control at "cold" position.

Operating Pressures

If an air conditioning system is operating normally otherwise, To evacuate its air condition- the discharge pressure will vary with the ambient temperature. ing as average discharge pres-With the vacuum pump con- sures for various ambient tem-

Ambient	Pressure		
Temp.	(p.s.i.g.)		
60° F.	100 - 150		
80° F.	140 - 190		
100° F.	190 - 240		
110° F.	230 - 280		

Discharge

Superheat Setting

Superheat setting of the thermostatic expansion valve used by Chrysler on its 1955 and 1956 Start the engine and adjust systems cannot be adjusted in maintain a superheat of between 8° and 15°. If the superheat being maintained is not within the range of 8° to 15°°, the valve must be replaced. Before replacing the valve, however, valve is making good contact.

Trouble Chart

- 1. Blowers not operating. Possible causes:
- Faulty circuit breaker. B. Open circuit in wiring.
- C. Faulty motor wiring.
- D. Faulty control switch or

resistors in system.

- E. Loose connections.
- Motor burned out. Armature shorted or grounded.

H. Bearings frozen.

- Brushes stuck or worn.
- 2. Blowers and compressor operating-no cooling.

Possible causes:

- A. Shortage of refrigerant.
- Restriction in system. C. Compressor valves not functioning properly.
- D. Expansion valve faulty.
- 3. Blowers operating-partial cooling.

Possible causes:

- A. Shortage of refrigerant. B. Expansion valve not func-
- tioning properly.
- C. Compressor operating above normal pressures.
- D. Compressor valves faulty. E. Restricted condenser or discharge line.
- F. Thermostatic switch or
- G. Air passages through condenser blocked by bugs, dirt, mud, or by bug screen.
- H. Improper refrigerant.
- low head pressure. Possible causes:

- A. Shortage of refrigerant. Strainer-drier plugged.
- Liquid line plugged.
- D. Improper superheat set-
- ting of expansion valve. Thermostatic bulb of expansion valve has lost its charge.
- F. Expansion valve screen or port plugged with dirt or mois-
- G. Compressor valves faulty. Low suction pressure and

high head pressure. Possible cause:

- A. Plugged discharge line or condenser.
- 6. High Head pressure.
- Possible causes: A. Air flow through con-
- denser restricted by bugs, etc. B. Air and moisture in sys-
 - Too much refrigerant.
- 7. High head pressure and normal suction pressure.

Possible causes:

- A. Air in system.
- Too much refrigerant. 8. Low suction pressure and
- normal head pressure.

Possible causes:

- A. Blower not operating. Strainer-drier plugged.
- Expansion valve superheat
- setting too high.



HEADING THE SLATE of new officers of the Michigan State Association, Refrigeration Service Engineers Society, is Clare Babcock (second from right) of Flint. He succeeds Donald Renwick, (extreme left), Lansing, Other new officers are (from I, to r.) James Porter, Grand Rapids, treasurer; Forrest Holcomb, Jackson, secretary; Warren Millard, Flint, second vice president; Harvey Whitsett, Detroit, first vice president; and Robert Schoanheit, Saginaw, educational chairman. Cyrus Grinage, Martin, sergeant at arms, was absent when picture was taken.

solenoid by-pass valve inopera- 120 Hear Variety of Technical Talks At Michigan RSES Meeting In Kalamazoo

KALAMAZOO, Mich - The the Michigan State Association, Society, held April 20-22 at the Hotel Harris here, drew a nearrecord turnout of 120 servicemen and guests and 39 wives.

The convention opened Friday evening, April 20, with a hermetic compressor. report on du Pont's 1955 national room air conditioner survey. Survey findings were presented by Bud Richardson and Fred Fryer, of du Pont's Chicago and Indianapolis offices, respectively.

Saturday morning, the servicemen heard talks by Walter Musser, chemical engineer with the Micromet Div., Calgon, Inc.; J. A. Mulcahey, vice president in charge of sales, Bush Mfg. Co.; and Henry Michalski, sales engineer, A-P Controls Corp.

John Bopp of Ansul Chemical 4. Low suction pressure and seventh annual convention of Co. opened the afternoon session with a talk on "Freon-22" Refrigeration Service Engineers and its problems. Paul Hunker, compressor sales supervisor, Brunner Mfg. Co., and John Yates, Brunner's Michigan district manager, tore down and reassembled a Brunner semi-

by

H

G

ag

ne

Che

Fou

Charles Conrad, chief applications engineer of Conrad, Inc., described some of his ultra low temperature systems.

Starr Hull, executive secretary of the Air Conditioning & Refrigeration Wholesalers, was the speaker at the dinner.

Sunday morning's program included a talk by Robert Waalkes, products engineer. Hart & Cooley Mfg. Co., on design and layout of ductwork for residential air conditioning.

Application Engineer

We require an Application Engineer with the following qualifica-

Mechanical Engineering Degree with experience in Application of Heat Transfer Surface. Age 25 to 30 Years.

The salary is open but will be commensurate with the ability of the individual.

Kindly give complete Resume in your reply. Lyman B. Betz, Betz Division, Bohn Aluminum & Brass Corp., 445 State Street, Hammond, Indiana.



INTRODUCING!



Hassenplug Directs Engineering at Acme

JACKSON, Mich.-Walter M.

Industries, Inc.

956

mes

lard,

rms,

00

ical

22"

cer.

or,

ohn

lis-

and

mi-

pli-

nc.,

ere-

· &

ert er,

for

technic Institute Atomic Energy. and a registered gineer plug comes to Acme with

ment stated.

He began his professional career in 1937 as a student engineer with the Ingersoll-Rand McQuay Elects Resch Co. at Painted Post, N. Y. In To Board of Directors 1946, he was named engineer in charge of the experimental reexplained.

Hassenplug then spent three ment-condensers, chillers, and of Faribault, Minn., a whollyby the firm.

Just prior to joining Acme, director. Hassenplug was associated with the Air Conditioning Div. of

Study Irradiated Foods

WASHINGTON, D. C.-A \$3 Hassenplug has been named million Federal laboratory to director of engineering for Acme test preservation of foods treated with atomic irradiations A graduate of was authorized by the Joint Rensselaer Poly- Congressional Committee on

> Site will be selected later. professional en- Funds for the project would (New have to be voted by each house York), Hassen- of Congress, it was noted.

Senators Douglas and Dirksen a of Illinois are seeking to have wide background the laboratory located in their in all phases of compressor, state, possibly at Argonne Nachiller, and condenser design, tional Laboratory, Chicago. Sen. and production, the announce- John Bricker of Ohio wants it to be at Ohio State university, Columbus, Ohio.

MINNEAPOLIS-J. R. Resch search department working on was elected to the board of diesel and gas engines, inter- directors of McQuay, Inc. at the coolers, and compressors, it was firm's 23rd annual stockholder's meeting here recently.

Resch is secretary of McQuay, years with Carrier Corp. as a Inc. and president of the Ameriproject engineer on heavy equip- can Automatic Ice Machine Co. reciprocating compressors made owned McQuay subsidiary. He succeeds P. S. Morris, retiring

McQuay, Inc. sells nationally, a line of heating, air condition-General Electric Co. at Fort ing, and refrigeration products Wayne, Ind., working as man-manufactured in Faribault, ager of hermetic motor engi- Minn. and Grenada, Miss., it was noted.

Consider Federal Lab To Typhoon Units In 1,152-Home Project --(Concluded from Page 1, Col. 4) coil into the duct system and

of a switch.

The cooling coil is 10 in, high,

coil and for a 15-in. high air in- out the diffusers throughout the take return chamber beneath house. Both cooling and heating the furnace. The door of the is automatically controlled and closet fits above the air return can be switched over by a flick intake grille.

To forestall installation problems, Petrone said, Typhoon It can be slipped into the housprovides a closet blueprint con- ing on top of the furnace withtaining complete specifications out removing the closet door so that the closet can be built or jambs. All connections can be in advance of the arrival of the made right in the closet,

The blueprint, designed by Arthur Farr, Typhoon's directhe Barton Hills project is Shirtor of application engineering, will save as much as \$200 in building costs by eliminating make the closet fit the unit, Typhoon officials claim.

With the Typhoon blueprint by a Typhoon unit. in hand, Petrone said, sheet metal specialists can put in the lies little more than a mile from housing and ducts ahead of time, the center of Austin. electricians can locate the electrical connection in advance, and plumbers and refrigeration men can locate the gas line, refrigerant lines, and condensate drain before the unit arrives.

This "cost saver" blueprint, Petrone commented, is an integral part of Typhoon's 1956 merchandising campaign. It is Typhoon's answer to "builder resistance," which Petrone believes is slowing home air conditioning sales.


The blueprint, along with Typhoon's builders' selling kit, form a "bridge of cooperation" between the home builder, the dealer, and the manufacturer. For the first time, it indicates to the builder and his associated trades exactly how to install the central system in a home closet especially built for the purpose and do it without a hitch, Petrone declared.

"We predict that our marketing orientation, if followed by the rest of the home air conditioning industry," Petrone asserted, "will produce a minimum of 300,000 systems in 1957, as against the industry's estimate of 200,000 units, or an increase of 50%.

He added, "This Typhoon approach can contribute materially in tearing down this builder resistance since it can give the builder the 'plus' feature he was seeking three years ago without causing him the inconvenience he later encountered.

Petrone estimated that installation costs for the Barton Hills homes will run between 80 cents and \$1 per sq. ft. Variations will occur due to differences in house design, insulation, exposures, etc. The basementless houses will sell for approximately \$17,000 to \$22,000, including air conditioning.

In the Typhoon cooling sys tem, return air enters the furnace unit through a grille at the base of the closet, passes up through the furnace and cooling



ing without removing furnace or costly

Simpson TEST EQUIPMENT REFRIGERATION AIR CONDITIONING HEATING EQUIPMENT APPLIANCES

CHECKS 3 TEMPERATURES AT ONE TIME

THERM-O-METER, Model 388-3L (-50° to +1000° F)


Takes up to three, 71/2' thermocouple leads, general purpose or surface type. Self shielded. With one general purpose lead, battery, and \$6450 perator's manual... Model 388 for one lead only.....\$59.50



TEMPERATURE METER, Model 385-3L (-50° to +70° F)

Developed for refrigeration equipment. Takes up to three, 15', general purpose Thermistor \$3395 tipped leads. With one lead and manual.... Model 385 for one lead only.....\$30.00







PRETESTS CURRENT CAPACITY OF ELECTRICAL LINES

LINE-O-METER, Model 397

Tells whether existing house wiring is adequate for motor starting currents from 13 to 50 \$2005 amperes. (Single phase, 117 V, 60 cycles)...

DIAGNOSES MOST ELECTRICAL TROUBLES

AC VOLT-AMP-WATTMETER, Model 390

Checks line voltage, current drain, and power consumption. Checks line voltage, current drain, and possession for wattage ranges cover practically any appliance. With break-in plug, leads, and manual......



CHECKS VOLTAGE AND POWER SIMULTANEOUSLY

AC-DC VOLT-WATTMETERS, Models 391 and 392 For appliance motor testing. \$3000

Model 391, 3000 watts..... Model 392, 5000 watts......\$35.00 Write for New Refrigeration Bulletin No. 3001

PSON ELECTRIC COMPANY WORLD'S LARGEST MANUFACTURES OF ELECTRONIC TEST EQUIPMENT 5200 West Electe St., Chicago 44, III. - Phone: Electronic 5:127 In Concept Street S



Instruments

THE SERVICEMAN LINE of Testing Gouges, Testing Thermometers, Tim-PRESSURE GAUGES and Dial Ther-MARSH-ELECTRIMATIC, Water Requ MARSH INSTRUMENT COMPANY



is used by more service men than any other body. Service-Master makes work greater profits! saves more time . . . builds

EXTRA FEATURES! "Freeze-free" hinges that can't bind . Concealed fenders to protect compartment walls • "Hi-Lo" floor for easier loading • 'No-Bounce" bins to keep parts in place . 'Puddle-Proof" cargo area...and many other "extras"



OUTLASTS SEVERAL CHASSIS by LOCAL Distributors!

FIND OUT FOR YOURSELF Prove to yourself that Service-Master gives you more for your money. Mail this coupon for complete details and price information today.


McCABE-POWERS AUTO BODY CO. 5900 N. BROADWAY . ST. LOUIS 15, MO. A75 CIDAR ST . REPRESELY TO CALL

	Please send me complete details on SERVICE-MASTER
Ham	
Comp	pany
Addi	615
ca.	& State

PATENTS


Week of November 22

2,794,040. REFRIGHRATION SYSTEM. Harry Soan, Waukesha, Wis., assignor to The Vilter Mig. Co., Milwanke, Wis., a corporation of Wis. consin. Application Oct. 25, 1952, Serial No. 316,843. 12 Claims. (Cl. 62—3.)



1. In a refrigerating system provided with a compressor having a suction line for receiving evaporated refrigerant through a separator from an evaporator and also having a discharge line for delivering liquid refrigerant to a receiver communicable with the evaporator through a high pressure refrigerant line past an expansion valve, an accumulator for collecting liquid refrigerant removed from the suction line, conduit means connecting said accumulator with the receiver and having therein a low differential pressure pump and a non-return check valve between the pump and receiver, means for effecting operation of said pump whenever the level of liquid refrigerant in said accumulator reaches a predetermined high value and for interrupting said operation when said liquid level drops to a predetermined extent, valve means for effecting equalization of the pressures in said accumulator and separator whenever said pump operation is interrupted, and other means cooperable with said valve means to establish receivor pressure within said accumulator whenever said pump is operating.

2,724,242. MULTIPLE TEMPERA-TURE REFRIGERATOR CABINET. John W. Pulaski, Erie, Ps., assignor to General Electric Co., a corporation of New York. Application July 24, 1952, Serial No. 300,697. 5 Glaims. (Gl. 62— 103.)



1. A refrigerator comprising a cabinet having insulated outer walls and an intermediate horizontal wall dividing the cabinet into an upper low temperature compartment and a lower fresh food storage compartment, a closure member in the front opening of said upper compartment, dehumidifying means in said lower compartment, and a door forming the front wall of said cabinet and enclosing both of said compartments, the lower portion of said door adjacent said lower compartment being insulated, and the upper portion of the inner surface of said door adjacent said upper compartment having a recess providing an air space between said door and said closure member, said recess reducing the spacing between the inner and outer surfaces of said door in the upper portion thereof thereby to cause said upper portion of said inner surface to be kept relatively warm by heat leaking from said outer surface, the lower edge of said recessed portion of said door being somewhat below the lower edge of said recessed portion of said door being somewhat below the lower edge of said norisontal wall, said air space being in communication with said lower compartment whereby air within said lower compartment whereby air within said lower compartment is caused to rise along the relatively warm recessed portion of said door and descend along the relatively cool surface of said closure member, thus transferring moisture from said closure member to said lower compartment.


2,724,841. REFRIGIRATING APPABATUS. James W. Jacobs, Dayton,
Ohio, assignor to General Motors Corp.,
Dayton, Ohio, a corporation of Delaware. Application June 13, 1952, Serial
No. 293,369, 4 Claims. (Cl. 63—103.)

1. A refrigerator comprising in combination, a cabinet of rectilinear shape
having metal outer walls and a metal
liner spaced therefrom and forming
the top, bottom and upright back and

No. 223,369. 4 Claims. (Cl. 42—103.)

1. A refrigerator comprising in combination, a cabinet of rectilinear shape having metal outer walls and a metal liner spaced therefrom and forming the top, bottom and upright back and side walls of a food storage compartment in said cabinet, insulating material in the space between said cabinet outer walls and said liner, said compartment having an access opening in the front of said cabinet, a door normally closing said compartment access opening, a closed refrigerating system associated with said cabinet, said sys-

tem including an evaporator contacting and extending along a plurality of walls of said food compartment for cooling the interior thereof, a non-




metallic pan intermediate the insulating material and said liner at the bottom of said compartment, said pan being spaced from the bottom wall of said compartment and extending continuously from a point in front of said compartment beyond its upright back and side walls into the space between said liner and said cabinet outer walls, an insulating breaker strip interposed between the front metal wall of said cabinet and the bottom wall of said compartment, said breaker strip having an opening therein communicating with the space between said pan and said compartment bottom wall, said pan having an opening therein, a non-metallic conduit having one end thereof communicating with the opening in said pan and having its other end extended through the outer front wall of said cabinet, a float valve in said conduit normally closing the same, a receptacle detachably mounted upon said cabinet front wall, said other end of said conduit communicating with the interior of said receptacle, and said food storage compartment door being projected downwardly from said compartment access opening over said receptacle for normally concealing the same.

2,784,943. PREEZING TRAYS. Hugh M. Stephenson and Karl M. Peiertag, Fort Wayne, Ind., assignors to General Electric Co., a corporation of New York. Application Nov. 23, 1951, Serial No. 287,876. 13 Claims. (Cl. 62—196.5.)



1. In combination with a freezing tray, a grid structure for cooperating with said freezing tray to provide a plurality of ice cube forming compartments, said grid structure including a plurality of transverse separators, an operator rod extending longitudinally of said tray, said operator rod being formed to include alternate low and high crank throws, said operator rod passing through said transverse separators, longitudinal separating means effective for spacing said transverse separators on said operator rod and locating same for cooperation with said crank throws, and said crank throws being effective when said operator rod is rotated through an operating movement for moving said longitudinal separating means between said transverse separators and relatively displacing alternate transverse separators whereby each ice cube is released from all the walls included in its respective compariment.


2,724,244. FREEZING TRAY. Alfred G. Janos and Edward H. Roberts, Erie, Pa., assignors to General Electric Co., a corporation of New York. Application Aug. 9, 1962, Serial No. 303,516. 4 Claims. (Cl. 62—108.5.)



1. In a freezing tray, a grid assembly comprising a central longitudinal divider, a plurality of transverse dividers pivotally assembled on and interlocked with said longitudinal divider to provide a plurality of ice block compartments, each of said transverse dividers including a central slot for receiving said longitudinal divider, said transverse dividers being mounted on said longitudinal divider for pivoting movement relative thereto, means including a handle pivotally mounted only on said longitudinal divider for effective relative movement of said transverse and longitudinal dividers, each of said transverse dividers further including a first inclined slot disposed laterally between said central slot and one end of the transverse divider and a second inclined slot disposed laterally between said central slot and the opposite end of the transverse divider, and two inclined longitudinal dividers of a uniform height substantially equal to the length of said inclined slots, one of said inclined dividers being loosely and slidably re-


ceived in aligned first slots of said transverse dividers for subdividing a portion of said ice block compartments, and the other inclined divider being loosely and slidably received in aligned second slots of said transverse dividers for subdividing the remaining ice block compartments.

2,724,245. DEFROSTING ARRANGE-MENTS FOR REPRIGERATION SYS-TEMS. James Swinburne, Syracuse, N. Y., assignor to Carrier Corp., Syracuse, W. Y., a corporation of Delaware. Application Sept. 30, 1862, Serial No. 312,377. 5 Claims. (Cl. 62—115.)




4. In a defrosting arrangement for a refrigeration system, the combination of a holdback valve in the suction line to increase evaporator pressure to a point at least corresponding to an evaporator temperature of 32° F., a re-evaporator, a capillary line connecting the re-evaporator to the suction line of the system at a point between the valve and the evaporator, means for evaporating liquid refrigerant collected in the suction line during the defrosting operation in the re-evaporator, and a line to return gaseous refrigerant from said re-evaporator to the compression

2,724,246. METHOD AND MEANS FOR IMPROVING THE UTILIZA-TION OF VOLATILE REPRIGER-ANTS IN HEAT EXCHANGERS. Charles E. Lowe, Orlando, Pla. Application April 1, 1954, Serial No. 420,-396. 11 Claims. (Cl. 62—115.)



9. In combination with a reversible heat exchange system employing a volatile refrigerant, of a heat exchanger alternately acting as a condenser and as an evaporator upon reversed cycles of said system, said heat exchanger being a vertically disposed wall-enclosed chamber having two opposed sides converging upwardly from its bottom, a water spray device arranged to direct its spray onto the exterior surfaces of said inclined sides of said walls, atomizing injector nozzle means located in the bottom of said chamber and connected in said system with the high pressure liquefied refrigerant and positioned to direct the nebulized refrigerant upwardly into said chamber to impinge the walls thereof, said nozzles having an inspirator passage therein adapted to be surrounded by liquefied refrigerant accumulating on the bottom of said chamber to reatomize the same with the oncoming pressure charge of the liquefied refrigerant, said chamber having an outlet therein removed upwardly from said nozzles and connected in said system to draw gusified refrigerant therefrom as a low-pressure gas, whereby ice may be formed on said exterior inclined surfaces of said heat exchanger and may be released therefrom upon reversing the cycle of the system allowing said ice to move downwardly off said surfaces.

2,724,248. HOT AIR ENGINES AND REPRIGERATING MACHINES. Theodor Pinkelstein, London, and Harold Reywood, Sidoup, England, assignors to Mational Research Development Corp., London, England, a corporation of Great Britain. Application Jan. 30, 1953, Serial No. 334,238. Claims priority, application Great Britain Peb. 8, 1952. 7 Claims. (Cl. 62—136.)



1. A hot air engine operating on a regenerative air cycle, both in its usual form as a power-producing engine and in its reversed form as a heat pump or refrigerator, in which by-pass means are provided both in connection with the heater and the cooler, of such nature that when the working fluid passes from the regenerator to the hot space and from the hot space to the regenerator it only passes through the heater once and similarly when the working fluid passes from the regenerator to the cold space and from the cold space to the regenerator it only passes through the cooler once.

(To Be Continued)

CLASSIFIED ADVERTISING

RATES for "Positions Wanted" \$7.50 per insertion. Limit 50 words. 15¢ per word over 50.

RATES for all other classifications \$10.00 per insertion. Limit 50 words. 20¢ per word over 50.

ADVERTISEMENTS set in usual classified style. Box addresses count as five words, other address by actual word count. Please send payment with order.

POSITIONS WANTED

REFRIGERATION AND air conditioning engineer with twenty years' experience. Prefer position with commercial refrigeration and air conditioning retail distributor with large volume in super market equipment and air conditioning. Now employed but must move to warm climate due to wife's health. Prefer Southwest. Reply to BOX A5533, Air Conditioning & Refrigeration News.

AIR CONDITIONING administrative and sales engineer desires participating position preferably with Carrier distributor. Present position Manager of contracting division of Carrier distributor in large metropolitan area. Young, aggressive, with record of proven ability. Address reply to BOX A5534, Air Conditioning & Refrigeration News.

CANADIAN WOULD like to represent American company in Canada. Capable of handling distributor organization across Dominion. Presently well established in refrigeration and air conditioning field. BOX A5535, Air Conditioning & Refrigeration News.

POSITIONS AVAILABLE

MAN THOROUGHLY experienced in sales of packaged air conditioning equipment to head commercial department of well established heating and air conditioning company. Contact Mr. S. G. Braun, THE NATIONAL HEAT-ING COMPANY, 1999 Central Avenue, Cincinnati 14, Ohio.

ATTENTION SERVICEMEN! Commercial refrigeration and air conditioning. In a rut? Latch on to an old established live-wire service organization. Our business is booming all year long and we need experienced journeymen. If you have any commercial service or installation experience and want to increase your earnings with a look to the future, contact now, NORTH TOWN REFRIGERATION CORPORATION, 4711 Lincoln Avenue, Chicago, Illinois.

MANUFACTURERS' REPRESENTA-TIVE with commercial refrigeration experience, now covering Michigan, Indiana, Midwestern or Southwestern states, to sell fast-growing line of commercial equipment. Write PAUL R. STEWART, 1712 John Street, Cincinnati 14, Ohio.

DISTRICT MANAGERS (2)—Typhoon Air Conditioning Co. has lucrative openings. If you are qualified to direct sales of packaged air conditioners in an important territory, this ad may be a major opportunity for you. Leading specialist in packaged units, with most complete, nationally advertised line in the industry. Water-cooled and air-cooled, commercial and residential, all sizes. 100% factory cooperation, with finance and warehouse plans, hard-hitting dealer promotion material. Full details required, including experience, references, etc. Your confidence will be strictly respected. Write Mark E. Mooney, TYPHOON AIR CONDITION-ING, 505 Carroll Street, Brooklyn 15, N. Y.

SALES ENGINEERS are required by major manufacturer of air conditioning refrigeration and air handling equipment for expanded sales operation in Midwest. Travel involved. Salary, expenses, and bonus. Write giving full personal details, education, experience, and salary in first letter. Replies confidential. BOX A5513, Air Conditioning & Refrigeration News.

DESIGN ENGINEER for commercial refrigerators—At least 5 years' sheet metal experience—Eastern manufacturer of restaurant and market equipment—Needs top-notch man—capable of supervising model shop and assuming responsibility—Company growth makes this opportunity available. Write to BOX A5522, Air Conditioning & Refrigeration News.

WASHINGTON, D. C. Distributor for 19 years with large national air conditioning manufacturer is enlarging permanent staff and has several design and application engineering positions open. Applicants should submit qualification, experience and salary re-

quirements immediately to BOX A5524, Air Conditioning & Refrigeration News. All replies will be kept confidential.

WASHINGTON, D. C. Distributor for 19 years with large air conditioning manufacturer is enlarging permanent staff and has opening for sales engineer to develop and assist dealers. Compensation commensurate with qualifications and experience. Applicants address replies to BOX A5527, Air Conditioning & Refrigeration News. All replies held in confidence.

WANTED—TWO district managers: One to be located in Metropolitan New York area and one in San Francisco. To supervise sales offices of prominent manufacturer of heating, cooling, and air conditioning equipment of East and West Coast areas. Send complete resume of education, experience, and salary requirements, to BOX A5532, Air Conditioning & Refrigeration News.

EQUIPMENT FOR SALE

200 REFRIGERATORS, used, guaranteed in perfect operating condition. Modern, clean, complete, Attractively priced. G. E., Frig., Kelv., 4 and 6 cubic ft. BEACH REFRIGERATOR COMPANY, 196-11 Northern Blvd., Flushing 58, N. Y. Fl 7-6161.

NEW SELF contained Kesco automatic condensate water disposal pumps for air conditioners ice cube bins; at your local wholesaler. Available in 10 and 20 foot heads.

NEW YORK, Aboo Refrigeration, 1815 Second Ave. MT. VERNON, Eastern Supply, 521 East Third Street SYRACUSE, Gould-Farmer Co., 1020 W.

Genesee Street
WHITE PLAINS, County Seat, 111
Central Ave.
NEWARK, N. J., Tesco Distributors,
78 Boston Street

sta

SCH

Ev

Ter

Y

dep is b

buil

stor

the

The

del

eng

plet

the

and

pres

com

rent

turi

pacl

пве

date

fact

poss

If

A

DAYTON, OHIO, W. H. Kiefaber Co., Refrigeration Dept. SACRAMENTO, CALIF., Associated Refrigeration, 1717 Eye Street SEATTLE, WASH., Refrigerative Sup-

SEATTLE, WASH., Refrigerative Supply, 204 W. Republican
TAMPA, FLORIDA, Leo S. Bosage
Co., 1546 Franklin Street.
Distributors write to KESCO PRODUCTS CORP., Springfield Gardens 13,
N. Y. for sample pump and literature,

AIR CONDITIONING value: 3 h.p. hermetic compressor F-12 230V. 1/phase HD200. 2 h.p. air cond. evaporator 23½" L x 16" H x 3½" W. 2 h.p. air cond. condenser 24" L x 24" H x 4½" W. Also included 2 ton F-12 T. X. Valve & dual pressure safety cutout switch. Complete matched component kit as described \$179.50. Freight prepaid anywhere in the continental U. S. A. WALTER W. STARR, 2833 Lincoln Ave., Chicago 13, Illinois.

BUSINESS OPPORTUNITIES


WHOLESALE (CALIFORNIA) air conditioning and refrigeration equipment and parts business. Best manufacturing names. Several exclusives. Will sell all or part this long established fast growing leader in field. Sales engineering knowledge desireable. Age, health sole reason for offer. Give complete background and financial ability in first letter. Confidence respected. BOX A5536, Air Conditioning & Refrigeration News.

FOR SALE—Established, commercial refrigeration and air conditioning sales and service. Two national franchises. Unusual opportunity in a fast growing community, 16 miles from Los Angeles, Calif. Potential sales unlimited. Summer business just beginning. Very low inventory—New 20' x 60' building for sale or lease. BOX A5537, Air Conditioning & Refrigeration News.

owners Health dictates immediately extended and supposition of well established Distributor-Contractor operation. Refrigeration, air conditioning, heating, sheatmetal. Commercial, residential, industrial. Two of industry's most honored names under franchise. Located Southeast. One of ten top business cities. Good contracts in progress. Excellen? potential. Substantial cash payment, balance terms to qualified person. Reply giving background and financial status. BOX A5538. Air Conditioning & Refrigeration News.

MISCELLANEOUS

"SEALED UNIT Rebuilding-Basic Tools & Methods"—an instructive copyrighted manual giving complete details on economically equipping your shop to handle hermetic rebuilding. Exclusive trade secrets unavailable elsewhere. Mail postcard for descriptive folder. H. W. CUSTER, P. O. Box 98, Center Line, Michigan.



SIX UNITS resting on structural steel dunnage do double duty in York's new compound compression heat pump system. In winter, these units serve as air coolers, while in summer they act as evaporative condensers. During below freezing weather, specially designed refrigerating coils inside these units cool the frigid air to still lower temperatures.

nt nd nd te nd

tic

15

21 W

11

rs,

0.,

ed

ge

p. se or dr 'a''

nt re-tal

S

ir-ell ist

lth

X ra-

ial

es. ng

ed Re-

ng.


o-mi-

as. ush led


on-

sic

JUT



RECIPROCATING compressor (foreground) for high stage operation and rotary low stage compressor form one of the three York compound compression heat pump systems in the Heironimus Dept. store. Each system has its own gauge board which indicates refrigerant pressures.



SCHEMATIC DIAGRAM of two-stage compression heat pump system with liquid sub-cooling.

Coefficient of Performance*

Evaporator Temperature	1 Stage Without Subcooling	1 Stage With Subcooling	2 Stage With Intercooling	2 Stage With Subcooling
-40°		****	2.16	2.69
-30°	1.55	1.77	2.34	2.96
-20°	1.95	2.30	2.60	3.25
-10°	2.27	2.73	2.81	3.56

[&]quot;Compressors only.

York's New Heat Pump System --

(Concluded from Page 1)

The Heironimus department According to Serfass, York's pleted in June.

Although York is supplying and commercial buildings at the turization of the system into source heat pump. packaged units to make home

economically feasible heat pump department store and another system could be ready for home is being installed in a new office heating and cooling some time in 1957.


store in Roanoke, Va. completed new development does away the first installation last month. with the need for a water source The Ballinger building in Phila- or supplementary heating by delphia, new home of the Ball- making use of compound cominger Co., architectural and pression, which has been used engineering firm, will be com- for years to achieve economically the extremely low temperatures used in ice cream plants the new heat pump to industrial and the frozen foods industry.

He credited Robert G. Werden, present time, Serfass said, the a 40-year-old York sales engicompany's research and engi- neering executive, with first neering departments are cur- applying the compound comrently working on the minia- pression principle to the air

In the York system, thermouse practical at some future statically controlled valves guide refrigerant as it turns from processing the statical statement of the static statement of the the hot or cold water flow in liquid to gas extracts heat from Air Conditioning System. Neg. #291—one (1) ea.—\$45,150—Cox-Frank Corp., 5527 Virginia Beach Blvd., Norfolk, Va. If this work progresses satis- and out of the system while the the circulated water. The result-

DISCHARGE TO HEATER INTER COOLER SUCTION FROM EVAPORATOR

COMPOUND, or multi-stage compression, shown above in a schematic diagram, is used in York's new heat pump system to lower compression ratios and increase output during very cold weather, thus providing comfort heating of a building without the use of supplementary heating. The new York compound compression heat pump system automatically switches from single stage compression to compound compression when outside temperature drops.



duced and wattage expended by new heat pump system as compared to conventional single stage systems. At -20° F. evaporator temperature, solid line A, representing York compound compression system, produces 671/2 % more heat than solid line B (conventional system). At the same time, new York system (dotted line A) while producing 1,000 B.t.u. per hour at 110° condensing temperature for 100 watts (compressor only), is using far less energy than is a single stage system, represented by dotted line B, which uses 167 watts. If the single stage system were to be supplemented by direct electrical strip heat to produce the equivalent heat output represented by scheme A, the total watt input would be about 230 watts, shown by dotted line X.

into compound compression when the temperature drops below a certain point.

The York heat pump, Serfass explained, can remove heat from 0° F. outside air while cooling this air to still lower temperatures as it passes over specially designed coils.

The heat removed by the refrigerant from the outside air, is elevated to a usable temperacirculated throughout the building in an indirect system, or the hot refrigerant can be used directly in coils to provide forced warm air heating through either a central unit or multiple units.

During warm weather, conversely, the expansion of the

through these designed coils. stage system which would use York claims that at -20° F.

evaporator temperature, the far less energy than is a single 230 watts.

167 watts.

Furthermore, the company compound compression system says, if the single-stage system produces 671/2% more heat than were supplemented by direct a single-stage system. At the electrical strip heat to produce same time, while producing the equivalent heat output, the 1,000 B.t.u.h. at 110° F. condens- total watt input of the singleing temperature for 100 watts stage system plus the strip (compressor only), it is using heater raises the input to about

ernment (ontracts

SYNOPSIS OF PROPOSED PROCUREMENT

Purchasing & Contracting Office, Bldg. 29, Fort McPherson, Ga.

Furnish all plant labor, appliances, equipment, materials, and perform all work complete required for INSTALLATION OF AIR CONDITIONING UNITS, COOLING TOWERS, concrete pad. electric, plumbing, heating, and duct systems in Post Chapel Bidg. T-1218, Ft. McPherson—Job—IFB DA-09-177-SS-56-3 B—Bid Opening 24 May 56.

Purchasing and Contracting Officer, Redstone Arsenal, Huntsville, Ala. AIR CONDITIONING BLDG, 491—Job—IFB ORD-01-021-56-574B—Bid Opening 15 May 56.

Galveston District, Corps of Engineers, P. O. Box 1229, Galveston, Texas.

AIR CONDITIONING MAIN HOSP, BLDG.. Brooke Army Medical Center,

Tex., consisting of 500-ton air cond. system, excavation and construction of
equipment room and cooling tower—Job—IFB ENG-41-243-56-20B—Bid Opening 21 June 56.

Purchasing and Contracting Office, Fort Eustis, Va.

AIR CONDITIONING SYSTEM for Building S-818, Fort Eustis, Va.—Job—
IFB 44-019-56-138—Bid Opening 10 May 56.

NAVY

District Public Work Office, Fourth Naval District, Bldg. No. 1, Second Floor, Naval Base, Philadelphia, Pa.

REPLACE AIR CONDITIONING UNIT Ward T5 Bldg. Nr 44 Naval Hospital, Philadelphia, \$10 deposit required for plans and specs.—Job—IFB 4715/56B—Bid Opening 8 May 56.

District Public Works Officer, Naval Station, San Juan, Puerto Rico.
COLD STORAGE BUILDING HOUSING UNITS AND SWIMMING POOL,
Naval Base, Guantanamo Bay, Cuba—Job—IFB 1420-56—Bid Opening 5 June
56. Bid Data Deposit \$200.

District Public Works Office, Sixth Naval District, Naval Base, Charleston, S. C. COLD STORAGE BUILDING, Naval Air Station, Cecil Field, Fla. Fifteen dollars deposit required for plans and specs.—Job—IFB 48726(Rev)—Bid Opening 17 May 56. Navy Purchasing Office, 4th & Independence Ave., Washington, D. C. Attn.: SPF-1A.

FANS. CENTRIFUGAL. with spraytight fan cooled motors, various sizes and types, per Spec. MIL-F-19004(Ships) dated 30 Aug. 1955 as modified in invitation. The material under this specification is of a type on the Qualified Products List 3—129 ea.—IFB 600-1263-56-8—Bid Opening 25 May 56.

Officer In Charge of Construction, Ninth Naval District Building 1-A, Great Lakes, III.

RELOCATION OF AN EXISTING PACKAGE TYPE AIR CONDITIONER; PROVISION OF NEW COMPRESSOR UNIT, New Duct and Fresh Air intake; certain alterations to an existing Window and Door; Electrical work and field painting. Work located at the Naval Hospital, Great Lakes, III.—Job—IFB 1291/56—Bid Opening 7 May 56.

Navy Purchasing Office, 4th & Independence Ave., Washington, D. C. AIR CONDITIONING UNIT, Model Nr 2—25 ea.—IFB 690-1603-56—Bid Opening 21 May 56. Navy Purchasing Office, 4th & Independence Ave., Washington, D. C. Attn:

The following items procured are under IFB 600-1289-56-S-Bid Opening 29 May 56.
CONDENSING UNIT, REFRIGERATING, non-magnetic, ¼ ton cap., air-cooled 115 volts, D.C., 10 ea.—WATER CHILLERS with controls, 5 ea. per Spec. Ships R-2322 dated 23 March 56, (NOTE: The Material called for under this specification is of a type on the Navy Qualified Product List.)

AIR FORCE

Purchasing and Contracting Office, McConnell Air Force Base, Wichita, Kans. INSTALLATION OF AIR CONDITIONING of Bidg. Nr 197, McConnell Air Force Base, Wichita, Kans.—Job—IFB 14-614-56-26B—Bid Opening 28 May 56.

GENERAL SERVICES ADMINISTRATION

General Services Administration, Region 2, Business Service Center, 256 Hudson St., New York 13, N. Y.
INSTALLATION OF AIR CONDITIONING in Court Rooms No. 1 and 2 at U. S. Post Office and Courthouse, Newark, N. J.—Job—IFB-2PC-6-1518 (ADVT)—Bid Opening 5-2-'56.

General Services Administration, Region 3, Business Service Center, 7th and D Sts., S.W., Washington 25, D. C.

AIR CONDITIONING UNITS, PORTABLE, window mounted, Air-cooled, & hp., 8,000 B.t.u. Capacity—Definite Quantity, 50 ea., Optional quantity (If and when required) for period ending 9-18-56—50 ea.—IFB R2-D-74766-R—Bid Opening 5-8-56.

General Services Administration, Region 7, Business Service Center, 114 Commerce, Dallas, Texas.

AIR CONDITIONING X-Ray Dept. & Physical Therapy, Public Health Service Hospital, Galveston, Texas—Job—IFB CR-7563-308—Bid Opening 5-15-56, General Services Administration, Business Service Center, Region 3, 7th and D Sts., S.W., Washington, D. C.

AIR CONDITIONING LABORATORY, 1776 Pennsylvania Avenue, Washington, D. C.—Job—IFB GS-R3-B-4626—Bid Opening 5-15-56,

General Services Administration, Region 7, Business Service Center, 114 Commerce, Dallas, Texas.

REPLACEMENT OF REFRIGERATION PLANT FOR DRINKING WATER, Court House, New Orleans, La.—Job—CR7563-288—Bid Opening 5-22-56,

General Services Administration, Region 5, U. S. Courthouse, 219 S. Clark St., Chicago, III.

REFRIGERATORS, Fed. Spec. AA-R-211c and Amend. No. 1—17 ea.—BLOOD BANK TYPE—1 ea.—IFB CHD-1084—Bid Opening 5-17-56.

CONTRACTS AWARDED THROUGH MAY 1, 1956

ture level by the compression cycle. This heat can be used to Rehabilitation of Heating and Cooling Systems, Marine Corps Supply Center, produce hot water which can be Works, Inc., 2824 N. Main St., Los Angeles, Calif.

Air Force Missile Test Center, Patrick Air Force Base (ARDC), Fla.
Services and Materials for Air Conditioning Buildings No. 536 and 537. (IF)
No. 08-606-56-89)—Job—\$48.443—A. Belanger & Sons, Inc., 173 Harvey St.
Cambridge, Mass.

General Services Administration, Region 5, 575 U. S. Courthouse, 219 South Clark St., Chicago, III.

Partial Interim Air Conditioning for Court, U. S. Post Office and Courthouse, Hammond, Ind.—Job—\$14.852—Murphy & Miller, Inc., 1226 S. Michigan Ave., Chicago, III.

Quartermaster Purchasing Agency, Columbus General Depot, Columbus 15, Ohio. Frozen Food Cabinet, (Upright Freezer) (DA23-081-QM-19260)-3,850 ca.—\$656,645—Ranney Refrigerator Company, E. Congress Street, Greenville, Mich. S. Navy Purchasing Office, Naval Supply Center, Norfolk 11, Va.

If this work progresses satis- and out of the system while the circulated water. The resultOffice of the Contracting Officer, 2585th Air Reserve Flying Center, Miami factorily, he asserted, there is a compressors automatically move ing chilled water is piped to the International Airport, Miami, Fla. factorily, he asserted, there is a compressors automatically move ing child water is piped to the lateral property and the condition Dispersary Building T-90, Contract No. (AF 08(606)-123)—Job—possibility that a practical and from single stage compression same coils and cools air blown fig. 930—Mami Air Conditioning Co., 759 NE 79th St., Miami, Fla.

Royal Oak May Require Water Saver On Water Cooled Systems over 3 Tons

posed city ordinance that will indefinitely, unless suspended or require a water conservation de- revoked by the city manager. vice on all water-cooled air conditioning and refrigeration systems exceeding 3 tons capacity is expected to get final action by the Royal Oak City Commission on Monday evening, May 6.

City officials held back the ordinance last week in order to include water demand rates in conformity with those expected to be charged by the city of Detroit, from which Royal Oak gets a large share of its water

The Detroit Water Board is considering a demand charge of \$5 per ton on "water wasting" starting the first of next year, or both. increasing it to \$10 in 1958 and \$15 in 1959.

April 1, 1957 Deadline For Existing Units To Add Water Saver

The Royal Oak ordinance, as now written, however, requires that existing equipment not equipped with a water conservation device, must install one before April 1, 1957, if capacity exceeds 3 tons.

The water conservation device, the ordinance says, shall have sufficient capacity so that when the equipment is operating under full load conditions at maximum summer temperature it shall use no more water for make-up than is specified in the following table:

MAXIMUM ALLOWABLE WATER USE

Water	
Hardness	Max. Use
ppm.	g.p.m./ton
0-139	0.1
140-199	0.15
200-254	0.2
255-339	0.3
340-424	0.4
425 and over	0.5

George Nampa, city engineer, said that this chart was taken from a model ordinance prepared by the committee on water use in refrigeration and air conditioning of the American Water Works Assn. The model ordinance was published in 1950.

Permit Required For All Equipment

The proposed ordinance will also require that all watercooled air conditioning and refrigeration equipment of whatever size have a permit for operation. For existing equipment, this permit will cost \$5. For equipment installed after the effective date of the ordi (20 days after passage), the fee will be \$5 plus 50 cents per

Equipment owners will be given 60 days to apply for their

Detroit ASRE Will Elect Officers May 7

DETROIT - Election of officers and program planning for 1956-57 are scheduled for the May 7 meeting of the Detroit section of the American Society of Refrigerating Engineers.

The meeting will begin at 8 p.m. in the Rackham Bldg., Woodward at Farnsworth.

ROYAL OAK, Mich.-A pro- permits. The permits are good

Failure To Comply with Specific Rules Means **Permit Revocation**

He can suspend permits for failure to comply with requests to discontinue using water during an emergency, where alteracreates a hazard to the water supply or unnecessarily wastes the maximum quantities per-

Failure to correct these conditions can result in revoking layout, installation, and service over an eight-week period. the permit and also a fine of up was recently completed by Hardconditioning equipment to \$100 or 90 days imprisonment ware Products Co.



VISUAL AIDS and actual practice at installation and servicing were in order for 164 dealer salesmen who recently completed Hardware Products Co.'s basic refrigeration training program at Sterling, III.

164 Dealer Salesmen End Basic tions of improper operation Refrigeration Training Program

Under the direction of Argo headquarters.

STERLING, Ill. - A basic L. Mattison, application and water, or if water use exceeds training program for 164 dealer sales engineer for Hardware salesmen covering air condition- Products, men representing 78 ing fundamentals, basic refrig- dealers attended four evening eration cycle, application and meetings at each of six points

Then four all-day meetings were held here at the company's

First Tri-Purpose Bldg. To Be Air Conditioned 24-Hours Daily In Miami

MIAMI, Fla. - A triple-purpose structure containing 100,-000 sq. ft. of office space, 100,000 sq. ft. of products display space, and a 301-room hotel being built in downtown Miami at a cost of \$10 million.

DuPont Plaza Center, facing Biscayne Bay at the entrance to the Miami river, said to be the first 3-purpose structure of its kind, will be completely air conditioned 24 hours daily.

Innovations of the project, conceived by a group of local businessmen, include shades, soundproof walls and ceilings, and acoustical walls.

Ground was broken May 2. First unit is expected to be ready for occupancy by Jan. 1.





ROYAL-AIRE a distinctive conditioner featuring UNARCO "pump-down" control system

It is doubtful that any air conditioner can match the efficiency and beauty of the UNARCO ROYAL-AIRE. This all-new conditioner provides "just right" cooling comfort, adding distinction to any setting.

Oversize cooling coils . . . accessible, hermetic motor-compressor units...and the exclusive UNARCO "pump-down" control system, which prevents compressor damage... are but a few outstanding features of the ROYAL-AIRE line.

Available in five capacities (3 to 15-ton) the ROYAL-AIRE is balance-engineered! This insures full cooling capacities and quiet operation under all conditions, producing a pleasurable climate and atmosphere for any size room.

> Union Asbestos & Rubber Company 332 So. Michigan Ave., Chicago 4, Ill.



Ask about Dyna-Pac featuring both economy and efficient long life. Another packaged unit by UNARCO (R), also pre-wired and pre-piped for easy installation. 2-, 3-, 5-ton models, water- or air-cooled!